Zoological Record

Vol. 86, Sect. 9, 1949

MOLLUSCA

COMPILED BY

A. E. SALISBURY, A.M.I.E.E.

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON SOLD AT THEIR HOUSE IN REGENT'S PARK LONDON, N.W.8

PRICE TEN SHILLINGS

March, 1952

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:-

	8.	d.
	2	6
	7	6
	2	0
	4	0
	2	6
1	0	0
	3	0
	2	0
1	10	0
	5	0
	3	0
	7	6
8	80	0
	2	0
	7	0
	7	6
	7	6
	7	6
	3	0
	1	2 7 2 4 2 10 3 2 10 5 3 7 30 2 7 7 7

^{*} Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

9. MOLLUSCA

COMPILED BY

A. E. SALISBURY, A.M.I.E.E.

CONTENTS

					P	AGE
I.	TITLES			 	 	2
II.	SUBJECT INDEX			 	 	46
II.	Systematic Index			 	 	63
	Aplacophora			 	 	63
	Polyplacophora			 	 	63
	Gastropoda			 	 	64
	Prosobranchiata			 0 0	 	64
	Docoglossa			 	 	64
	Opisthobranchiata			 	 	81
	Nudibranchiata			 	 	82
	Pulmonata			 	 	84
	Pelecypoda or Lan	nellibra	anchia	 	 	90
	Cephalopoda			 	 	99

I.—TITLES

- 1.—Anon. Studies on the scallops of Matsu Bay, Aomori Prefecture. Bull. Mar. biòl. Stat. Asamushi 4 2 1949 pp. 13–15.
- 2.—Anon. Portrait of the late Mr. Shintaró Hirase. Venus Tokyo 10 l 1940 p. l.
- 3.—Anon. Obituary Shintaré Hirase [In English,] Venus Tokyo 10 1 1940 pp. 3–4.
- 4.—Anon. List of works of Shintaró Hirase, [In Japanese.] Venus Tokyo 10 1 1940 pp. 3-14.
- **5.—Anon.** Species and vars. named after S. Hirase. [In Japanese.] Venus Tokyo **10** 1 1940 pp. 14–15.
- 6.—Abbott, R. T. Handbook of medically important mollusks of the Orient and Western Pacific. Bull. Mus. Comp. Zoöl. Harvard 100 3 1948 pp. 243–328 text-figs., pls. 1–5.
- 7.—Abbott, R. T. A new Florida species of the Tectibranch genus *Pleuro*branchus. Nautilus Philad. 1949 **62** 3 pp. 73–78, pl. 5.
- 8.—Abbott, R. T. New Syncerid Mollusks from the Marianas Islands (Gastropoda, Prosobranchiata, Synceridae). Occ. Pap. Bishop Mus. Honolulu 19 15 1949 pp. 261–274 text-figs.
- 9.—Abbott, R. T. Samoa, Shell-collector's paradise. Scient. Monthly, Lancaster, Pa. 1949 69 5 pp. 319-327 figs.
- 10.—Abrard, R. & Aubert de la Rue, E. Sur la présence du Quaternaire marin fossilifère la long de la Côté occidentale du Labrador. C.R. Acad. Sci. Paris 229 23 1949 pp. 1249–1251.
- 11.—Adam, W. Notes sur les Gastéropodes. XV.—Recherches sur la faune malacologiques des dunes littorales de la Belgique. Bull. Mus. Hist. nat. Belg. 23 27 1947 pp. 1–26 tables & text-figs. pl. 1.
- 12.—Agrell, L. The shell morphology of some Swedish Unionides as affected by Ecological conditions. Ark. zool. Stockholm 41 A15 1949 pp. 1–30 text-figs. tables & graphs.

- 13.—Aguayo, C. G. Nuevos moluscos fosiles de la Republica Dominicana. Revista Soc. Malac. 'C. de la Torre' Habana 1949 6 3 pp. 91-92.
 - Aguayo, C. G. vide Clench, W. J.
- 14.—Aguayo, C. G. & Roig, M. S. Tres nuevos moluscos operculados de Cuba. Rev. Soc. Malac. 'Carlos de la Torre' Habana 7 1 1949 pp. 7-10 pl. 2.
- 15.—Albonico, R. Die Farbrarieteciten der grossem Wegschnecke Arion empiricorum Fér und deren Abbarigigkeit von den Uncrochtbedingungen. Rev. suisse zool. Genève 55 3 1948 pp. 347–425 text-fig.
- 16.—Alimen, H. Considerations sur l'espéce oligocene *Potamides lamarcki* Brong. et sur sa répartition en France, Bull. Soc. géol. Fr. 5 18 1-3 1948 pp. 97-114 text-fig. graph.
- 17.—Allan, J. The giant African snail—a crop-destroying traveller. Aust. Mus. Mag. Sydney 7 11 1949 pp. 374–377 text-fig.
- 18.—Alloiteau, J. & Charles, R. P. Quelques fossiles nouveaux ou peu connu dans le Lias de Provence. Mém. Soc. d'Études Paléont. Palethnogr. Provence 1 2 1948 p. 8.
- 19.—Alonso, A. S. & Castellanos, Z. J. A. de. Algunos datos sobre la alimentación de las Ampularias. Notas Mus. La Plata Zool. 14 115 1949 pp. 31-34 pls. i-iv.
- 20.—Altena, C. O. van R. Teyler's Museum—Systematic Catalogue of the Palaeontological collection, sixth supplement (Teuthoidea). Arch. Mus. Teyler, La Haye 1949 (3) 10 2 pp. 53-62 text-fig.
- 21.—Altena, C. O. v. R. The genus Antemetula Rehder in the Indo-West Pacific area, with description of two new fossil species. Bijdr. t. d. Direrk. Afr. 28 1949 pp. 305–393, 7 figs. [non vide].
- 22.—Altena, C. O. v. R. Slakkenkaartjes de grote rivieren als invasiewegen van Nederlandse Landslakken. "In het voetspoor van Thijsse" 1949 pp. 266–270, 4 figs.

- 23.—Althoff, W. Die Ammonitenzonen der Oberen Ludwegienschichten von Bielefeld. Palaeontographica Stuttgart A 92 1-2 1940 pp. 1-44 text-fig. pls. i-vi.
- 24.—Ambrosius, A. Über die innervation des Darmkanales von Schnecken. Math. term. Ert. Budapest 1939 **58** 2 p. 550.
- 25.—Amengual-Ferragut, J. Ensayo de sistemática biocenótica aplicada al estudio de los yacimientos de moluscos, con un estudio inicial de los yaci-mientos de la ria de Noya. Bol. Inst. Esp. Oceanogr. 1949 20 pp. 1-70.
- 26.—Ancion, C. & Leckioijck, W. van. Découverte d'une Faune namurienne dans la vallée de la Berwinne. Bull. Acad. R. Belg. Chl. Sci. 1942 (5) 28 12 pp. 889-893 text-maps.
- 27.—Ancion, C., Leckioijck, W. van & Ubaglis, G. Sur l'age samennien des grés du Val Dieu et l'existence d'une lacune stratigraphique entre Namurien et Famennien dans la vallée de la Berwinne. Bull. Acad. R. Belg. Cl. Sci. 1943 (5) 29 pp. 488-492.

Andrusov, D. vide Kühn, O.

- 28.—Anelli, F. Specie nuove nella fauna Retica della Valle Adrara. Riv. ital. Paleont. Milano 55 2 1949 pp. 73-77 text-figs.
 - Arias, S. vide Carbonell, L. & others.
- 29.—Arkell, W. J. Jurassic Ammonites in 1949. Sci. Prog. London 37 147 1949 pp. 401-417 text-figs. pls. 1-417.
- 30.-Arnould, M. Note sur le Pliocène de Menzel-Temime (Cap Bon) Stratigraphie—Paléontologie. Bull. Soc. Hist. nat. Tunisie 2 1 1949 pp. 45-49.
- 31.—Arvy, L. Particularités de l'évolution nucléolaire au cours de l'ovogenèse chez Limnaea stagnalis L. C.R. Acad. Sci. Paris 228 25 1949 pp. 1983-1985 text-figs.
- 32.-Arvy, L. Sur la castration pararetaire chez Dentalium entale Deshayes. C.R. Acad. Sci. Paris 229 16 1949 pp. 780-782 text-fig.
- 33.—Arvy, L. & Gabe, M. Contribution a l'étude morphologique du sang des Polyplacophores. Bull. Soc. zool. Fr. 74 1949 pp. 173-179.

Asao, S. vide Sugiyama, J.

VOL. 86

- 34.—Astre, G. Gisement azilien de la tute de Carrelore, a Lurbe (Passes Pyréneés) decouvertes et ortillages, "Faune" [Moll. pp. 234–235]. Bull. Soc. Hist. nat. Toulouse 1949 84 3-4 pp. 227-244 text-figs.
- 35.—Aubert, D. Nouvelles observations sur le niveau à Exogyra virgula dans de Jura. Bull. Soc. Vaud. Sci. nat. 1949 64 275 pp. 361-366.

Aubert de la Rue, E. vide Abrard.

Aveledo, R. vide Carbonell, L. & others.

- 36.—Awati, P. R. & Karandiker, K. R. Oncidium verraculatum Cuv. (Anatomy, Embryology and Bionomics). Zool. Mem. Univ. Bombay 1 1948 pp. 1-53 text-fig.
- 37.—Azim, M. A. & Watson, J. M. Comparative efficiency of different methods of packing the snail vectors of Schistosoma haematobium and S. mansoni for transport by air. Ann. Trop. Med. Parasit. L'pool. 43 1949 pp. 39-40 table.
- 38.—Baan, G. van der. De Lof van Cadzand. Levende Nat. Amsterdam 52 9 1949 pp. 171-177 text-figs.
- 40.—Baba, K. Opisthobranchia of Sagami Bay. [In Japanese & English.] Tokyo 1949 pp. 1-104, 1-7 text-figs. pls. i-l.
- 41.—Baba, K. Epimenia ohshimai a new Solenogastre species from Amakusa, Japan. [In Japanese with English résumé. Venus Tokyo 10 1940 pp. 91–96, 1 fig.
- 42.—Bacci, G. Effecti del freddo artificiale sul ciclo sessuale annule del tritone crestato. Boll. zool. Torino 14 1943-47 pp. 75-82.
- 43.—Bacci, G. La malacofaune dell'Abissinia e della Somalia e i loro elementi di origine Indiana e Paleartica. Boll. zool. Torino 1948 15 pp. 1-18.
- 44.—Bacci, G. Melanella comatulicola (Graff) un Gasteropodo parassita della Antedon mediterranea (Lam.). Boll. zool. Torino 1948 15 pp. 89–96 text-figs.
- 45.—Bacci, G. Ricerche sulla zoocenosi bentoniche del Golfo di Napoli. Pubb. Staz. zool. Napoli 20 1947 pp. 158-178.

- 46.—Bacci, G. L'inversione del sesso ed il ciclo stagionale della gonade in Patella coerulea L. Pubb. Staz. zool. Napoli 21 1948 pp. 183–217 tables & graphs text-figs. pls. vii, viii.
- 47.—Bacci, G. Osservazioni statistiche sulla determinazione dei sessi in Patella coerulea L. Pubb. Staz. zool. Napoli 22 1949 pp. 26-39 tables.
- 48.—Bacci, G. & Oddo, F. Ricerche sierologiche sulla sistematica del genera Venerupis Lam. (Mollusca Bivalvia). Pubb. Staz. zool. Napoli 21 1948 pp. 117-123 tables.
- 49.—Bacq, Z. M. L'action de la vératrine sur la muscle des invertébres. Pubb. Staz. zool. Napoli 18 1 1939 pp. 1-14 text-figs.
- 50.—Baerends, v. R. J. M. Sierlijke vormen uit de zea Blauwe Wimpel 4 1949 pp. 30-31.
- 51.—Baker, J. R. Further remarks on the Golgi element. Quart. J. micr. Sci. London 90 3 1949 pp. 293-307 text-fig.

Baernstein, N. D. vide von Brand, T. & others.

- 52.—Bakker, K. Leda deshayesiana. Natura 46 1949 p. 136 fig.
- 53.—Balslov, G. & Petersen, S. K. Quelques notes sur la répartition des mollusques terrestres en Fionie (Danemark). Vidensk. Medd. Dansk naturh. Foren. 111 1949 pp. 225–234 1 fig.
- 54.—Barattini, L. P. & Ledón, O. A. Una nueva subspecie del genero Strophocheilus para la Malaco-fauna Uruguaya Rev. Soc. Malac. 'Carlos de la Torre' Habanas 7 1 1949 pp. 1–2 text-fig.
- 55.—Bardán, E., Navarry, P. & Rodriguez, O. Nuevos datos sobre la sardina del Mar de l'Alborán (Agosto de 1948 a marzo des 1949). Bol. Inst. Esp. Oceanogr. 17 1949 pp. 1–4.
- **56.—Barnard,** K. H. Note on the radula of *Fusitriton*. J. Conch. London **23** 3 1949 p. 90 text-fig.
- 57.—Basse, E. Les Cephalopodes crétacés des Massifs côtiers syriens. Notes et Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 pp. 411-471 text map pls. i-ix.
- **58.**—**Basse**, E. Quelques Ammonites nouvelles du Crétacé de Colombie (Am. Sud). Bull. Soc. géol. Fr. 5 **18** 8–9 1948 pp. 691–698 pl. xxv.

- 59.—Bayer, C. Catalogue of the Solariidae in the Rijksmuseum van Natuurlijke Historie III. Torinia. Zool. Verhandel No. 4 1948 pp. 1–44. [non vidi.]
- 61.—Bayol, J. & Paulus, M. Grotte de la Balanzière [List]. Bull. Soc. Étud. Sci. nat. Nimes 48 [1947] pp. 79–99.
- 62.—Becker, K. Untersuchungen über das Farbmuster und das Wachstum der Molluskenschale. Biol. Zbl. Leipzig 68 7–8 1949 pp. 263–288 figs.
- 63.—Beckmann, M. La faune des mollusques de la mer Noire près de Karadagh. [Russian with French résumé.] Trav. Sta. biol. Karadagh No. 6 1940 pp. 5-22.
- 64.—Bédé, P. Contribution a l'étude des Mollusques tertiaires. III. Sur une nouvelle espéce de Nautile Nautilus calvimonlensis nob. der Lutétien des environs de Paris. Bull. Soc. géol. Fr. 5 18 4-5 1948 pp. 219-225 pl. ixa text-fig.
- 65.—Beets, C. Additional observations on the genus *Julia* Gould. Geol. & Mijnb. 11 1949 pp. 22-24 map.
- 66.—Belcher, T. E. The distribution of *Crepidula fornicata* (L.). J. Conch. London 1949 23 2 p. 37.

Bemmel, A. C. W. vide Loosjes, F. E.

- 67.—Bengry, R. P. Tyrian purple. Nat. Hist. Notes nat. Hist. Soc. Jamaica No. 39 1949 pp. 43–45 figs.
- 68.—Bequaert, J. C. Three new South American land snails (Strophocheilus, Thaumastus, Drymaeus). Nauticus, Philad. 1949 62 4 pp. 113—115 pl. 7.

Benzer, P. vide Bevelander, G.

- 69.—Berg, W. E. Some effects of sperm extracts on the eggs of *Mytilus* [and discussion]. Amer. Nat. 1949 83 812 pp. 221–226.
- 70.—Berger, W. Die Bullaceen (Gastropoda) aus dem Tertiär des Wiener Beckens [List]. Anz. Akad. Wiss. Wien 1949 86 pp. 80–93.
- 71.—Bergmann, W. Comparative biochemical studies on the Lipids of marine invertebrates, with special reference to the Sterols [Mollusca pp. 162–164]. J. mar. Res. New Haven 1949 8 2 pp. 137–176 text-figs.

- 72.—Bergmann, W. & Ottke, R. C. Contributions to the study of marine products. XXIV. The occurrence of brassicasterol in molluses. J. Organic Chem. Baltimore 14 6 1949 pp. 1085–1088 I table.
- 73.—Bergounioux, F. M. & Crouzel, F. Les faciès des sables faunes (Vindobonien supérieur) dans le Bassin d'Aquitaine. Bull. Soc. géol. Fr. 5 19 1-3 1949 pp. 135-153 figs. 1-2 & table.
- 74.—Beringer, C. C. Beitrage zu einer Revision der Isocardiiden. Palaeontographica Stuttgart A97 4-6 1949 pp. 181-217 tables pls. xv-xviii.
- 75.—Berry, S. S. On Opalia montereyensis (Dall): J. Ent. 2001. Claremont, Cal. 40 1948 pp. 15-19 text-figs.
- 76.—Beurlen, K. Beitrage zur Stammesgeschichte der Muscheln. Sitz Ber. bayer. Akad. Wiss. 1944 pp. 133-145 4 text-figs.
- 77.—Bšcic, Z. Le développement des sédiments du Sénonien superieur dans la région de Posava et du Tamnava, et leur comparaison avec des formations semblables dans vos régions et dans les Alpes Orientales. [Fr. rés. p. 31.] Bull. Mus, d'hist. Nat. Serbie 1 1948 pp. 21–31 1 text-fig.
- 78.—Bšcic, Z. Les récifs calcaires du Trias dans la région de Durmitor et de Sinjavina (Monténégro). [Fr. rés. p. 70.] Bull. Mus. d'hîst. Nat. Serbie 1 1948 pp. 59-70 pl. iv figs. 1-4.
- 79.—Bšcic, Z. Les calcaires à Céphalopodes de Seljani à Riva, leur faunc et la rapport entre ceuxci et les alcaires à Brachiopodes du même endroit. [Fr. rés. pp. 147–148.] Bull. Mus. d'hist. Nat. Serbie 2 1949 pp. 131–146 pls, ix-xii.
- 80.—Bevelander, G. & Benzer, P. Calcification in marine molluses. Biol. Bull. Woods Hole 94 1948 pp. 176–183 text-figs.
- 81.—Bevelander, G. & Martin, J. Culture of mantle tissue of marine molluscs. Anat. Rec. Philad. 1949 105 3 abstract 283 p. 614.
- 82.—Bhatia, C. L. Spermatogenesis of snail [abstract]. Proc. Indian Sci. Congr. 1946 32nd 3 p. 94.
- 83.—Bianchi, C., Caporiacco, L. di, Massera, M. G. & Valle, A. Raccolte faunistiche della Grotta degli Spipola

- (Bologna). [Oxychilus villae (Mortill) p. 497.] Comment. pont. Acad. Sci. 13 7 1949 pp. 493–527 22 figs.
- 84.—Biese, N. W. A. Revision de los Moluscos terrestres y de agua dulce provistos de concha de Chile. Bol. Mus. nac. Chile 1949 24 pp. 217–239 figs.
- 85.—Black, E. C. & Elsey, G. R. Incidence of Wood-borers in British Columbia waters. Bull. biol. Board Canada 80 1948 pp. 1–20 graph & table map.
- **86.—Blok**, A. R. H. Moses, 1871–1949. Jour. Coneh. London **23** 3 1949 p. 89.
- 87.—Bloklander, A. Nogmaals de fossiele mollusken uit de Westerschelde bij Ellewouts-dijk (avec un sommaire français contenant la description d'une espèce nouvelle). Basteria 13 1949 pp. 35-40 2 figs.
- 88.—Bloklander, A. E. M. H. Zeldzame klangsterren. Levende Nat. Amsterdam 50 2-3 1947 p. 30.
- 90.—Bloklander, A. E. M. H. Eiernesten van de Wulk als importeurs. Lev. Natuur Amsterdam **52** 1949 pp. 14-17 figs.
- 91.—Bloklander, A. E. M. H. Langs de kusten van Ameland. Natura 46 1949 pp. 102–105 3 figs.
- 92.—Bloomer, H. H. A note on the distribution of Anodonta cygnea (L.), having regard to differences in sex and gill-structure. J. Conch. London 1949 23 2 pp. 33–36.
- 93.—Boettger, C. R. On the appearance of an hereditary anomaly in the shell of a Planorbid snail. [Summary in English.] Abh. braunschw. Wiss. Ges. 1949 1 1 pp. 1–7 text-figs.
- 94.—Boettger, C. R. Die Schreibweise des Gattungsnamens der als Mytilus polymorphus Pallas beschriebenen Wandermuschel. Archiv f. Molluskenk. Frankfurt a/M. 1949 78 1/3 pp. 49–52.
- 95.—Boettger, C. R. Die Nordgrenze der Nachtschnecke *Milax rusticus* Millet en Westdeutschland. Archiv f. Molluskenk. Frankfurt a/M. 1949 78 1/3 pp. 53-56.

- 96.—Boettger, C. R. Über einige Quellenschnecken von de Côte d'Or im zentralen Ostfrankreich. Archiv f. Mollusk. 78 1/3 1949 pp. 57-60 pl. 3.
- 97.—Boettger, C. R. Die Entstehung der Schabengestalt der ostalpinen Landschnecke *Cylindrus obtusus* (Draparnaud). Archiv f. Mollusk. 78 4/6 1949 pp. 157–166.
- 98.—Boettger, C. R. Eine neue Landschnecke von Insel Corsica. Archiv f. Mollusk. 78 4/6 1949 pp. 167–168 text-fig.
- 99.—Boettger, C. R. Zur Kenntnis der grossen Wegsehnecken (Arion s. str.) Deutschlands. Archiv f. Mollusk. 78 4/6 1949 pp. 169-186 text-fig.
- 100.—Boettger, C. R. Die Eenschleppung einer nordamerikanischen Süsswasserschnecke der Gattung Ferrissia nach Deutschland. Archiv f. Mollusk. 78 4/6 1949 pp. 187–188.
- 101.—Boettger, C. R. Das Verhalten rothlütiger Schnecken gegenüber kohlenoxyd. Z. wiss. Zool. Leipzig 153 1940 pp. 219–237.

Bogorase, D. vide Cazal, P.

- 102.—Bolognari, A. Mortologia, struttura e funzione del "corpo bianco" dei Cefalopodi. Arch. zool. Torino 1949 34 pp. 75–97 text-figs pl. iii,
- **103.—Bonda,** C. von. Mussel and fish poisoning. S. Afr. J. Sci. **22** 1948 pp. 760–763 l fig.
- 104.—Bondesen, P. A comparative morphological-biological analysis of the egg capsules of freshwater pulmonate Gastropods Hygrophila, Basommatophora, Pulmonata. Natura Jutlandica, Aarkus pp. 1–208 89 text-figs. pls. i–ix graph.
- 105.—Bondesen, P. Preliminary investigations into the development of Neritina fluviatilis L. in brackish and fresh water. Vidensk. Medd. Dansk naturh. Foren. 104 1940 pp. 283–318 5 figs. tables.
- 106.—Bondesen, P. & Kaiser, E. W. Hydrobia (Potamopyrgus) jenkinsi Smith i brakyand og ferskvand i Danmark. Flora og Fauna, Kjøbenh. 55 3–5 1949 pp. 81–92, text-figs. map.
- 107.—Bondesen, P. & Kaiser, E. W. Hydrobia (Potamopyrgus) jenkinsi Smith

- in Denmark illustrated by its ecology. Oikos, Copenhagen 1949 1 2 pp. 252–271, P. text-map, figs.
- 108.—Boscardi, F. & Petrillo, E. Atossicità 'del dicloro-difenil-tricloroetans (D.D.T.) per le larve dei trematodi e per i molluschi ospiti intermedi.' Arm. Igiené, Roma 58 l 1948 pp. 41-4.
- 109.—Bouxin, H. Considerations sur la bifurcation d'un Siphon chez un Lamellibranche (*Tapes decussatus* L.). Bull. Soc. zool. Fr. 73 1940 pp. 14–18 text-fig.
- 110.—Boycott, B. B. & Yonng, J. Z. Comparative studies of behaviour in Cephalopods. Challenger Soc. London 1948 2 20 p. 25.
- 111.—Brand, T. V., Mehlman, B. & Nolan, M. O. Influence of some potential molluscacides on the oxygen consumption of Australorbis glabratus. J. Parasit. Lancaster Pa. 35 5 1949 pp. 475-481.
- 112.—Braun, G. A. & Dykastra, G. I. A survey of the Unionidae of the upper reaches of the Mackinaw River. Trans. Ill. Acad. Sci. 42 1949 pp. 149-151 l fig.
- 113.—Bresse, G. Sciences Naturelles. Classe de cinquième. Zoologie, Paris [1947] pp. 1-174.
- 114.—Bricchi, C. Diagnosi di forme nuove. Riv. ital. Paleont. Milano 55 I 1949 pp. 37-40 text-figs.
- 115.—Bricchi, C. Diagnosis di forme nuove. Riv. ital. Paleont. Milano 55 3 1949 pp. 114-116 text-figs.
- 116.—Brock, A. N. Ch. Ten. Plio-Pleistocene Astartidae van de Zeeuwse Stranden. Zool. Meded. Leiden 30 10 1949 pp. 115-132 pls. vi, vii.
- 117.—Bruce, J. R. Faunistic Notes & Records. [Moll. 15-16.] Rep. Mar. biol. Sta. Port Erin 52 1939 pp. 11-16.
- 118.—Bruce, J. R. Phylum Mollusca (Report supplement to "The Marine Fauna of the Isle of Man 1937"). Rep. Mar. biol. Sta. Port Erin 1945–47 pp. 52–54.
- 119.—Brüel, L. Über meherfack alternierende Geschlechtlichkeit bei marinen zwittrigen Nacktschnecken. Z. wiss. Zool. Leipzig 153 1940 pp. 373– 392.

120.—Brunelli, G. & Cannicci, G. Ils Lago dei Sabaudia (Paola). [Moll. pp. 46-47.] Boll. Pesca Piscicolt. Idrobiol. Roma. 16 4 1940 pp. 35-54 table & maps.

121.—Brunelli, G. & Cannicci, G. II Lago di Massaciuccoli. Boll. Pesca Piscicolt. Idrobiol. Roma 18 l 1942 pp. 5–66 maps tables pls. i–iv.

122.—Bruun, A. F. En dybhavsgåde mindre posthorn-blacksprutten (Spirula spirula L.). Dyr i Natur Mus. Kobenhavn 1941 pp. 63–72 text-figs.

123.—Bruun, A. F. Conus gloriamaris, Havets pryd, en konkylje og dens Historie. Dyr i Natur Mus. Kobenhavn 1943-44 pp. 61-66 textfigs.

Buge, E. vide Roger, J.

124.—Bukhalova, V. I. Influence of salinity variation on the zooplancton in the firth of Kovdsk in the White Sea. Bull. Acad. Sci. Moscow. Biol. 1949 2 pp. 218–223.

125.—Burck, H. D. M. Het geologisch profiel Breukelen-Deventer. Meded. Geol. Stichting (N.S.) 3 1949 pp. 5–17.

126.—Butler, P. A. Gametogenesis in the oyster under conditions of depressed salinity. Biol. Bull. Woods Hole 96 1949 pp. 263–269 graphs.

129.—Büttner, K. Die fossilen thürengischen *Chilostoma ichthyomma* (Held.) Archiv f. Molluskenk. 78 1/3 1949 pp. 65–67.

130.—Bychovskaya (Piavlovskaya), I. E. (Parasitic fauna of *Perca fluviatilis* L. and the influence of some ecologic factors on its alteration.) Bull. Acad. Sci. Moscow. Biol. 3 1949 pp. 316–339.

131.—Calas, P. Note preliminaire a une révision des Rissoinidae du Redonien. Bull. Mus. Hist. nat. Paris (2) 21 1 1949 pp. 164–168.

Calderwood, H. H. vide Galtsoff, P. S. & others.

132.—Calembert, L. Précissons sur la géologie du Djebel Trozza (Tunisie centrale). [List.] [C.R.] Ass. franç. Av. Sci. (1939) 1941 63 pp. 461-464. 133.—Callan, H. G. The absence of a sex-hormone controlling regeneration of the Hectocotylus in *Octopus vulgaris* Lam. Pubb. Ital. zool. Napoli. 181 1939 pp. 15–19 figs.

Cannicci, G. vide Brunelli, G.

Caporiacco, L. vide Bienchi, C.

134.—Carbonell, L., Arias, S. & Aveledo, R. Contribucion al conocimiento de los Moluscos de Tacarigua. Mem. soc. Cienc. nat. La Salle, Caracas 1949 9 24 pp. 223–256 figs.

135.—Carcelles, A. Notas sobre algunos gastropodos marinos del Uruguay y la Argentina, i-vi. Comun.-zool. Mus. Hist. Nat. Montevideo 2 40 1947.

136.—Carcelles, A. Notas sobre algunos Bivalvos Argentinos. Comun. zool. Mus. Hist. Nat. Montevideo 2 41 1947 pp. 1–10 pl. 1.

137.—Calié, W. & Linck, O. Die Stromberg-Mulde im nord-westlichen Würtemberg. [Lists.] N. Jahrb. Min. Geol. Paläont. Stuttgart B 90 3 1949 pp. 427–478 text-figs & tables.

138.—Carson, R. L. Food from the sea. Fish and shellfish of New England. [Moll. pp. 59-...] Conserv. Bull. Bur. Biol. Surv. Washington No. 33, 1943 pp. 1-74, 34 text-figs.

Casalis, M. vide Dechaseaux, C.

139.—Casey, R. The Ammonite genus *Uhligella* in the English Albian. Geol. Mag. London 86 6 1949 pp. 333—345 pl. xix.

Castellanos, Z. J. A. de vide Alonso, A. S.

140.—Gavalca, L. Le modificazioni del carbonato di calcio nelle conchiglie dei Lamellibranchi. Atti Soc. ital. Milano 1949 88 1–2 pp. 5–8.

141.—Cawston, F. G. South Africa's pond snails. African Wild Life, Johannesburg 1949 3 I pp. 30–31.

142.—Cayolla da Mota, L. A. C.-R. Estudo da aceão do Gamahexano sobre alguns moluscos portugueses dos géneros Planorbis, Limnea e Physa. An. Inot. Med. trop. Lisbon 5 14 [1949] pp. 289—319 tables.

143.—Cazal, P. & Bogoraze, D. Les glandes endocrines des Cephalopodes. Année Biol. Paris (3) 25 9-10, 1949 pp. 225-238, 9 text-figs.

Chapman, W. A. vide Galtsoff, P. L. & others.

- 144.—Charles, R. P. Le Lias de la Basse Provence occidentale. [Lists.] Bull. Mus. Hist. nat. Marseille 1948 8 2-3 pp. 101-127 tables & graphs.
- . 145.—Charles, R. P. Note paléontologique sur le Trias de Provence. Bull. Soc. géol. Fr. 5 18 4-5, 1948 pp. 347-358.
- 146.—Charles, R. A. Note sur les fossils hauteriviens du massif d'Allauch. Mém. Soc. d'Études Paleont. Palethnogr. Province 1 1, 1949 pp. 1-35 pl. 1 text-figs.
- 147.—Charles, R. P. Essai d'étude phylogenique des Gryphées liasiques. Bull. Soc. géol. Fr. 5 19 1–3, 1949 pp. 31–41, 1 fig.

Charles, R. P. vide Alloiteau, J.

- 148.—Chatterjee, S. C. Ostrea gajensis and other fossils from near Baripada, Mayurbhanj State. [Abstract.] Proc. Indian Sci. Congr. 1946, 32nd 3 pp. 55-56.
- . 149.—Chaudoir, H. Nouvelle recoupe de l'horizon marin des Lanklaar du Westphalien B; en Campène orientale (Belgique). Bull. Mus. Hist. nat. Belg. 24 46 1948 pp. 1–6.
- 150.—Chavan, A. Remarques sur la signification climatique des mollusques marins fossils. Bull. Soc. géol. Fr. 5 19 7-9 1949 pp. 507-512.
- 151.—Chavan, A. Sur quelqués espèces du calcaire de Vigny. C.R. Séances Soc. géol. Fr. Paris 6 1949 pp. 104-106 text-figs.
- 152.—Chestnut, A. F. Some studies of the digestive enzymes of the oyster (Ostrea virginica). J. Elisha Mitchell sci. Soc. Chapel Hill. 1949 65 2 pp. 215—216. [Abstract.]
- 153.—Chiesa, C. Contributo alla Conoscenza del Retico nella Lombardia occidentale. [List.] Riv. ital. Paleont. Milano 55 1 1949 pp. 18–33 text-figs. pl. iii.
- M. M. Certain observations on the development of the Sacred Chank,

Xancus pyrum (Linn.). [Abstract.] Proc. Indian Sci. Congr. 1948 34th 3 p. 178.

Chipman, W. A. vide Galtsoff, P. G. & others.

- 155.—Choubert, G. & Salvan, H. Essai sur la paléogeographie du Sénonien au Maroc. [Short lists in text.] Notes & Mem. Serv. Mines Carte Geol. Maroc 74 2 1949 pp. 13–50 text-figs. 1–6.
- 156.—Chronic, B. J., in Newell, N. D. Chronic, B. J. & Roberts, T. G. Upper Paleozoic of Peru 1949. pp. 1–241 pls. 1–42 (Moll. pp. 136–172 pls. 27–35) text-figs.
- 157.—Clench, W. J. Cyclophoridae and Pupinidae of Caroline, Fijian, and Samoan Islands. Bull. Bishop Mus. Honolulu No. 196 1949 pp. 1-52 textfigs.
- 158.—Clench, W. J. Charles Montague Cooke, Jr., 1874–1948. Bull. Bishop Mus. Honolulu No. 197 1949 pp. 32–33 portrait.
- 159.—Clench, W. J. The collection of the Marquis de Monterosata. [Note on destination.] Nautilus Philad. 1949 62 3 p. 102.
- 160.—Clench, W. J. New genera and species of Synceridae from Ponape Caroline Islands, Occ. Pprs. B.P. Bish, Mus. Honolulu 18 13 1946 pp. 199–206 text-figs.
- **161.—Clench**, W. J. C. Montague Cooke, Jnr., 1874–1948. Proc. Malac. Soc. London 1949 **28** 1 pp. 8-9.
- 162.—Clench, W. J. C. Montague Cooke, Jr. Revista Soc. Malae 'C. de la Torre.' Habana 1949 6 3 pp. 88-89.
- 163.—Clench, W. J. & Agnayo, C. G. Dos nuevos Moluscos genero Opisthosiphon. malac. 'C. de la Torre' Habana 1949 6 3 pp. 89-90 text-figs.
- 164.—Clench, W. J. & Turner, R. D. The genus *Truncatella* in the Western Atlantic. Johnsonia Cambridge U.S.A. 2 25 1948 pp. 149–164 text-figs. plates 65–73.
- 165.—Clench, W. J. & Turner, R. D. The Western Atlantic marine mollusca described by C. B. Adams. Occ. Pprs. on Mollusks, Camb. Mass. 1 15 1950 pp. 233-403 pls. 29-49.

- 166.—Coe, W. R. Nutrition and sexuality in Protandric Gastropods of the genus *Crepidula*. Biol. Bull. Woods Hole 94 1948 pp. 158–160.
- 167.—Coe, W. R. Divergent methods of development in morphologically similar species of Prosobranch Gastropods. J. Morph. Philadelphia 84 1949 pp. 383-399 text-figs.
- 168.—Coe, W. R. Variations in the expression of sexuality in the normally protandric gastropod Crepidula plana Say. J. exp. Zool. Philadelphia 108 1948 pp. 155–169 graphs figs.
- 169.—Coen, G. S. Nota su alcune forme nuove di "Cypraeacea." Historia Nov. Roma 3 1 1949 pp. 13-18.
- 170.—Coen, G. S. Di una nuova Famiglia di Gastropodi fossili. Natura, Milano 40 3-4 1949 pp. 46-48 text-figs.
- 171.—Cole, H. A. Decline of oyster populations. Challenger Soc. London 3 I 1949 pp. 18, 19.
- 172.—Collignon, M. Une Ammonite nouvelle du Cénomanien d'Espagne: Protacanthoceras jacobi. Ann. Hébert et Haug Faris 7 1949 pp. 80-83 fig. 1.
- 173.—Collignon, M. L'Oxfordien dans le Sud-Ouest de Madagascar. Ann. Hébert et Haug Paris 7 1949 pp. 85-97.
- 174.—Colom, G. La geologia del cabo Pinar, Aleudia (Mallorca). R. Soc. esp. Hist. Nat. Tomo Extraord. 1949 1946 pp. 361-389, short lists pp. 367, 385, 386.
- 175.—Comfort, A. Large Cepaeu nemoralie in the Locard collection. J. Conch. Lendon 23 3 1949 p. 71.
- 176.—Comfort, A. Identity of the shell pigment of *Haliotis cracherodii* Leach. Nature, London 163 4147 1949 p. 647.
- 177.—Comfort, A. & Nicholas, R. E. H. Acid-soluble pigments of molluscan shells. 2. Pigments other than prophyrins. 3. The indigoid character of the blue pigment of Haliotis cracherodii Leach. 4. Identification of shell porphyrins with particular reference to conchoporphyrin. Biochem. J. Cambridge 1949 45 2 pp. 199–210 figs.
- Connaughey, B. H. vide Pickford, G. E.

- 178.—Contaut, H. Sur l'age des calcaires blancs inferieurs de la Vallée de la Meuse. [Short list of fossils.] Bull. mens. Soc. Sci. Nancy N.S. 4 2 1939 pp. 38–47.
- 179.—Cook, A. S. Acme fusca (Montagu) near Doncaster. J. Conch. London 23 3 1949 p. 84.
- 180,—Cooreman, T. La reproduction chez les Huîtres. Nat. Belges, Bruxelles 30 2 1949 p. 28.
 - Cooper, R. D. vide Macan, T. T.
- 181.—Corbeil, H.-E. Travail sur les mollusques Mya arenaria L., Ostrea virginica (Gmelin). Rapp. Stat. Biol. St.-Laurent, Quebéc 1949 8th pp. 45-54.
- 182.—Corbett, J. The settlement of the "Pile" fauna of the Mersey estuary. Challenger Soc. London 1948 2 20 pp. 13-14.
- 183.—Cotton, B. C. Australian recent and Tertiary mollusca family Volutidae. Rec. S. Aust. Mus. Adelaide 9 2 1949 pp. 118–196 pls. xiii-xvi.
- 184.—Cotton, B. C. Australian recent and Tertiary mollusca family Marginellidae. Rec. S. Aust. Mus. Adelaide 9 2 1949 pp. 197–224 pls. xvii–xx.
- 185.—Cotton, B. C. Southern Australian Gastropoda, Part III. Trans. roy. Soc. S. Aust. 1948 72 1 pp. 30–32 pl. i.
 - Cotton, B. C. vide Teichert, C.
- 186.—Cowper, S. G. The effect of certain inorganic and vegetable substances on the English pond snail Planorbis corneus (Linné, 1758). Ann Trop. Med. Parasit. L'pool. 42 2 1948 pp. 119-130 tables.
- 187.—Cox, L. R. F. A. Singleton, 1897–1947. Proc. Malac. Soc. London 1949 28 1 pp. 2, 3.
- 188.—Cox, L. R. Neogene mollusca from the Dent Peninsula, British North Borneo. Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 pp. 1-70 text-figs. pls. 1-6.
- 189.—Crampton, H. E. Population studies on Partulae of the Pacific Islands. Proc. 8th Congr. Internat. Congr. Genetics issued as Suppl. Vol. to Hereditas, Lund 1949 pp. 551-552.

- 190.—Crawford, G. I. The Armstrong College zoological expedition to Siwa Oasis (Libyan Desert) 1935. Mollusca. Proc. Egyptian Acad. Sci. 1949 4 pp. 45–57.
- 191.—Crockford, M. B. B. Geology of Ribbon Creek area, Alberta. Moll. lists pp. 22, 27. Rep. Res. Council Alberta, Edmonton No. 52 1747 pp. 64 [Index 4 pp.] map text-figs.
- 192.—Cozzi, S. Prime ricerche sulla Seppia del Mar Ligure. Boll. Mus. Zool. Anat. comp. Genova 18 1938 pp. 125–127.

Crecheret, R. F. vide Martin, O. R.

Cronic, B. T. vide Newell, N. D. & others.

Crouzel, F. vide Bergounioux, T. M.

- 193.—Dahmer, G. Sollea n. nom. [for Tylophora Dahmer 1936 non Pavesi 1880]. Archiv f. Molluskenk. 78 1/3 1949 p. 100.
- 194.—Dahmer, G. Die Fauna de Koblenzquarzits Unterdevon, Oberkoblenz-Stufe) vom Kühkokf bei Koblenz. Senckenbergiana, Frankfurt 29 1–6 1949 pp. 115–136 pls. 1–3.
- 195.—Dammerman, K. W. Het faunistisch onderzoek van de Noordoostpolder. Meded. Comm. Faun. Onderz. Zuiderzeepolders 1 1949 pp. 1–48.
- 196.—Dartevelle, E. Contribution à la faune malacologique des terrasses de la région des lacs Edouard et Kivu. Bull. Ser. Geol. Leopoldville Congo. Belges 3 1948 pp. 99-145 tables, pl. i.
- 197.—Darteville, E. Nouvelles données sur las perles fossiles. Bull. Soc. belge Géol. Pal. Hydr. 57 3 1949 pp. 674—679.
- 198.—Dartevelle, E. Notes conchyliologiques Africaines VIII—Description d'un Enidae nouveau: Edouardia mayumbensis n. sp. Rev. Zool. Bot. afr. 41 2/3 1948 pp. 126–127 text-figs.

Das, R. vide Reddi, K. K. & others.

199.—Dathe, H. Merkwürdige Larchplätze für Tintenfische. Natur u. Volk 78 10–12 1948 pp. 171–174 textfigs.

Davis, A. G. vide Thomas, H. D.

- 200.—Davis, H. C. On cultivation of larvae of Ostrea lurida. Anat. Rec. Philad. 1949 105 3 Abstract 237 p. 591.
- 201.—Dawson, W. R. Some eighteenth-century Conchologists. J. Conch. London 1949 23 2 pp. 44-47.
- 202.—Dechaseaux, C. Essai sur la paléobiologie des Rudistes. Le genre Bournonia. An. Paléont. Paris 35 1949 pp. 119-130, 4 pls. text-figs. 1-3.
- 203.—Dechaseaux, C. & Casalis, M. Sur l'existence chez *Hippurites radiosus* des Moulins d'une cavité homologue des canaux palléaux des Caprinidés. Bull. Soc. géol. Fr. 5 19 4–6 1949 pp. 279–282 pl. x.
- 204.—Deevey, Jr., E. S. Pleistocene research. A review by the members of the Committee on Interrelations of Pleistocene Research, National Research Council. 3. Biogeography of the Pleistocene Part I: Europe & North America. Bull. Geol. Soc. Amer. Washington D.C. 60 9 1949 pp. 1315–1416 tables text-figs.
- 205.—Delpey, G. Les gastéropodes mésozoiques de la Région libanaise. List of spp. & vars. pp. 250-270.3 Notes et Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 pp. 5-292, 5 maps pls. i-xi.
- 206.—Demanet, F. Contribution a l'étude de la microfaume marine du Westphalien de la Campine. [Belgium.] Bull. Inst. R. Sci. nat. Belg. 1949 25 37 pp. 1-10 pls. i, ii.
- 207.—Denizot, G. La Costière Nimoise. [List.] Bull. Soc. Étud. Sci. nat. Nimes 48 [1947] pp. 137-151, 1 fig.
- 208.—Deschaseaux, C. Bandes siphonales, piliers et siphons des Rudistes. Bull. Soc. géol. Fr. (5) 17, 7-9, 1948 pp. 425-435.
- 209.—Desjardin, M. Les Rissina de l'Île de Cuba. Jour. des Conchybiol. Paris 89 1949 pp. 193-208 pls. ix-x.
- 210.—Dey, A. K. Fossil (ypraeidae from the Quilon bed, Travancere State, S. India. Proc. Indian Sci. Congr. 1947 33rd 3 p. 104. [Abstract of paper describing four new species, Zoila selulden, Cribraria quilovencis, Zonarina travancoria & Pseudoxonaria simonnei.]

de Wit, S. D. vide Raven, C. T.

- 211.—Dickinson, J. C., Jr. An ecological reconnaissance of the biota of some ponds and ditches in northern Florida. [Moll. p. 25.] Quart. J. Florida Acad. 11 2-3 1949 pp. 1-28 4 figs. 1 map.
- 212.—Digby, B. Cephalopods from local waters at the University of Istanbul. Nature, London 163 4141 1949 p. 411.
- 213.—Dolgopolskaia, M. A. Das Zooplankton des Schwarzen Meeres in der Nähe von Karadag. [Russian with German summary.] Trav. Sta. biol. Karadagh No. 6 1940 pp. 57-111 18 figs. 1 table.

Donovan, J. E. vide Metz, C. B.

- 214.—Dons, C. Marine Boreorganismer VIII. Teredo-produksjonen og sjistem-peraturen. K. norske Vidensk. Selsk. Forh. Trondheim 21 1949 pp. 186-190 tables.
- 215.—Dons, C. Norges Strandfauna XXXV. Fremgjellesnegler I. K. norske Vidinsk. Selsk. Forh. Trondheim 21 1949 pp. 191–196 text-figs.
- 216.—Donze, P. Paraberriasella, nouveau genre de Périsphinctidés. Bull. Soc. géol. Fr. 5 18 4–5 1948 pp. 237–239 text-figs. pl. ix b.
- 217.—Dorn, C. Einige Feststellungen auf die "Pichtigstellungen zu C. Dorn's Beiträge zur Geologie des Rieses, von E. Weber. N. Jahrb. Min. Geol. Paläont. Stuttgart B 6 1944 pp. 166– 168.
- Downs, H. R. vide Miller, A. K. & others.
- 218.—Drake, R. S. Mollusca of the Eastern basin of the Chaco River, New Mexico. Nautilus Philad. 1949 62 3 pp. 94-97.
- 219.—Drake, R. J. A new species of Oreohelix, subgenus Radiocentrum, from south-eastern Chihuahua. Nautilus Philad. 1949 62 4 pp. 109–112 pl. 8.
- 220.—Drake, R. J. Mollusk shells found in alluvium, at Buell Park. Apache County, Arizona. Plateau, Flagstaff, Arizona 22 2 1949 pp. 26-31 & inset of errata.
- 221.—Dubar, G. Études paléontologiques sur le Lias du Maroc. La fauna Domérienne du Djebel Bou-Dahar près de Béni-Tajjite étude suivic

- de celle de quelques Mollusques d'outres gisements maroccains. Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948 pp. 1-250 pls. i-xxx.
- 222.—Dubourdieu, G. Presence de Knemiceras compressum Hyatt dans l'Aptien sup. de l'Ouenza (Algérie). C.R. Séances Soc. géol. Fr. Paris 2 1949 pp. 26, 27 text-fig.
- 224.—Dubourdieu, G. & Sigal, J. Notes stratigraphiques et paléontologiques sur la region du Dj. Ouenza (Algérie) (Aptien, Albien, Cénomanien). Bull. Soc. géol. Fr. 5 19 1–3 1949 pp. 205–221 pl. vi, table & figs. 1–2.

Duchateau, G. vide Florkin, M.

- 225.—Dudich, E. Zur Kenntnis der wirbellosen Tierwelt des Komitates Bars. [Mollusca pp. 105–106–107.] Fragmenta fauna Hungarica 10 1947 pp. 94–108.
- 226.—Duran, M. & Massuti, M. Estudio de la distribución de la fauna litoral de Blanes y formas de adaptación del género Patella. Pub. Ins. Biol. apl. Barcelona 1949 6 pp. 129-143 graphs & tables.
- 227.—Durham, J. W. Age of the Carbonera formation near Circuta, Colombia. [Moll. genn. given in list.] J. Paleont. Menasha Wis. 23 2 1949 pp. 146-147.
- 228.—Dusenbury Jnr., A. N. The Hannatoma fauna in Colombia and Venezuela. [Moll. List given.] J. Paleont. Menasha, Wis. 23 2 1949 pp. 147-149.

Dykastra, G. I. vide Braun, G. A.

- 229.—Dzvelaya, M. F. Relation of Tarkhan and Kotzakhur layers in Qruzie. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1949 66 5 pp. 913-914.
- 230.—Eberzin, A. G. & Stevanović, P. M. Le plus ancien representant du genre l'Arcicardium et la stratigraphie de l'endroit où il a été decouvert. [Fr. rés. pp. 155-157.] Bull. Mus. d'hist. Nat. Serbie 2 1949 pp. 149-155 pl. 13.
- 231.—Edmonds, S. J. The commoner species of animals and their distribution on the intertidal platform at Pannington Bay, Kangaroo Island, South Australia. Trans. roy. Soc. S. Aust. 1948 72 1 pp. 167-177 pl. xvi.

- 232.—Ehrmann, P. Cylindronenia a new sub-genus of Nenia. Nautilus Philad. 1949 62 3 p. 104.
- 233.—Ellis, A. E. Nomenclature Notes. J. Conch. London 1949 23 2 pp. 50-51.
- 234.—[Ellis, A. E.] Notes on fauna and flora of the Royal Botanic Gardens, Kew, from the Kew Bulletin 1948 No. 1 113-124. J. Conch. London 1929 23 2 pp. 53-54.
- 235.—[Ellis, A. E.] as Editor J. of Conch. Editorial Notes. [On a letter re an innocuous snail becoming a pest when introduced into new environment.]
 J. Conch. London 23 3 1949 p. 91.

Elms, M. A. vide Goldish, S. S.

Elsey, G. R. vide Black, E. C.

236.—Emura, S. On the systematic positions of the genera *Mandarina* and *Dolicheulota*. [In Japanese.] Jap. J. Malac. 13 1-4 1943 pp. 34-38 5 text-figs.

Emura, S. vide Kuroda, T.

Engle, J. B. vide Galtsoff, P. S. & others.

Engle, J. B. vide Loosanoff, V. L.

Endo-Itabaski, T. vide McMullen, D. B. & others.

- 237.—Erspamer, V. Ricerche chimiche e farmacologiche sugli estratti di ghiandola ipobranchiale di Murex (Truncularia) trunculus (L.) Murex (Bolimes) brandaris (L.) e Tritonalia erinacea (L.). [English summary.] Pubb. Staz. zool. Napoli 20 1947 pp. 91-101.
- 238.—Evans, R. G. The lethal temperatures of some common British littoral Molluses. J. Animal Ecol. 17 1948 pp. 165–173 graphs & tables.
- 239.—Fabre-Taxy, S. Faunes lagunaires et continentales du Crétacé supérieur de Provence. 1.—Le Turonien Saumatre. Ann. Paléont. Paris 34 1948 pp. 61–95 pl. 1.
- 240.—Fairbridge, R. W. Geology of the Country around Waddamana, Central Tasmania. [Moll. List p. 116.] Pap. roy. soc. Tasm. 1948 1949 pp. 111-149 8 text-figs. pls. v-ix.
- 241.—Fane, H. Fossil burrows from the Pre-Cambrian Ajibik Quartzite of Michigan [Molluscan burrows? not simple trails]. Nature, London 164 4157 1949 p. 32 figs.

- 242.—Fauer-Fremont, E. & Thaureaux, J. Effet de quelques détérgents sur l'œuf de Teredo norvegica. Biochim. Biophys. Acta. N.Y. 1949 3 3-4 pp. 536-548 figs.
- 243.—Feen, P. J. v.d. Byssus. Basteria 13 4 1949 pp. 66-71 text-fig.
- 244.—Feen, W. S. S. v.d. (Jutting, W. S. S. v. B.) Revised list of the specimens of *Conva gloria-maris* Chemnitz in the collections of the world. Bijdr. t. d. Dierk. Afl. 28 1949 pp. 153-163 pls. viii, ix.
- 245.—Feio, M. Note sur un gisement de fossiles viséens dans les environs de Méetola. Comm. Serv. geol. Portugal 27 1946 pp. 99-116 text-figs, pl. 1.
- 246.—Feio, M. Contribution à la connaissance de *Posidonomya* Becheri [List]. Comm. Serv. geol. Portugal 27 1946 pp. 119-134 text-figs., pls. i-viii.
- 247.—Fergueur, L. Sur l'Eocène inférieur au N.-O. du Bassin de Paris et aux environs de Dieppe. Bull. Mus. Hist. nat. Paris (2) 21 2 1949 pp. 321-332.
- 248.—Festa, A. Della fauna pliocenica di Sciarborasca e di Lerca (Liguria occ.). Ann. Mus. Stor. nat. Genova 63 1949 pp. 173–174.
- 249.—Feugueur, L. Sur la présence des sables de Fontainebleau fossilifères a Neuville-Bosc (Oise) et des Marnes a huitres a Frémainville (Seine-et-Oise). Feuille Nat. Paris N.S. 4 7–8 1949 pp. 73–74.
- 250.—Filatova, Z. A. & Zatzepin, B. V. I. Check list of the Fauna and Flora of the Northern Seas of the U.S.S.R. [In Russian.] 1948 pp. 358–402 figs.

Finlay, R. vide Fischer, A. G.

251.—Fischer, A. G. & Finlay, J. R. Microstructure of some Pennsylvanian Nautiloids. [Abstract.] Bull. Geol. Soc. Amer. Washington, D.C. 60 12 2 1949 p. 1887.

Fischer, E. vide Germain, L.

252.—Fischer, H. Le Centenaire du Journal de Conchyliologie et le volume du Centenaire. Jour. de Conchyliol. Paris 89 4 1949 pp. 191-192.

- 253.—Fischer, M. Sur un fragment de Bélemnite trouve dans le cauep. Ann. Scient. Franche-Comté, Besançon 1948 3 pp. 120–122.
- 254.—Fischer, P. H. Role des coquillages dans les premières civilisations humaines (to continue). Jour. de Conchyliol. Paris 89 2 1949 pp. 82-93.
- 255.—Fischer, P. H. Role des coquillages dans les premières civilisations humaines (concluded). Jour. de Conchyliol. Paris 89 3 1949 pp. 149–157.
- 256.—Fischer, P. H. & E. [editors]. The Centenary of the "Journal de Conchyliologie" and the Centenary volume. Jour. de Conchyliol. Paris 89 4 1949 p. 192.
- 257.—Fischer, P. H. & Saddy, J. Examen en lumière de Wood de quelques Invertébrés marins des côtes de la Manche. Bull. Lab. Marit. Dinard Fasc. 32 1949 pp. 23–27.
- 258.—Fischer-Piette, E. Mollusques terrestres de Madagascar genre *Trodiphora* [*Tropidophora*]. Jour. de Conchyliol. Paris 89 1 1949 pp. 1–40 pls. i–iii.
- 259.—Fischer-Piette, E. Mollusques terrestres de Madagascar genre *Tropidophora* (continued). Jour. de Conchyliol. Paris 89 2 1949 pp. 41-61 pls. iii-iv.
- 260.—Fischer-Piette, E. Mollusques terrestres de Madagascar genre *Tropidophora* (continued). Jour. de Conchyliol. Paris 89 3 1949 pp. 111–146 text-figs. pls. vi, vii.
- 261.—Fischer-Piette, E. L'emploi des méthodes sérologiques comme contrôle de la Systematique. Jour. de Conchyliol. Paris 89 2 1949 pp. 107–109.
- 262.—Fischer-Piette, E. Mollusques terrestres et fluviatiles subfossiles rècoltés par Th. Monod dans le Sahara occidental. Jour. de Conchyliol. Paris 89 4 1949 pp. 231-239 text-map.
- 263.—Fischer-Piette, E. & Millot, J. Iconographie et Classification de principaux *Tropidophora* de Madagasear (Mollusques Cyclostomides). Mém. Soc. Scient. Madagasear 3A 1 1949 pp. 57–64 pls. i–iii.
- 264.—Fishmongers Co., London. [Mollusca 2 pages.] The distinguishing features of fish. London 1949 [not paged] plates.

- 265.—Florkin, M. & Duchateau, G. Sur l'Osmorégulation de l'Anodonte (Anodonta cygnea L.). Physiol. comp. oecol. Den Haag 1 1948 pp. 29–43 text-figs. & tables.
- 266.—Flugel, H. Nachweis der Oberdevonstufe II im geazer Paläozoikum. Verh. geol. Bundes Amst. Wien 1947 10–12 1949 pp. 190–195 text-fig.
- 267.—Follet, A. Sur un affleurement du Senonien moyen à St.-Etienne-du-Rouvray (S.I.). [List.] Bull. Soc. Sci. nat. Rouen (10) 84 1948 pp. 6-7.
- 268.—Fowler, T. G. W. Janthina exigua Lamarck in Cornwall. J. Conch. London 1949 23 2 p. 49.
- 269.—Fowler, T. G. W. Divaricella divaricata (L.) in Scilly. J. Coneb. London 23 3 1949 p. 68.
- 270.—Fradin, J. Recherches sur les Périsphinctidés par les méthodes graphiques et statistiques. Bull. Soc. géol. Fr. 5 19 4-6 1949 pp. 283-295 text-figs. I-3.
- 271.—Franc, A. Notes histologiques sur la métamorphose de *Firoloida desmareŝti* Lesueur (Mollusque Hétéropoda). Bull. Soc. zool. Fr. **74** 1949 pp. 141-146.
- 272.—Franz, V. Das erdgeschichtliche alter der thuringischen Funde von Chilostoma ichthyomma (Held). Archiv f. Molluskenk. Frankfurt-a-M. 1949 78 1/3 pp. 63-64.
- 273.—Franc, A. Unionidae d'Afrique occidentale Française recueillis par Th. Monod. Jour. de Conchyliol. Paris 89 3 1949 pp. 157–187 10 figs.
- 274.—Franc, A. Hétéropodes et autres Gastropodes planctoniques de Mediterranée occidentale. Jour. de Conchyliol. Paris 89 4 1949 pp. 209–230 text-figs.
- 275.—Franc, A. Pélécypodes de Perse occidentale et des régions voisines, d'après la collection J. de Morgan. Jour. de Conchyliol. Paris 89 4 1949 pp. 239-247.
- 276.—Francaviglia, A. Osservazioni geologiche sulle colline delle Terreforti (Regione Etnea). [List pp. 65–74.] Giorn. Geol. Bologna 2 14 1939–40 pp. 55–81 map.
- 277.—Fretter, V. M. Small gastropods of rock pools. Challenger Soc., London 3 1 1949 p. 18.

- 278.—Fretter, V. & Graham, A. The structure and mode of life of the Pyramidellidae, parasitic Opisthobranchs. J. Mar. biol. Ass. Plymouth 28 2 1949 pp. 493-532 11 text-figs.
- 279.—Fretter, V. & Graham, A. Feeding and Reproduction in the Pyramidellids. Nature, London 163 4140 1949 pp. 361–362.
- 280.—Frömming, E. Beitrag zur Verbrietung der Weinbergschnecke in der Mark. Mark. Tierw. Berlin 4 1941 pp. 277-279.
- 281.—Frye, J. C. & Leonard, A. B. Pleistocene stratigraphic sequence in North-eastern Kansas. [Moll. p. 894.] Amer. J. Sci. New Haven 247 12 1949 pp. 883-899 text-map, tables, pl. 1.
- 282.—Fuhrmann, A. Beitrage zur Geologie das Ibarz-Winterbarq-Massivs bei Bad Grund (Oberharz) im Lichteder neuen Aufschlüsse. [List.] N. Jahrb. Min. Geol. Paläont. Stuttgart B91 1 1949 pp. 35–80 map.
- 283.—Gabe, M. Sur le présence de cellules neuro-sécrétrices chez *Dentalium* entale Deshayes, C.R. Acad. Sci. Paris 229 22 1949 pp. 1172-1173.
 - Gabe, M. vide Arvy, L.
- 284.—Gabe, M. & Prenant, M. Données histologiques sur le tissu conjonctif des Polyplacophores. Arch. Anat. micr. Morph. expér. Paris 38 1 1949 pp. 65-78 text-figs.
- 285.—Gabe, M. & Prenant, M. Contribution à l'étude cytologique et histochimique de tube digestif des Polyplacophores. Arch. Biot. Liége 60 1949 pp. 39-77 2 pls.
- 286.—Gabe, M. & Prenant, M. Contribution a l'étude histologique de Tégument de Chiton olivasceus Spengl. Ann. Sci. nat. Paris 1949 (11) 11 pp. 221-236 text-figs., pls. i-iii.
- 287.—Gabe, M. & Prenant, M. Contribution a la Cytologie de la glande salivaire de *Limnaea stagnalis* L. Cellule, Louvain 52 1 1948 pp. 17-36 text-figs., pls. i-iv.
- 288.—Gabe, M. & Prenant, M. Contribution a l'Histologie de l'ovogenèse chez les Polyplacophores, Cellule, Louvain 53 1949 pp. 97-116 pls. i, ii.

- 289.—Gabe, M. & Prenant, M. Particularites histochimiques de la gaine radulaire chez l'Escargot (*Helix aspersa* Müll.). C.R. Acad. Sci. Paris 229 23 1949 pp. 1269–1270.
- 290.—Gabe, M. & Prenant, M. Données histochimiques sur les phosphatases alcalines chez Acanthochites fascicularis L. Experientia, Basel 5 12 1949 pp. 476–477 text-figs.
- 291.—Gabrielyau, A. A. The growth of the layers with Variamussium fallax Korobkov in Armenia. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1946 66 4 pp. 677-679.
- 292.—Galiano, E. F. Observaciones morfológicas sobre los núcleos de las células musculares. Bol. Soc. esp. Hist. nat. 1949 47 1–2 pp. 49–65 pls. v, vi.
- 293.—Galiano, E. F. Sobre el tejido conjuntivo de los músculos aductores de *Tapes decussatus* L. Bol. Soc. esp. Hist. nat. 1949 46 9-10 pp. 699-720 pls. l-lvi.
- 294.—Gallien, L. Caractére ambisexuel de la callosité chez Xenopus loevis Daudin, Bull. Soc. 2001. Fr. 72 1948 pp. 192–193.
- 295.—Gallien, L. Proboscidosaccus enigmaticus nov. g. nov. sp. parasite de Mactra solida L. Bull. Soc. zool. Fr. 1949 74 pp. 322–326 text-fig., pl. iv.
- 296.—Galtsoff, P. S., Chapman, W. A., Engle, V. B. & Calderwood, H. N. Ecological and Physiological studies of the effect of sulfate pulp mill wastes on Oysters in the York River, Virginia. Fish Bull. Fish Wildlife Serv. Washington, D.C. 1947 43 pp. 59–185 graphs, tables & text-figs.
- 297.—Garcia, C. S. Notas y datos de estratigrafia española. Bol. Soc. esp. Hist. nat. 1949 46 9-10 pp. 749-757 pl. lxvii.
- 298.—Gatenby, J. B. & Moussa, A. A. A note on the Cytoplasmic inclusions of the Spermatocyte of *Limnaea stagnalis*. Cellule, Louvain 52 1949 pp. 297–308 text-fig. & plate.
- 299.—Germain, L. Contribution a la faune malacologique de l'Afrique Équatoriale. [Index to Contributions 41–72 (1915–1936). Manuscript deposited by Prof. D. Fischer.] Bull. Mus. Hist. nat. Paris 1949 (2) 21 4 pp. 435–446.

- 300.—Gill, E. D. Devonian fossils from Sandy's Creek, Gippsland, Victoria. Mem. nat. Mus. Victoria 1949 No. 16 pp. 91-115 text-map, pls. ii, iii., fi.
- 301.—Gillet, S. Les Invertébrés marins de l'Oligocène de Basse-Alsace. Bull. Soc. géol. Fr. 5 19 1-3 1949 pp. 51 74 18 text-figs., pls. iv-v.
- Giri, K. V. vide Reddi, K. K. & others.
- 302.—Gisten, T. Zoologiska höstexkursioner till sydöstra Sverige 1947 och 1948. [Swedish with English summary.] [Moll. List p. 127.] Fauna och Flora. Uppsala Nos. 2-3 1949 pp. 105-128 text-figs.
- 303. -Glaessner, M. F. Mesozoic fossils from the Snake River, Central New Guinea, Mem. Qd. Mus. Brisbane 12 #1949 pp. 165-180 text-map & figs., pls. xiv, xv.
 - Glenne, E. A. vide Hazelton, M.
- 304.—Glibert, M. Gastropodes du Miocène moyen du Bassin de la Loire. Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 pp. 1–240 graphs, pls. i–xii.
- 305.—Gibert, M. Gastropodes du Miocène moyen du Bassin de la Loire. Rectifications de nomenclature. Bull. Inst. R. Sei. nat. Belg. 1949 25 34 pp. 1–36.
- 306.—Goldich, S. S. & Elms, M. A. Stratigraphy and Petrology of the Buck Hill Quadrangle, Texas. [Short Lists pp. 1140, 1141, 1143.] Bull. Geol. Soc. Amer. Washington D.C. 60 7 1949 pp. 1133-1182.
 - Goncalves, L. I. vide Pereirà, H. F. Gordon, M. vide Smith, A. G.
- 307.—Goykher, G. B. [On the passage of small organisms through the pallial cavity and intestine of the bivalve mollusca.] C.R. Acad. Sci. Moscow N.S. 67 5 1949 pp. 905–907.
- 308.—Graham, A. The varieties of Patina pellucida. Challenger Soc. London 1948 2 20 p. 23.
- **309.—Graham**, A. The Molluscan Stomach. Trans. roy. Soc. Edinb. **61** 3 1949 pp. 737–778 24 text-figs.
 - Graham, A. vide Fretter, V.

- 310.—Grasveld, M. S. On the influence of various chlorides on maturation and cleavage of the egg of *Limnaea stagnalis* L. Proc. kon. Ned. Akad. Wetensch. Amsterdam 52 1949 pp. 284–295 2 figs., 6 tables.
- 311.—Gravely, F. H. Shells and other animal remains found on the Madras beach. 1.—Groups other than snails, etc. (Mollusca Gastropoda). Bull. Madras Govt. Mus. N.S. Nat. Hist. Sect. 5 1 1941 pp. 1–112 30 figs.
- 312.—Gregory, H. Eocene fossil shells of Southern Nigeria. Nigerian Field 1949 14 2 pp. 70–73 text-figs.
- 313.—Grensted, L. W. A new locality for *Ena montana* (Draparnaud). J. Conch. London 23 3 1949 p. 72.
- 314.—Griffiths, M. O. A new Rudistid from the Niobrara of Colorado [Upper Cretaceous], J. Paleont. Menasha Wis. 23 5 1949 pp. 471-472 pl. 79.
- 315.—Gross, K. Beitrage zur Geologie und Paläontologie des Warthegebiets. N. Jahrb. Min. Geol. Paläont. Stuttgart 89 3 1948 pp. 239–257 text-figs.
- 316.—Gross, K. Vorläufiges Verzeichnis der Devon-Fossilien des Siegerlandes. [List.] N. Jahrb. Min. Geol. Paläont. Stuttgart B1-4 1948 pp. 138-153.
- 317.—Gualini, D. Prime osservazioni su la biologia e la morfologia di *Gadus* pontassou Düben. Boll. Mus. zool. Anat. comp. Genova 18 1938 pp. 119-124.
- 318.—Gunter, G. The genera of living oysters. Anat. Rec. Philadelphia 101 1948 abst. 81 p. 689 abstract.
- 319.—Gunter, G. Louisiana Oyster production. Science, Lancaster, Pa. 109 2838 1949 pp. 524–525.
- 320.—Haas, F. On freshwater mollusks from the Amazonian region. An. Inst. Biol. Mexico 1949 20 1-2 pp. 301-314.
- 321.—Haas, F. Land und Süsswassermollusken aus dem Amazonas-Gebiete. Archiv f. Mollusk. 78 4/6 1949 pp. 149–156 pl. 7.
- 322.—Haas, F. Acanthoceratid Ammonoidea from near Greybull, Wyoming. Bull. Amer. Mus. nat. Hist. 93 1 1949 pp. 1-39 text-figs., pls. 1-16.

- 323.—Haas, F. Three new land shells from Peru. Fieldiana zool. Chicago 31 23 1948 pp. 189-193 figures 38-40.
- **324.—Haas,** F. Land and freshwater mollusks from Peru. Fieldiana zool. Chicago **31** 28 1949 pp. 235–250 text-figs.
- 325.—Haas, F. Some land and freshwater mollusks from Guatemala. Nautilus, Philad. 1949 62 4 pp. 136-138.
- 326.—Habe, T. Erodonidae in Japan. Illustrated Catalogue of Japanese Shells 1 1949 pp. 1–6 pl. 1.
- 327.—Habe, T. Taxonomy of Japanese Clausiliidae (I.). [In Japanese and English.] Venus, Tokyo 10 1940 pp. 79–86 12 figs.
- 328.—Habe, T. The radulae of *Truncatella* from Japan (Gastropoda). Venus, Mukaisima 12 1–2 1942 pp. 21–24 7 text-figs.
- 329.—Habe, T. A new Amnicolid snail from the Kurile Islands. Venus, Mukaisima 12 1-2 1942 pp. 25-27 2 figs.
- 330.—Habe, T. On the recent specimen of Paludinella (Cavernacmella new subgen.) kuzuuensis, with a list of known species of the Japanese cavernicolous molluses. Venus, Mukaisima 12 1–2 1942 pp. 28–32 2 figs.
- 331.—Habe, T. Classification of Japanese Assimineidae. Venus, Mukaisima 12 1–2 1942 pp. 32–56 pls. 1–4.
- 332.—Habe, T. Observations on Habea inazawai, with special reference to its development. [In English and Japanese.] Jap. J. Malac. 13 1943 pp. 65-67 6 text-figs.
- 333.—Habe, T. On the Radulae of Japanese Marine Gastropods (1). [In Japanese.] Jap. J. Malac. 13 1/4 1943 pp. 68-76 pls. 3, 4.

Habe, T. vide Kuroda, T.

- 334.—Habe, T. Two new land snails from Nippon, Diplommatina oyamai n. sp. and Hemiphaedusa attrita keizii n. subsp. [In Japanese and English.] Jap. J. Malac. 13 1/4 1943 pp. 77-80 4 text-figs.
- 335.—Habe, T. On three species of Clausiliid Snails from China and Formosa. [In Japanese with English summary.] Jap. J. Malac. 13 1/4 1943 pp. 80-86 3 text-figs.

- 336.—Habe, T. Studies on the anatomy of Japanese land snails (1). [In Japanese and English.] Jap. J. Malac. 13 1/4 1943 pp. 87-92 3 figs.
- 337.—Habe, T. Reviews of Japanese Helicarionidae (1). [In Japanese and English.] Jap. J. Malac. 13 1943 pp. 92-96 6 text-figs.
- 338.—Habe, T. Supplemental notes with corrections on the Japanese Assimineidae. [In Japanese.] Jap. J. Malac. 13 1/4 1943 pp. 96-106.
- 339.—Habe, T. Notes on Cocculina rhyssa Dall. [Japanese and English.] Jap. J. Malac. 15 1949 pp. 67/68 I fig.
- 340.—Habe, T. The genus Oxymoe, new to Japanese Molluscan fauna. [In Japanese.] Jap. J. Malac. 15 5–8 1949 pp. 79–80.
- 341.—Habe, T. Descriptions of two new species of marine Gastropods from Japan. Jap. J. Malac. 15 1949 pp. 81-83 2 figs.

Habe, T. vide Kira, T.

Habe, T. vide Kuroda, T.

342.—Hägg, R. Några postglaciala skalföre-komster i Halland Mactra solida f. typica från Varberg, Ostrea edulis från södra Halland. Geol. Fören. Stockh. Förh. 70 2 1948 pp. 345–346.

Halacka, K. vide Wenig, K.

- 343.—Hall, Ä. On the presence of Ancylus fluviatilis in Ringsjön Scania. K. fysiogr. Sällsk. Lund Förh. 1949 19 pp. 20–30 text-map & fig.
- 344.—Hall, C. & Pittman, L. Taxonomic status of *Bulimulus* (Mollusca, Gastropoda) in Texas. Field & Lab., Dallas 1949 17 2 pp. 35–40 19 figs.

Hand, C. vide Ingram, W. M.

345.—Hanson, F. N. Geology of the North-Western Coalfield, N.S.W. Part IV. Geology of the Gunnedah-Carlewis District; Part V. Geology of the Breeza District; Part VI. Geology of South Western part of County Nandewar. J. Roy. Soc. N.S.W. 1949 82 3 pp. 241–261 pl. xvi. [Short Lists.]

Hanna, G. D. vide Hertlein, L. G.

346.—Hanna, G. D. & Hertlein, L. G. Two new species of Gastropods from the Middle Eocene of California. J. Paleont. Menasha, Wis. 23 4 1949 pp. 392–394 text-figs., pl. 13.

- 347.—Hanna, G. D. & Strong, A. M. West American Mollusks of the genus Conus. Proc. Calif. Acad. Sci. (4) 26 919 49 pp. 247-322 pls. 5-10, 4 text-figs.
- 348.—Harder, P., Jensen, S. & Laursen, D. The marine Quaternary sediments in Disko Bugt. [Numerous Molluscan Lists.] Midd. Gronland 1949 149 1 pp. 1-85 text-figs., table & pls. i-viii.
- 349.—Harper, F. J. Concerning *Terebra micans*. Nigerian Field 1949 14 4 pp. 167-168 text-fig.
- 350.—Haskin, H. H. On the spawning behaviour of Oysters and of *Venus mercenaria* with especial reference to the effects of Spermatic Hormones. Anat. Rec. Philad. 1949 105 3 abstract & pp. 484–485.
- 351.—Hasslein, L. Campylaea faustina in Westlitauen. Arch. Molluskenk. Frankfurt-a/M. 1949 78 1/3 p. 99.
- 352.—Hayasaka, I. A Permian Cephalopod faunule from Chêchiang Province, China. Acta Geol. Taiwanica 1 1 1947 pp. 13–38 pls. i, ii.
- 353.—Hazelton, M. & Glennie, E. A. Cave Fauna. Pub. Cave Res. Group [1947] No. 1 pt. 2 pp. 1–20. [Moll. p. 2.]
 - **354.**—**Hedberg**, H. D. The Hannotoma fauna in Colombia and Venezuela. J. Paleont. Menasha, Wis. 23 2 1949 pp. 149-151.
- 355.—Heilman, R. A. A further study of the Mollusks of Lebanon County, Pennsylvania. Proc. Penn. Acad. Sci. 23 1949 pp. 125-127.
- 356.—Heinzelin da Braucourt, J. Industrie lithique des graviers auriféres de la Lodjo (Ituri, Congo Belge), description de la Collection V. Piret. [Moll. p. 4.] Bull. Mus. Hist. nat. Belg. 24 8 1948 pp. 1–16 text-figs., pls. i-iv.
- 357.—Hennekam, Schnif & Van der Slik. De rijke tocht. Met de schelpenzuiger Legma op de Westerschelde. Lev. Natuur 52 1949 pp. 51-59 13 figs.

Herrera, F. V. vide Maldonado, J. F.

Hertlein, L. G. vide Hanna, G. D.

358.—Hertlein, L. G. & Hanna, G. D. Two new species of *Mytilopsis* from Panama area. Bull. S. Calif. Acad. Sci. 48 1 1949 pp. 13–18 text-figs.

- 359.—Hertlein, L. G. & Strong, A. M. Note on the nomenclature of two marine gastropods from the Galapagos Islands. Nautilus Philad. 1949 62 3 pp. 102-103.
- 360.—Hertlein, L. G. & Strong, A. M. Eastern Pacific expeditions of the New York Zoological Society XXXIX, Mollusks from the West Coast of Mexico and Central America, Part VI. Zoologica, New York 33 4 1948 pp. 163–198 pls. i, ii.
- 361.—Hertlein, L. G. & Strong, A. M. Eastern Pacific expeditions of the New York Zoological Society XL, Mollusk from the West Coast of Mexico and Central America, Part VII. Zoologica, New York 34 2, 9 1949 pp. 63-97 pl. 1.
- 362.—Hertlein, L. G. & Strong, A. M. Eastern Pacific expeditions of the New York Zoological Society XLI, Mollusks from the West Coast of Mexico and Central America, Part VIII. Zoologica, New York 1949 34 4, 19 pp. 239–258 pl. 1.
- 363.—Hes, J. W. Agaatslakken en Suikerriet. [Summary in English.] Chronica Nat. 105 9 1949 pp. 226–227.
- 364.—Hessland, I. Investigations of the Lower Ordovician of the Sihjan District, Sweden. III. A Lower Ordovician Pseudoconularia from the Sihjan District. Bull. Geol. Inst. Univ. Upsala 33 1949 pp. 429-436 pls. i-iv.
- 365.—[Hirase, S.] Euhadra quaesita (Jay.). Venus Tokyo 10 1 1940 Cover, figs. & p. 40.
- 366.—Hirtz, P. L'Anticlinal du Gros Foug au N. de Serrières-en-Chautagne (Savoie). [List of spp. in text.] Bull. Soc. géol. Fr. 5 19 1-3 1949 pp. 161-166 text-maps.
- 367.—Hodgkin, A. L. & Katz, B. The effect of Calcium on the Axoplasm of giant nerve fibres. J. exp. Biol. Cambridge 26 3 1949 pp. 292-294 text-figs, pl. 8.
- 368.—Hoopen, E. C. N. v. Notes on some structures of South African Ammonites. S. Afr. J. Sci. Johannesburg 45 1949 pp. 56-66.
- 369.—Hoffmann, K. Eine neue Ammonitenfauna aus dem unteren Lias (Lias B2) Nordwestdeutschland. Jahrb. Reichs. Bodenforsch. Berlin 62 1944 pp. 288-337 pls. 16-19 24 text-figs.

- 370.—Hölzi, O. Molluskenfaunen der subalpinen Molasse Oberbayerns. [List.] N. Jahrb. Min. Geol. Paläont. Stuttgart B9-12 1948 pp. 385-400.
- 371.—Holme, N. A. The fauna of sand and mud banks near the mouth of the Exe estuary. [Moll. pp. 225–228. 235–237.] J. Mar. Biol. Ass. Plymouth 28 1 1949 pp. 189–237 tables, graphs, pls. i, ii.
- 372.—Hossfeld, P. S. The stratigraphy of the Aitape skull and its significance. [Short List of Moll. p. 205.] Trans. roy. Soc. S. Aust. 1949 72 2 pp. 202–207.
- 373.—Hopkins, A. E. Determination of condition of Oysters. Science, Lancaster, Pa. 110 2865 1949 pp. 567–568.
- 374.—Hornell, J. (posthumous publication). The study of Indian Molluscs, Part I. J. Bombay nat. Hist. Soc. 48 2 1949 pp. 303-337 (to be continued), 28 text-figs.
- 375.—Hornell, J. (posthumous publication). The study of Indian Molluses, Part II. J. Bombay nat. Hist. Soc. 48 3 1949 pp. 543-569 (continued from p. 337), text-figs.
- 376.—Hornell, J. (posthumous publication). The study of Indian Molluses, Part III. J. Bombay nat. Hist. Soc. 48 4 1949 pp. 750-774 (continued from p. 569), 19 text-figs.
- 377.—Hörstadius, G., Kjellström & Hörstadius, S. Untersuchungen über die EiweiBrerdauung in vivo und in vitro bei einigen Gastropoden. Pubb. Staz. zool. Napoli 18 2 1940 pp. 151–249 tables, pls. i–vi.
- **378.**—**Hoskins**, J. W. The cology of a stream. Christ Hospital Sci. J. & N.H.S. rep. 1950 1 pp. 3-9.
- 379.—Houreq, V. Sur quelques Ammonites du Sénonien. Paléontologie de Madagascar XXVIII. Ann. Paléont. Paris 35 1949 pp. 87-117 3 pls., textfigs. 1-24.

Hoia, vide Tchang, Si.

- **380.—Hubendick**, B. Studies on *Bulinus*. Ark, 2001. Stockholm 40 A16 1948 pp. 1–63 pls. 1, 2.
- 381.—Hubendick, B. Über dere Bau und das Wachstum des konzentrischen Operculartypus bei Gastropoden. Ark. zool. Stockholm 40A 10 1948 pp. 1-28 pl. 1 text-figs., tables.

- 382.—Hubendick, B. On a new Siphonaria from New Guinea. On Siphonaria normalis Gould and on the structure of the Epiphallus gland in Siphonariidae. Bull. Mus. Hist. nat. Belg. 23 19 1947 pp. 1–8 text-figs.
 - Hubert, B. vide Meeure, A. D. J.
- 383.—Hubricht, L. Notes on the Polygyridae of Northern Arkansas. Nautilus Philad. 1949 62 3 pp. 98-99.
- 384.—Humphrey, W. E. Geology of the Sierra de los Muertos area, Mexico; with descriptions of Aptian Cephalopods from the La Peña formation. [Moll. pp. 118-156.] Bull. Geol. Soc. Amer. Washington, D.C. 60 1 1949 pp. 89-176 maps, pls. 1-18.
- 385.—Humphrey, G. F. Adenosine-triphosphatases in the adductor muscle of Naxostrea commercialis. Physiol. comp. Oecol. Den Haag 1 1949 pp. 366-375 tables & graphs.
- 386.—Hunter, W. R. The structure and behaviour of *Hiatella gallicana* (Lamarck), and *H. arctica* (L.) with special reference to the boring habits. Proc. Roy. Soc. Edinb. 63B 3 (19) 1949 pp. 271–289 12 text-figs.
- 387.—Ikebe, H. On Katelysia (Nipponomarcia) nakamurai, subgen. et sp. nov., from the Togarian Miocene of Japan. Venus, Tokyo 11 2/3 1941 pp. 49-53 pl. 2.
- 383.—Ikebe, H. A catalogue of Japanese *Calliostoma*. [Text in Japanese.] Venus, Tokyo 11 2/3 1941 pp. 54-63.
- 389.—Imlay, R. W. Paleoecology of Jurassic Seas in the Western interior of the United States. Rep. Mar. Ecol. & Paleoecol. Wash., D.C. 1949 No. 9 pp. 72–104 table & figs.
- 390.—Inaba, S. A preliminary note on the Glochidia of Japanese Freshwater Mussels. Annot. zool. jap. 20 1941 pp. 14–23 text-figs.

Ingalls, J. W. ride McMullen, D. B.

- 391.—Ingle, R. M. A comparative study of Oyster condition. Science. Lancaster, Pa. 109 2841 1949 pp. 593.
- 392.—Ingram, W. M. A check list of the Limacidae, Endodontidae, Arionidae, Succineidae, Pupillidae, Valloniidae, Carychiidae, and Truncatellidae of California. Bull. S. Calif. Acad. Sci. 48 1 1949 pp. 19–34.

- 393.—Ingram, W. M. The larger freshwater Clams of California, Oregon and Washington. J. Ent. 2001. Claremont Cal. 40 1948 pp. 72–92 text-figs.. pls. i, ii.
- 394.—Ingram, W. M. & Lotz, C. Land Mollusks of the San Francisco Bay counties. J. Ent. zool. Claremont. Cal. 41 2 1949 pp. 3–22 text-map & figs.
- 395.—Ingram, W. M. Natural History observations on *Philomycus carolinianus* (Bosc.). Nautilus Philad. 1949 62 3 pp. 86-90.
- 396.—Ingram, W. M. Aestivation in Helminthoglypta traskii phlyctaena (Bartsch). Nautilus Philad, 1949 62 3 pp. 105–106.
- 397.—Ingram, W. M. & Hand, C. Feeding of Agriolimax columbianus (Gould) on the Californian bay fruit. Nautilus Philad. 1949 62 4 pp. 131-135 text-figs.
- 398.—Ingram, W. M. & Lotz, C. Land Mollusks of the San Francisco Bay Counties. J. Ent. zool. Claremont. Cal. 41 1949 pp. 39–48 pl. 1.
- 399.—Ishida, J. [Carthan bicolor. Robuts. Zasshi Tokyo 57 No. 4 1947 pp. 43–46.
- 400.—Isimori, I. Land shells of Aguni-Sima. [In Japanese.] Venus. Tokyo 10 3/4 1941 pp. 180–181.

Ito, K. vide Hamai, I.

Isizuka, K. vide Susuka, K.

- 401.—Ivanov, A. V. On the structure and development of the gastropod molluse Parenteroxenos dogieli A. Iwanow (Family Entoconchidae). II. Organisation of the larva and post larval metamorphosis. Bull. Acad. Sci. Moscow Biol. 1949 2 pp. 109–134 21 figs.
- 402.—Ivanov, A. V. On the structure and development of the gastropod mollusc Parenteroxenos dogieli A. Iwanow (Family Entoconchidae). III. On relations among the genera of Entoconchidae. Bull. Acad. Sci. Moscow Biol. 1949 2 pp. 135–139 fig.
- **403.—Jackson,** J. W. C. H. Moore, 1869–1949, J. of Conch. **23** 3 1949 pp. 85–86.
- **404.—Jackson,** J. W. F. Taylor, 1871–1949. J. of Conch. **23** 3 1949 pp. 86–88.

- 405.—Jacob, P. K. & Nellayandar, M. Diatoms in the food of the Madras oyster, Ostrea madrasenis, Preston. [Abstract.] Proc. Indian Sci. Congr. 36th 3 1949 p. 157.
- 406.—Jacob, P. K. & Nellayandar, M. Reproduction, growth and development of the Madras oyster, *Ostrea madrasensis*, Preston. Proc. Indian Sci. Congr. 36th 3 1949 pp. 157–158.
- 407.—Jacobson, M. K. In Pinar Del Rio, a collecting trip. Nautilus Philad. 1949 62 3 pp. 78–86.
- 408.—Jacobson, M. K. A note on Chondropometes magnum Torre and Bartsch. Rev. Soc. Malac. Harbana 7 1 1949 p. 6.

Jacquemain, R. vide Jullien, A.

- 409.—Janetschek, H. Tierische successionen auf hochalpinem Neuland. Nach Untersuchungen am Hintereis-, Niederjock- und Gepatschferner in den Ötztaler Alpen. [Moll. 126–128.] Bernaturw.- med. Ver. Innsbruck 1949 48-49 pp. 1–215 table, 18 figs, 30 photos, pls. i–vii.
- 410.—Japan, H.M. The Emperor of. Opisthobranchia of Sagassia Bay [described by E. Baba, q.v.]. [In Japanese and English.] pp. 1–104, 1–7, pls. i–1.
- 411.—Jeaunet, A. Sur l'âge de l'bolithe ferrugineuse dans le Jura neuchatelois et les régions voisines. [Indicator spp. given in text.] Bull. Soc. géol. Fr. 5 18 6–7 1948 pp. 423–434.
- 412.—Jeletzky, J. A. Some notes on "Actinocamax" propinguss Moberg 1885, its taxonomic position and phylogenetic relations within the family Belemnitellidae Pavlow 1913, morphological characters and synonymy. Geol. Fören. Stockh. Förh. 71 3 1949 pp. 415–424 text-figs.
- 413.—Jeletzky, J. A. Nomenclatural Notes. Scaphites morrowi new name for Scaphites pygmaecus Morrow 1935, now Holgapfal 1888. J. Paleont. Menasha, Wis. 23 3 1949 p. 330.
- 414.—Jeletzky, J. A. Über den taxonomischen Wert einiger morphologischer Elemente des Rostrums der belemnitellenartigen Formen (Famille Belemnitellidae Pavlow 1913) sowie über die Gattung Belemnella (Nowak, 1913 subg.), Jeletzky 1914 ihre Phylo-

genie und einige Verbactere. N. Jahrb. Min. Geol. Paläont. Stuttgart **B9** 1949 pp. 257–287.

Jenson, S. vide Harder, P. & others.

- 415.—Jespersen, P. H. Da H. C. Andersen samlede snegle til Jomas Collin. Dyr i Natur. Mus. Kobenhavn 1945-46 pp. 87-105 text-figs.
- 416.—Jodot, P. & Lavocat, R. Observations sur l'age des dépots de la dimagne de Brioude et sur un gisement nouveau d'invertebres dans le bassin de l'Alagnon (Cantal). Rev. Sci. nat. Auwergne 1948 N.S. 14 2-4 pp. 86-90.
- 417.—Johansson, J. Über die Geschlechtsorgane der Hydrobiiden und Rissoiden und den ursprünglichen Hermaphroditismus der Prosobranchier. Ark. zool. Stockholm 40 A15 1948 pp. 1–13 text-figs.
- 418.—Johansson, J. Über die Geschlechtsorgane von Aporrhais pespelecani nebst einigen Betrachtungen über die phylogenetische Bedeutung der Cerithiacea und Architaenioglossa. Ark. zool. Stockholm 41 A8 1949 pp. 1-13 text-figs.
- 419.—Johnson, R. I. The lost types of *Obovaria depygis* (Conrad). Nautilus Philad. 1949 62 3 p. 102.
- **420.—Jones,** N. S. Some observations of the biology of *Patella*. Challenger Soc. London 1948 2 20 pp. 12–13.
- 421.—Jones, J. R. E. The fauna of four streams in the Black Mountain district of South Wales. [Moll. p. 59.] J. Animal Ecol. 17 1 1948 pp. 51-65 map. graph.
- 422.—Jones, N. S. Some recent additions to the Offshore fauna of Port Erin. [Moll. pp. 27-28.] Rep. Mar. biol. Sta. Port Erin 52 1939 pp. 18-32.
- **423.—Jones,** N. S. Biological note on *Capulus ungaricus*, Rep. Mar. biol. Sta. Port Erin **61** 1948 [1949] p. 29.
- 424.—Jorgensen, C. B. The rate of feeding by *Mytilus* in different kinds of suspension. J. Mar. biol. Ass. Plymouth 28 2 1949 pp. 333–343, 3 text-figs., tables.
- 425.—Jørgensen, C. B. Feeding-rates of Sponges, Lamellibranchs and Ascidians. Nature, London 163 4154 1949 p. 912.

- 426.—Jullien, A. Recherches sur quelques points de la physiologie cardiaque chez les Mollusques arguments qu'on peut en tirer sur l'application à ce groupe des la théorie des "Mediateurs chimiques." Am. Scient. Franche Comte, Besançon 1947 2 pp. 71–86.
- 427.—Jullien, A. Presentation de pièces relatives aux réactions inflammatoires chez les Céphalopodes. Bull. Soc. Hist. nat. Doubs. 1949 No. 52 pp. 25–27.
- 428.—Jullien, A. & Jacquemain, R. Nouvelles recherches sur les processus inflammatoires chez les Céphalopodes. Ann. Scient. Franche-Comté, Besançon 1947 2 pp. 87-98 text-figs.
- 429.—Jullien, A. & Ripplinger, J. L'extrait desséché de glande à pourpre de *Murex trunculus* et son action biologique. Bull. Soc. Hist. nat. Doubs 1949 No. 52 pp. 29–30.
- 430.—Jullien, A. & Ripplinger, J. Sur l'enrichissement des myocarde d'Helix pomatia en acetylcholine au cours du fonctionnement des coeur isolé et pergusé. C.R. Soc. Biol. Paris 143 7-8 1949 pp. 505-508 table.
- 431.—Jullien, A. & Ripplinger, J. Liberation d'acétylcholine par l'excitation du nerf cardiaque chez *Helix pomatia*. C.R. Acad. Sci. Paris 229 3 1949 pp. 243–245.
- 432.—Jullien, A., Ripplinger, J., Laurent, P. & Saget, G. Action de la dessication et du vieillissement sur les propriétés physiologiques de la glande hypobranchiale chez les *Murex*. Ann. Scient, Franche-Comté, Besançon 1949 4 Zool. pp. 25–42.
- 433.—Jutting, W. S. S. v. B. On a new species of *Gyliotrachela* from Celebes (*Gyliotrachela concreta* nov. sp.). Bacteria 13 1949 pp. 64–65 text-fig.
- 434.—Jutting, W. S. S. v. B. On a collection of non-marine mollusca from Malaya in the Raffles Museum, Singapore, with an appendix on cave shells. Bull. Raffles Mus. Singapore 19 1949 pp. 50-77 pls. 1-3.
- 435.—Jutting, W. S. S. v. B. The Malayan species of Boysidia, Paraboysidia, Hypselostoma and Gyliotrachela (Gastropoda, Pulmonata, Vertiginidae), with a catalogue of all the species hitherto described. Bull. Raffles Mus. Singapore 1950 No. 21 pp. 5–47 textigs.

- 436.—Jutting, W. S. S. v. B. Tropische Schelpen Panorama 36 29 1929 p. 8,4 colour photos.
- Jutting, W. S. S. v. B. vide Feen & B. Jutting, W. S. S. v. d. 244,
- 437.—Kaas, P. A giant whelk. J. of Conch. 23 3 1949 p. 72 pl. 3.
 - Kaiser, E. W. vide Bondeson, P.
- 438.—Kaltenbach, H. Ergebnisse zoologisch-geologischer Sammelreisen in N.O.-Afrika. 1. Die Salzseen (Sebecken) und ihre Mollusken-Faunen, unter besonderer Berücksichtigung der Cardien. Archiv für Molluskenk. Frankfurt a/M. 1949 78 1/3 pp. 1–26 maps, tables & text-figs.
- 439.—Kan, H. C. An experimental control of the intermediate host of Schistosoma japonicum. [English summary.] Chinese med. J. 67 2 1949 pp. 69-76 tables.
- 440.—Kanamaru, T. Faunistic account of Euhadra in Ise Province. [In Japanese with résumé in English.] Venus, Tokyo 10 2 1940 pp. 63-79, 8 figs. 3 tabs. I map.
- 441.—Kanamaru, T. A history of the Japanese Conchology (23). [In Japanese.] Venus, Tokyo 10 3/4 1941 pp. 134–140.
- 442.—Kanamaru, T. On the Japanese names of snails. [In Japanese. Venus, Tokyo 10 3/4 1941 pp. 184–185.
- 443.—Kanamaru, T. A history of the Japanese conchology (24). [In Japanese.] Venus, Tokyo 11 2/3 1941 pp. 63-69, 13 figs.
- 444.—Kanamaru, T. A history of the Japanese conchology (25). Venus, Mukaisima 12 1-2, 1942 pp. 57-64. 3 figs.
- 445.—Kanamaru, T. A history of the Japanese Conchology (26). [In Japanese.] Jap. J. Malac. 13 1/4 1943 pp. 106-110 text-fig.
- 446.—Kanamaru, T. & Taki, I. Treatment of living shells for experiment. [In Japanese.] Venus, Tokyo 10 3/4 1941 p. 186.

Kanamaru, T. vide Tanyi.

Karandikar, K. R. vide Awati, P. R.

Karandikar, K. R. vide Subrahmanyam, T. H. & others.

- 447.—Katura, O. Notes on Shell-collecting in the Bonin Islands. [In Japanese.] Venus, Tokyo 10 1 1940 pp. 51–58.
 - Katz, A. vide Hodgkin, M. L. & others.
 - Kauffmann M. vide Mislin, H.
- 448.—Kawahara, T. On Devonia ohshimai sp. nov., a commensal bivalve attached to the Synaptid Leptosynopta ooplax. Venus, Tokyo 11 4 1942 pp. 153–164, 1 pl. 2 figs.
- 449.—Kay, A. Some edible mollusks of Kauai, Hawaiian Islands. Nautilus, Philad. 1949 62 4 pp. 119–121.
- 450.—Keble, R. A. Notes on Australian Quaternary Climates and migration. [Moll. p. 39.] Mem. nat. Mus. Victoria, Melbourne No. 15 1947 pp. 28-81 figs. text-maps pl. 2.
- 451.—Kehrer, L. Note on the stratigraphic position of the Hannotoma zone in the western Tachira region, Venezuela. [Generic list given.] J. Paleont. Menasha, Wis. 23 2 1949 pp. 151–153.
- **452.—Kendall**, S. B. Lymnaea stagnalis as an intermediate host of Fasciola hepatica. Nature, London **163** 4153 1949 pp. 880–881.
- 453.—Kenk, R. The animal life of temporary and permanent ponds in Southern Michigan. [Moll. pp. 53–57.] Mise, Pub. Mus. Zool. Univ. Mich. 1949 71 pp. 1–65 pls. i–iii.
- 454.—Kira, T. Land shell fauna of Ponape Island. [List.] [In Japanese.] Jap. J. Malac. 13 1–4 1943 pp. 124–128.
- 455.—Kind, C. A. Marine invertebrate phosphatases. Biol. Bull. Woods Hole 97 2 1949 pp. 262–263.
- 456.—Kira, T. & Habe, T. Notes on Japanese species of the genus Puncturella (Fissurellidae). [In Japanese, key to spp. in English.] Jap. J. Malac. 15 5/8 1949 pp. 84–89, 2 figs.

Kira, T. vide Teramachi, A.

- 457.—Kisch, B. S. Charonia lampas (L.) in the lower "toral zone. J. Conch. London 1949 23 2 p. 37.
- 458.—Kisch, B. S. Further observations on *Charonia lumpas* (L.). J. Conch. London 23 3 1949 p. 84.

Kjellström vide Hörstadius.

- 459.—Klinghardt, F. Verglesthoende Untersuchungen über Tintenfische und kelemnitemäkenliche. Sitz Ber. Ges. naturf. Fr. Berl. 1942 1–10 1943 pp. 5–17 text-figs. pls. i–ii.
- 460.—Koch, H. J. A review of the South African representatives of the genus Patella Linnaeus. Ann. Natal Mus. P'mburg. 11 3 1949 pp. 487–517 text-figs. pls. xvii—xxiii.
- 461.—Knudsen, J. Geographical variation of *Littorina obtusata* (L.) in the North-Atlantic. Vidensk. Medd. Dansk naturh. Foren. 111 1949 pp. 247–255 3 figs.
- **462.—Knudsen,** J. Amphineura. Zoology of Iceland 4 pt. 59 1949 1–11 tables.
- 463.—Knudsen, J. Scaphopoda. Zoology of Iceland 4 pt. 62 1949 3-7.
- 464.—Kobayashi, T. The Sakawa Orogenic cycle and its bearing on the origin of the Japanese Islands. J. Fac. Sci. Univ. Tokyo Sect. II. Mol. 5 7 1941 pp. 219–578 text-figs. pls. 1–18 & maps.
- 465.—Koch, H. J. La cause des empoisonnements paralytiques provoqués par les Moules. [C.R.] Ass. franç. Av. Sci. 1941 63 pp. 654-657.
- 466.—Koechlin, E. Demonstration einiger neuer oder wenig bekannter Fossilien aus dem Jura der Umgebung von Basel. Ecl. geol. helv. 41 2 1949 pp. 333-339 text-figs.
- 467.—Kolosváry, G. Neue Fundortsangaben über einiger Balanidenarte und Daten zur Assoziation der Balaniden und Mollusken. Veröff. dtsch. Kolon.-Nebersa-Mus. Bremen 1942 3 3 pp. 300–309.
 - Komiyama, S. vide McMullen, D. B.
- 468.—[Korde, K. B.] (Nautiloidea of the upper Cambrian of Angara.) C.R. Acad. Sci. Moscow N.S. 69 5 1949 pp. 671–673 2 figs.
- 469.—Korobkov, I. A. The finding of the genus *Psephaea* Crosse in the middle Eocene deposits of the Northern Caucasus. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1949 66 4 pp. 693–695 figs.
- 470.—Korringa, P. More light upon the problem of the Oyster's nutrition. Bijdr. t. d. Dierk, Afl. 28 1949 pp. 237– 248.

- 471.—Kostic-Podgorska, V. Calcaires à Bellerphon dans la Nikšicka Župa (Note brève). [In Serbian.] Bull. Mus. d'hist. Nat. Serbia 1 1948 pp. 111-114, pl. viii, figs. 1-4.
- 472.—Kostitzine, J. Contribution a l'étude de l'appareil reproducteur femelle de quelques mollusques prosobranches marins. Arch. Zool. exp. gén. Paris 86 1949 pp. 145-167 pls. vi—viii.
- 473.—Kramp, P. L. Paeleorm og Paelekrebs. Dyr i Natur Mus. Kobenhavn 1944-45 pp. 25-55 text-figs.
- 474.—Krause, H. Untersuchungengen Anatomie und Ökologie von Lithoglyphus naticoides (C. Pfeiffer). Arch. f. molluskenk. 78 4/6 1949 pp. 103–148 25 text-figs.
- 475.—Kubo, S. A collecting outfit of shells in sandy bottom. Venus Tokyo 10 2 1940 p. 120 fig.
- 476.—Kuhn, O. Über Rudisten aus Sizilien, Lykien und Syrien. N. Jahrb. Min. Geol. Paläont. Stuttgart B1 1944 pp. 23–29 text-figs.
- 477.—Kuhn, O. Stratigraphie und Paläogeographie der Rudisten. IV. Rudisten aus Griechenland. N. Jahrb. Min. Geol. Paläont. Stuttgart 89 1–2 1945 pp. 167–194 13 text-figs. pls. xxvii.
- 478.—Kuhn, O. Das Alter der Prominaschichten und der innerozänen Geberysbildung. Jahrb. geol. Bundes Anst. Wien 91 1-2 1948 pp. 48-94 pls. 1 2.
- 479.—Kuhn, O. Lehrbuch der Paläozoologie Stuttgart, 1949. [Mollusca pp. 106–163.] Pp. v, 1-326, 224 textigs. (the 50 plates are included as textigs.).
- 480.—Kuhn, O. Das Alter des fränkischen Rhäts nebst Bemerkungen über Rattsberg- und Arietenschichten. N. Jahrb. Min. Geol. Paläont. Stuttgart B 4-6 1949 pp. 174-180 text-fig.
- 481.—Kuhn, O. Die Gattung Arnaudia Bayle (Zur Systematik und Stammesgeschichte den Rudisten II). N. Jahrb. Min. Geol. Paläont. Stuttgart B 2/3 1944 pp. 61-67.
- 482.—Kuhn, O. & Andrusov, D. Stratigraphie und Paläogeographie der Rudisten III. Rudistenfauna und

- Kreedeentwicklung in den Westkarpathen, N. Jahrb. Min. Geol. Paläont. Stuttgart 86 3 1942 pp. 450–480 pls. xxviii–xxx.
- 483.—Kuiper, J. G. J. Note préliminaire sur un Gastéropode terrestre Enigmatique. Basteria 13 1949 pp. 40-43 fig.
- **484.**—Kuiper, J. G. J. *Pisidium pseudosphaerium* Favre in England. J. Conch. London 1949 **23** 2 pp. 27–32 text-figs. graphs.
- 485.—Kummel, B. Environmental significance of dwarfed Cephalopods. J. Sed. Petrology 18 2 1948 pp. 61-64.
- 486.—Kurasige, H. Air temperature and vital force in exposure of *Venerupis philippinarum*. Venus, Tokyo 11 4 1942 pp. 134-142, 2 figs.
- 487.—Kurasige, H. Lethal air temperatures of Venerupis philippinarum in exposure. [In Japanese, with English summary.] Venus, Tokyo 11 4 1942 pp. 142-153. 3 graphs.
- 488.—Kurian, C. V. On a collection of Scaphoda (Mollusca) from the Travancore coast. [Abstract.] Proc. Indian Sci. Congr. 1949 35th 3 p. 197.
- 489.—Kuroda, T. Formosan species of the Turban shells of the group Marmarostoma. [In Japanese.] Venus. Tokyo 10 1 1940 pp. 46-50 text-figs.
- 490.—Kuroda, J. Vitality of Melarhaphe and Tectarius under artificial desiccation. [In Japanese.] Venus, Tokyo 10 1 1940 pp. 50, 51.
- 491.—Kuroda, T. Notes on the shells from Taiwan. (3). [In Japanese.] Venus, Tokyo 10 1940 pp. 97-107.
- 492.—Kuroda, T. Description of a new pond snail from Taiwan. [In Japanese & English.] Venus, Tokyo 10 3/4 1941 pp. 129–130.
- 493.—Kuroda, T. Critical notes on land shells collected by A. Adams from Kino-O-Lima. [In Japanese.] Venus, Tokyo 10 1941 pp. 157-166.
- **494.**—**Kuroda**, T. Notes on *Trochus sacellus* and its Allies. [In Japanese.] Venus, Tokyo **10** 1941 pp. 166–169.
- 495.—Kuroda, T. A commensal Caledoniella occurs in the Japanese Seas. [In Japanese.] Venus, Tokyo 10 1941 pp. 169–172.

- 496.—Kuroda, T. Northern limit of Zaptyx in its distribution. [In Japanese.] Venus, Tokyo 10 3/4 1941 pp. 182-183.
- **497.**—**Kuroda**, T. Snails from Mt. Kati. [In Japanese.] Venus, Tokyo **10** 3/4 1941 pp. 185–186.
- 498.—Kuroda, T. Notes on Clausilia bernardi and its allies. [In Japanese.] Venus, Tokyo 10 3/4 1941 pp. 173-176.
- 499.—Kuroda, T. Land shells of Mt. Mitumine, Tibibu Range. [In Japanese.] Venus, Tokyo 10 3/4 1941 pp. 176–180.
- 500.—Kuroda, T. Northern limit of Zaptyx in its distribution. [In Japanese.] Venus, Tokyo 10 3/4 1941 p. 182.
- 501.—Kuroda, T. Dextral specimen of Megalophaedusa dorcas (Pils). [In Japanese.] Venus, Tokyo 10 3/4 1941 p. 182.
- 502.—Kuroda, T. On the Japanese species of Strombus of the group Euprotomus with descriptions of two new species. Venus, Mukaisima 12 1-2 1942 pp. 1-8, 4 figs.
- 503.—Kuroda, T. Two Japanese Murices whose names have been preoccupied. Venus, Mukaisima 12 1–2 1942 pp. 80–81.
- 504.—Kuroda, T. Classification of some closely-allied species of Japanese Cypracidae. [In Japanese.] Venus, Tokyo 12 1/2 1942 pp. 81-93 text-fig.
- 505.—Kuroda, T. New Japanese shells. [Kurile Islands.] [In Japanese & English.] Jap. J. Malac. 13 1/4 1943 pp. 1–7, 2 text-figs.
- 506.—Kuroda, T. New land shells from Tyugoku District. (1) A new species belonging to a new subgenus of the genus *Chamalycaeus*. [In Japanese & English.] Jap. J. Malac. 13 1/4 1943 pp. 7-11 text-figs. 1-4.
- 507.—Kuroda, T. On a new gastropod genus *Hubea*. [Japanese & English.] Jap. J. Malac. 13 1/4 1943 pp. 11–14, 1 text-fig.
- 508.—Kuroda, T. Akebiconcha, a new Pelccypod genus. Jap. J. Malac. 13 1/4 1943 pp. 14-18 text-figs. 1-3.
- **509.**—**Kuroda**, T. Studies on Japances species of *Cuspidaria*. [In Japancese.] Jap. J. Malac. **15** 1–4 1948 pp. 1–28, pls. 1, 2.

- **510.—Kuroda,** T. Two new gigantic species of *Solemya:* [In Japanese.] Jap. J. Malac. 15 1–4 1948 pp. 29–32 text-figs. 1–5.
- 511.—Kuroda, T. On Kiramodulus lacteus, a new Gastropod genus and species. [In Japanese & English. Jap. J. Malac. 15 3/8 1949 pp. 72-75. I fig.
- 512.—Kuroda, T. On Argyropezu izekiana Kuroda n. sp. [Japanese & English.] Jap. J. Malac. 15 5/8 1949 pp. 76–79, 1 fig.
- 513.—Kuroda, T. & Emura, S. On a new Pulmonate genus Nesiohelix. [In Japanese & English.] Jap. J. Malac. 13 1/4 1943 pp. 18–34, 14 text-figs.
- 514.—Kuroda, T. & Habe, T. On the systematic position of *Pyramidel-lidae*. [In Japanese,] Jap. J. Malac. 15 5/8 1949 pp. 55–58.
- 515.—Kuroda, T. & Habe, T. On the gastropod genus Cocculina from Japan. [In Japanese & English.] Jap. J. Malac. 15 5/8 1949 pp. 58-67, 1 pl.
- 516.—Kuroda, T. & Habe, T. On Natica janthostoma and an allied species which was confused with it. Jap. J. Malac. 15 1949 pp. 69-73, 1 fig.
- 517.—Kuroda, T. & Miyanaga, M. Land shell fauna of Kyobun-to [Port Hamilton], Korean Archipelago, Venus, Makaisima 12 3/8 1943 pp. 119-129, 3 figs.
- 518.—Kuroda, T. & Miyanaga, M. Notes on land shells from Tyosen (Korea). Venus, Mukaisima 12 3-4 1943 pp. 130-138, 4 figs.
- 519.—Kutscher, F. Die Taunusquarzitfauna von der Stromberger Neuhütte (Huasvück), [Lists.] Jahrb. Reichs, Bodenforsch. Berlin 62 1944 pp. 272–287 pls. 13–14, 1 text-fig.
- 520—Laidlaw, F. F. The Malayan species of *Diplommatina* (Cyclophoridae). Bull. Raffles Mus. Singapore 19 1949 pp. 199–215 text-figs.
- 521.—Lambert, L. Contrôle sanitaire coquillier. La contrôle de la salubrité des coquillages comestibles. Rev. Trav. Peches marit. Paris 13 1944 pp. 565-579.
- 522.—Lambert, L. La Coque (Cardium edule L.). Rev. Trav. Peches marit. Laris 13 1944 pp. 441-475 text-figs.

- 523.—Lamotte, M. Recherches sur Phomogamie dans les unions entré formes de *Cepaea nemoralis*. C.R. Acad. Sci. Paris 229 1 1949 pp. 77–78 banding table.
- 524.—Lang, W. D. Report on Dorset Natural History for 1948 (except Birds and Lepidoptera). [Moll. p. 122.] Proc. Dorset nat. Hist. & Archaeol. Soc. 70 1949 pp. 121–123.
- 525.—Lange, W. Die Ammonitenfauna der *Psiloceras*-Stufe Norddeutschlands. Palaeontographica Stuttgart A93 1-6 1941 pp. 1-192 tables and textfigs. pls. i-xx.
- 526.—Langmead, L. B. Land Mollusca on the Isle of Mull. J. Conch. London 1940 23 2 pp. 41-42.
- 527.—Lanri, G. Contributo alla conoscenza della fauna del Lago di Scanno (Abruzzo). [List.] Acta pont. Acad. Scient. 12 19 [1948] pp. 215–227.
- 528.—La Rocque, A. New uncoiled Gastropods from the Middle Devonian of Michigan and Manitoba. Contr. Mus. Pal. Univ. Michigan Ann. Arbor 77 1949 pp. 113-122 pls. i-iii.

Laurent, P. vide Jullien, A. & others. Laursen, D. vide Harden, P. & others.

Lavocat, P. vide Jodot, P.

Leckioijck, W. van vide Ancion. C. & others.

529.—Lecointre, G. Xiveaux paléontologiques dans le Quaternaire marin de Casablanca (Maroc). C.R. Acad. Sci. Paris 229 23 1949 pp. 1247-1249.

Lederer, E. ride Tixier, R.

Leim, A. H. ride Medeof, T. G. & others.

Ledón, O. A. cide Barattini, L.P.

- 530.—Leloup, E. Caracteres anatomiques de *Ischnochiton winckworthi* Leloup 1936, Bull. Inst. R. Sci. nat. Belg. 1949 25 30 pp. 1-14 text-figs. & pl. i.
- 531.—Leloup, E. Anamenia heathi sp. nov. Solénogastre de l'Océan Atlantique. Bull. Mus. Hist. nat. Belg. 23 26 1947 pp. 1-11 text-figs.
- 532.—Leloup, E. Un nouveau Solénogastre a peau nue *Paragymnomenia richardi* G. nov. sp. nov. Bull. Mus. Hist. nat. Belge 23 35 1947 pp. 1–11 text-figs.

- 533.—Leloup, E. Un nouveau Solénogastre a peau nue de l'Ocean glacial Arctique. *Micromenia simplex* G. nov. sp. nov. Bull.-Mus. Hist. nat. Belg. 24 19 1948 pp. 1-7 text-figs.
- 534.—Leloup, E. Un nouveau solenogastre pronéoméniide Entonomenia atlantica G. nov. sp. nov. Bull. Mus. Hist. nat. Belg. 24 37 1948 pp. 1-11 text-figs.
- 535.—Leloup, E. Meromenia hirondellei g. nov. sp. nov. solénogastre de Golf de Gascogne. Bull. Inst. r. Sc. nat. Belgique XXV 1 1949.

Leonard, A. B. vide Frye, V. C.

- 536.—Leyon, H. The anatomy of the cerebral nerves in Gasteropoda. Zool. Bidr. Uppsala 25 1947 pp. 394– 401 text-figs.
- 537.—Likharev, I. M. New Chinese element in the fauna of Premorski land. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1949 64 3 pp. 417-420 figs.

Linck, O. vide Carlé, W.

- 538.—Lindeborg, R. G. Some small records from the Quetico Provincial Park of Ontario. Nautilus Philad. 1949 62 4 pp. 128-131.
- 539.—Lison, L. Forme et relations de croissance dans les coquille de Patella. Bull. Acad. R. Belg. Cl. sci. 1941 (5) 26 6-12 pp. 327-330 graphs.
- 540.—Lison, L. Sur la mécanique du développement des formes turbinées. Bull. Acad. R. Belg. Cl. Sci. 1941 (5) 27 1-4 pp. 241-259 graphs.
- 541.—Lison, L. Caractéristiques géométriques naturelles des coquilles de Lamellibranches. Bull. Acad. R. Belg. Cl. Sci. 1942 (5) 28 4-6 pp. 377-390.
- 542.—Lochman, C. Paleoecology of the Cambrian in Montana and Wyoming. Rep. Mar. Ecol. & Paleoecol. Wash., D.C. 1949 No. 9 pp. 31-71 pls. I-8.
- 543.—Loosanoff, V. L. Gonad development and spawning of Oysters (O. virginica) in low salinities. Anat. Rec. Philad. 101 1948 Abst. 119 p. 705.
- 544.—Loosanoff, V. L. Survival. f—ding and growth of Oysters (O. virginica) in low salinities. Anat. Rec. Philad. 101 1948 p. 705 Abst. 118.

- 545.—Loosanoff, V. L. Effect of changes in salinity on crystalline style of Oysters. Anat. Rec. Philad. 101 1948 p. 737.
- 546.—Loosanoff, V. L. & Engle, J. B. Effect of different concentrations of micro-organisms on the feeding of Oysters (O. virginica). Fish Bull. Fish Wildlife Serv. Washington D.C. 1947 42 pp. 37-57 graphs.
- 547.—Loosanoff, V. L. and Nomejko, C. A. Growth of Oysters, O. virginica, during different months. Biol. Bull. Woods Hole 97 1 1949 pp. 82-94.
- 548.—Loosanoff, V. L. & Smith, P. B. Some aspects of behaviour of oysters accustomed to different salinities. Anat. Rec. Philad. 1949 105 3 Abstract '309' p. 627.
- 549.—Loosjes, F. E. On the inner structure of the shells of Hemiphaedusa cambojensis Pfr. and Phaedusa paviei Morlet (Gastropoda, Pulmonata). Bull. Mus. Hist. nat. Belg. 24 39 1948 pp. 1–8 text-figs.
- 550.—Loosjes, F. E. & A. C. W. On *Phaedusa paviei* Morlet and an allied new species. Basteria Lisse 1949 13 1-3 pp. 31-35 pl. iv text-fig.

Lopez, M. vide Vidal.

- 552.—Lörcher, E. Die Stratigraphie von Braun-Jura (Dogger) and Ober- α im südwestlichen Württemberg, Jh. Ver. vaterl. Naturk. Württemb. 95 1939 pp. 145–230.
 - Lotz, C. vide Ingram, W. M.
- 553.—Lozek, V. Studie Ceských stepi na Základě recentních i fosilnich měkkýšů. Praze 1949 pp. 1–92 3 pls., 18 maps, tables.
- 554.—Lozek, V. Mäkkýše Muránskeho krasu. Mollusques du Karst de Muran. [French résumé.] Prirod. Sbornik, Bratislava 4 1947 pp. 119–158, 5 maps, tables.
- 555.—Lozek, V. Chondrina tatrica n. sp. in Tchécoslovaquie. Vest. ceskosl. zool. Spolnee Praze. 12 1948 pp. 83–88 text-figs.
- 556.—Lundman, B. Maps of the racial geography of some Partulae of the Society Islands based upon the material published by H. E. Crampton. Zool. Bidr. Uppsala 25 1947 pp. 517-533, 24 text maps.

- 557.—Macan, T. T. Survey of a moorland fishpond. J. Animal Ecol. 1949 18 pp. 160-186 text-figs. tables & graphs. pls. 7, 8, 9.
- 558.—Macan, T. T. & Cooper, R. D. A Key to the British Fresh- and Brackish-water Gastropods with notes on their ecology. Scient. Pub. Freshwater biol. Ass. No. 13 1949 pp. 1–45. 15 text-figs.
- 559.—Maccagro, A. M. Su di una "Burtinella" del Maëstrichtiano della Tripolitania. Boll. Ufl. geol. Ital. 69 1946 pp. 151–157, plates.
- McConnaughey, B. H. vide Pickford, G. E.
- 560.—MacGinitie, G. E. & MacGinitie, N. Mollusca pp. 327-401. Natural History of Marine Animals, New York 1949 pp. i-ix 1-47 text-fig.
- **561.**—**McGinty**, T. L. A report on the Mollusca collected by the Pioneer Bahama expedition. Mollusca, Tavares **2** 3 1948 pp. 56-69.
- **562.**—**McGinty,** T. L. Epitonium (Cirsotrema) pilsbryi [a correction]. Nautilus Philad. 1949 **62** 4 p. 142.
- 563.—McGinty, P. L. & T. L. The Pioneer Bahama Expedition. Mollusca. Tavares 2 3 1948 pp. 40-55 map.
- 564.—McMullen, D. B., Endoitabashi, T., Seto, S., Komeyama, S., Stone, R. Seasonal Studies on Schistosoma japonicum in the intermediate Host Oncomelania novophora. J. Parasit. Lancaster, Pa. 35 6 (2) 1949 p. 28 (2).
- 565.—McMullen, D. B. and Ingalls, J. W. The control of Schistosomiasis japonica. IV. The effect of various chemicals on the Cercariae of Schistosoma japonicum. Amer. J. Hyg. Baltimore 45 3 1947 pp. 294-298 tables.
- **566.**—McMillan, N. F. A shell deposit in the Portstewart sand-dunes [Londonderry]. J. Conch. London 1949 **23** 2 p. 26.
- 567.—McMillan, N. F. The brackishwater Mollusca of Bromborough Pool, Cheshire, J. Couch, London 23 3 1949 pp. 65-68.
- 568.—Madge, E. H. The Conchological Manuscripts of the late E. Dupont (Jr.), 1847-1933. Mauritius Inst. Bull. 1949 3 1 pp. 83-125.

- 569.—Makridin, V. P. The upper Devonian deposits of the Krasni-Oskal cupola in the north-western border of the Donetz ridge. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1949 66 2 pp. 251-253.
- 570.—Maldonado, J. F. & Herrera, F. V. Schistosoma mansoni infection resulting from exposure to cercariae proceeding from single naturally infected snails. Puerto Rico J. publ. Hlth. trop. Med. 1949 25 2 pp. 230–255 tables.
- 571.— Mandahl-Barth, G. Mucronulia angulata n. sp. un nouveau gastèropode parasite. Jour. de Conchyliol. Paris 89 2 1949 pp. 148-149 pl. viii.
- Mann, E. R. vide Von Hearts, T. & others.
- 572.—Mansour-Bek, J. J. On the proteolytic and lipolytic enzymes in the stomach juice of some lamellibranchs. Enzymologie 12 4 1948 pp. 221-231 [non vidio].
- 573.—Marchesini, E. Statistiche sulla variabilità di *Cyclostoma elegans* Müll. nel Quarternario ed attuale. Boll. Soc. geol. ital. 60 2-3 1942 p. 306.
- 574.—Marchesini, E. Dati sulla variabilità e l'accrescimento relativo della conchiglia di *Natica* (*Neverita*) josephinia Risso del Golfo di Napoli. Pubb. Staz. zool. Napoli. 18 2 1940 pp. 141–150 tables, figs. & graphs.
- 575.—Marks, J. G. Age of the Hannotoma fauna [Indicator spp. given.] J. Paleont, Menasha, Wis. 23 2 1949 pp. 153-154.
- 576.—Marks, J. G. Nomenclatural units and tropical American Miocene species of the Gastropod family Cancellariidae. [Spp. new from Ecuador.] J. Paleont. Menasha. Wis. 23 5 1949 pp. 453-454 text-figs. pl. 78.
- 577.—Mars, P. Note sur les sédiments quaternaires de l'etang de Berre et leur faune malacologique. Bull. Mus. Hist. nat. Marseille 1948 8 2-3 pp. 94-100 text-maps.
- 578.—Martens, E. v. Vorzeigung einiger Landschnecken aus Sardinien und aus Ost-Borneo, Sitz-Berichte Ges. Naturf. Freunde Berlin 1804 pp. 195–203,
 - Martin, J. vide Bewelander, G.

- 579.—Martin, O. R. & Crehuet, R. F. Apuntes para el estudio bionómico de la bahia de Santander. [Lists; Moll. pp. 29-39.] Bol. Inst. Esp. Oceanogr. No. 1 1948 pp. 1-41 map.
- 580.—Martinson, G. G. First discovery of the Neogene mollusca in the Irkutzk coal area. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1949 67 2 pp. 365-367.
- **581.—Marwick,** J. Lower Pliocene Mollusca from Otahuhu, Auckland. Palaeont. Bull. N.Z. **16** 1948 pp. 4–38 Map pls. 1–8.
- 582.—Mason, B. The Geology of Mandamus-Pahau District, North Canterbury. [Short list.] Trans. Proc. Roy. Soc. N.Z. 77 3 1949 pp. 403–428 text-maps pls. 43–44.
- 583.—Mason, B. Middle Tertiary strata at Smith River, Lake Heron, New Zealand. [List of spp.] N.Z. J. Sci. Tech. 30B I 1949 pp. 55-58.
- Massera, M. G. vide Bianchi, C. & others.
- **584.**—**Massuti**, M. Estudio del plancton del puerto de Mahón en el curso de un año (1946). Bol. Inst. Esp. Oceanogr. No. **2** 1948 pp. 1–29.

Massuti, M. vide Duran, M.

- 585.—Mattox, N. T. Studies on the biology of the edible syster Ostrea rhizophorae Guilding in Puerto Rico. Ecol. Monogr. Durham, N.C. 19 4 1949 pp. 339-356 text-figs. & graphs.
- 586.—Mattox, N. T. Effects of drying on certain marine snails from Puerto Rico. Ecology, Brooklyn 30 2 1949 pp. 242-244 2 graphs.
- 587.—Mattox, N. T. Notes on the distribution of some terrestrial gastropods in western Puerto Rico. Nautilus, Philad. 1949 62 4 pp. 126-128.
- 588.—Matutani, K. & Mori, S. Daily rhythmie activity of a land snail, Fruticicola (Acusta) sieboldiana (1). [In Japanese, résumé in English.] Jap. J. Malac. 15 5/8 1949 pp. 96–101, 2 figs.
- 589.—Maubeuge, P. L. Sur quelques ammonites du Lias de la Belgique, du Luxembourg et de la Lorraine septentrionale. Bull. Mus. Hist. nat. Belg. 24 18 1948 pp. 1-8 pls. i-ii.

- 590.—Maubeuge, P. L. Revision des Ammonites du genre *Phlyseogrammio*ceras. Bull. Inst. R. Sci. nat. Belg. 1949 25 36 pp. 1-17 pls. i, ii.
- 591.—Maubeuge, P. L. Données paléantologiques nouvelles sur la Dolomie dite "dolomie de Beaumont" du Keuper moyen de Lorraine. Bull. Soc. géol. Fr. 5 19 I-3 1949 pp. 43-49 pl. iii & figs. I-2.

Maubeuge, P. L. vide Theobald, N.

- 592.—Maxia, C. Osservazioni geologiche sui territori di Civitella S. Paolo e di Fiano Romano (Nord di Roma). [Short list in text.] Boll. Uff. geol. Ital. 69 1946 pp. 195–217 pls. i, ii.
- 593.—Mayne, W. The Cretaceous beds between Kuhn Island and Cape Franklin (Gauss Peninsula), Northern East Greenland. Midd. Grønland 1949 133 3 pp. 1–291, 70 text-figs. pls. 1–4.
- 594.—Medcof, J. C, Leim, A. H., Needler, A. B. & Needler, A. W. H. Paralytic shellfish poisoning on the Canadian Atlantic coast. Bull. Fish. Res. Board, Canada 75 1947 pp. 1–32 text-maps & tables.
- 595.—Medcof, J. C. A snail commensal with the soft-shell Clam, [Abstract.] J. Fish. Res. Board, Canada 7 5 1948 pp. 219–220.
- 596.—Medem, F. Graf v. Untersuchungen über die Ei und Spermawirkstoffe bei marinen Mollusken. Zool. Jahrb. Jena (Allg. Zool.) 1945–61 pp. 5-44, 5 text-figs. pls. 1, 2.
- 597.—Meer Mohr, J. C. v. d. Achatina fulica (Fér.) as a minor pest of tobacco. Chronica Naturae 105 1949 p. 290 figs. I-2.
- 598.—Meer Mohr, J. C. v. der. On the reproductive capacity of the African or Giant snail, Achatina fulica (Fér.). Treubia Buitenzorg 20 1 1949 pp. 1-10 graph & tables.
- 599.—Meeuse, A. D. J. Mollusca in H. K. Airy Shaw Additions to the wild fauna and flora of the Royal Botanic Gardens, Kew, XX. Kew Bull. 1 1948 pp. 120-121.
- 600.—Meeuse, A. D. J. & Hubert, B. The molluse fauna of Glasshouses in the Netherlands. Basteria 13 1949 pp. 1-30 figs. 1-2 pls. i-iii.

- 601.—Menkin, V. Cellular injury in some invertebrates. Physiol. zoöl. Chicago 22 1949 pp. 124–131 tables.
- Mehlman, B. vide Brand, T. V. & others.
- 602.—Mennessier, G. Comparaison entre les faunes des bassins a lignites cénomaniens du sud-est de la France. Bull. Mus. Hist. nat. Paris 1949 (2) 21 6 pp. 765-769.
- 603.—Mennissier, G. Note préliminaire sur les niveaux a Rudistes coniaciens des massifs d'Uchaux et de la Cèze. Bull. Mus. Hist. nat. Paris (2) 21 2 1949 pp. 311–315 fig. [List.]
- 604.—Mennessier, G. Description d'un Rudiste de l'Attique; Mitrocaprina beotica Munier-Chalmas sp. (Plagioptychus beoticus Munier Chalmas). Bull. Mus. Hist. nat. Paris 1949 (2) 21 3 pp. 395–398 text-figs.
- 605.—Merle, R. Un conquérant du Monde l'Achatine. La Nature 169 1949 pp. 151-152 figs.
- 606.—Merle, R. Malacologie de guerre. Nature, Paris No. 3171 1949 pp. 214–216 text-figs.
- 607.—Metendez, B. Notas paleontologicas regionales. I. Granada. Bol. Univ. Granada 21 86 1949 pp. 129—38 text-figs.
- 608.—Metz, C. B. & Donovan, J. E. Fertilizer from the eggs of the clam, *Mactra solidissima*. Biol. Bull. Woods Hole 97 2 1949 p. 257.
- 609.—Michel, R. Étude geologique du plateau de Gergovia. [Lists pp. 19, 50.] Rev. Sci. nat. Auvergne 1948 N.S. 14 l pp. 1-68 l1 text-figs.
- 610.—Miletic, O. Données complémentaires sur la connaissance de la faune des secondes couches méditerranéennes sur le versant occidental du mont de Gučevo (Brusina). [List.] [Fr. rés. p. 183.] Bull. Mus. d'hist. Nat. Serbie 2 1949 pp. 181–183.
 - Miletié, O. vide Pethovic, K. V.
- 611.—Miller, A. K. The last surge of the Nautiloid Cephalopods. Evolution, Luncaster, Pa. 3 3 1949 pp. 231-238 text-figs.
- 612.—Miller, A. K. A giant Scaphopod from the Pennsylvanian of Texas. J. Paleont. Menasha, Wis. 23 4 1949 pp. 387-391 pls. 76.

- 613.—Miller, A. K. & Youngquist, W. The Maquoketa coquina of Cephalopods. J. Paleont. Menasha, Wis. 23 2 1949 pp. 199–204 pls. 40–42.
- 614.—Miller, A. K., Downs, H. R. & Youngquist, W. Some Mississippian Cephalopods from Central and Western United States. J. Paleont. Menasha, Wis. 23 6 1949 pp. 600-612 text-figs.. pls. 97-99.
- 615.—Miller, A. K. & Youngquist, W. American Permian Nautiloids. Mem. Geol. Soc. Amer. Washington, D.C. 41 1949 pp. 1-218 text-figs., pls. 1-59.
 - Millot, J. vide Fischer-Piette, E.
- 616.—Milovanović, B. La structure et la fonction des Piliers des Hippuritidés. [Fr. rés. p. 256.] Ann. géol. Pén. balkan (Beograd) 15 1938 pp. 227–267 text-figs.
- 617.—Milovanović, B. Plagioptychus aguilloni d'Orb. Ann. géol. Pén. balkan (Beograd) 15 1938 pp. 440–441.
- 618.—Milovanović, B. [On Medeella (Hippurites).] Ann. géol. Pén. balkan (Beograd) 16 1939 pp. 77–88.
- 619.—Minato, M. Phasenanalyse der Gebirgebildungen der palaeozoischen Aera im Kitakami-Gebirge (nordöstlesches Honsyú, Japan). Japan. J. Geol. Geogr. 1944 19 1–4 pp. 151–180 pls. xvi.
- 620.—Miriglians, G. Pliocene tra Licusati, Sleonio e Porto degl' Infreschi (Salerno). [Lists.] Boll. Soc. Nat. Napoli 57 1949 pp. 60-71.
- 621.—Mislin, H. & Kauffmann, M. Der aktive Gefässpuls in der Arm-Schirmhaut der Cephalopoden. Rev. suisse Zool. Genève 55 1948 pp. 267–271 text-figs.
- 622.—Miyadi, D. Ecological survey of the Benthos of the Ago-wan [Japan, Kii Peninsula]. Annot. zool. jap. 20 3 1941 pp. 169-180.
 - 623.-Miyanaga, M. vide Kuroda, T.
- 624.—Modell, H. Das natürliche System der Najaden. 2. Archiv f. Molluskenk, Frankfurt a/M. 1949 78 1/3 pp. 29–48.
- 625.—Mohr, J. C. v. d. M. Achatina fulica (Fer.) as a minor pest of Tobacco. Chronica Nat. Batavia 105 11 1949 p. 290 text-figs.

- 626.—Mokiyevski, O. B. Freshwater, littoral faune of the Amur estuary. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1949 66 6 pp. 1187-1190.
- Mold, J. D. vide Stranger, D. W. & others.
- 627.—Moll, F. Die Fossilen Terediniden und ihre beziehung zu den Rezenten Arten. Palaeontographica Stuttgart A94 3-6 1942 pp. 134-153 pls. xxv-xxvi.
- 628.—Monard, A. Notes de faunistique neuchateloise. [Moll. p. 112.] Bull. Soc. neuchatel. Sci. nat. 1947 (3) 70 pp. 109-115.
- 629.—Montalenti, G. & Vitagliano, G. Ricerche sul differenziamento dei sessi negli embrioni di Sepia officinalis. [English Summary.] Pubb. Staz. zool. Napoli 20 1 1946 pp. 1–18.
- 630.—Moore, A. R. & Turner, R. S. Some effects of Narcoses on the nerve impulse in the squid *Loligo opalescens*. Physiol. zoöl. Chicago 31 3 1948 pp. 224-231 graphs.
- **631.**—Morehouse, E. M. E. Stainton, 1885–1949. **23** 3 1949 pp. 89–90.
- 632.—Morellet, L. & J. Le Bartonian du Bassin de Paris. [Moll. pp. 25–37.] Mém. Carte Géol. Détail Fr. 1948 pp. 25, i-viii, 1–437 text-map & plate-map.
- 633.—Morrellet, J. Deux genres inutiles de Cossmann: Eccrassina (Pélécypode) et Dumasella (Gastropode). Bull. Mus. Hist. nat. Paris (2) 20 6 1948 pp. 561–562.
- 634.—Mori, S. Daily rhythmic activities of "Martens" pearl-oyster (*Pinctada martensi* (Dunker)). [In Japanese with English résumé.] Jap. J. Malac. 15 1/4 1948 pp. 46–51 3 figs.
- 635.—Mori, S. On the respiration of Pinetada martensi (Dunker) in the sea water of low oxygen tension. (A preliminary note.) [In Japanese.] Jap. J. Malac. 15 1/4 1948 pp. 52-54 2 figs.

Mori, S. vide Matutani, K.

- 636.—Moses, S. T. A preliminary report on the cephalopods of Baroda. [Abstract.] Proc. Indian Sci. Congr. 1949 35th 3 p. 198.
 - Moussa, A. A. vide Gatenby, J. B.
- 637.—Mouterde, R. Le Lias inferieur a l'Ouest de la Châtre (Indre). Bull. Soc. géol. Fr. 5 18 4-5 1948 pp. 241-245.

- 638.—Muller, S. Beitrage zur Geologie der Trochtelfinger Heide (Schwäbische Alb) und ihren näheren Umgebung. [Short Lists.] N. Jahrb. Min. Geol. Paläont. Stuttgart B90 3 1949 pp. 379–426 pls. xviii, xix.
- 639.—Mullerried, F. K. G. Fosiles raros de Mexico VI. El bivalvo Pinnigena encontrado por vez primera en Mexico y America. An. Inst. Biol. Mexico 1949 20 1–2 pp. 5–14 text-figs.
- 640.—Mullerried, F. K. G. Nota sobre el Hallazgo de Capas del Senoniano al so de Tuxtepec Oax. An. Inst. Biol. Mexico 1949 20 1–2 pp. 15–16.
- Murti, N. N. vide Subrahmanyam, T. V. & others.
- 641.—Murase, K. On Venerupis philippinarum (Adams et Reeve). Dobuts. Zasshi Tokyo 56 N. 4-6 1944 pp. 42-46 text-figs.
- 642.—Nagao, T. & Otatume, K. The fossil Corbiculids from the Palaeogene Isikari Series in the Isikari Coal-Field, Hokkaido J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943 pp. 1–13 text-figs., pls. i—iii.
 - Nates, A. G. vide Pelluet, D. & others.

Navarry, T. vide Bardain, E. & others.

Needler, A. B. & A. W. H. vide
Medcof, J. C. & others.

Nellayandar, M. vide Jacob, P. K.

- 643.—Neuhaus, W. Hungerversuche zur frage der Taraditären kastration bei Bithynia tentaculata. Z. Parasitenk. Berlin 14B 4 1949 pp. 300–319 text-figs.
- 644.—Navaz, J. M. Estudio de la ria de Pasajes en relación con su producción de moluscos comestibles. [Moll. p. 11-15.] Bol. Inst. Esp. Oceanogr. No. 11 1948 pp. 1-31 maps.
- 645.—Newell, N. D. Phyletic size increase—an important trend illustrated by fossil invertebrates. [Moll. pp. 112–116.] Evolution, Lancaster, Pa. 3 2 1949 pp. 103–124 graphs.
- 646.—Newell, N. D. Cronic, B. T. & Roberts, T. G. Upper Paleozoic of Peru 1949. 241 pp. 42 pls. & text-figs. [For Molluses vide sub Cronic, B. T.]

Nicholas, R. E H. vide Comfort, A.

647.—Ninni, E. La vita degli animali al Lido di Venezia. Boll. Pesca Piscicolt. Idrobiol. Roma 17 4 1941 pp. 527-559.

648.—Noda, M. On a new species of the Genus Sphaerodoma from the Tienhsihfu Coalfield Fengtien Province, Manchoukuo. [English with Japanese and Chinese résumé.] Bull. Cent. N. Mus. Manchoukuo No. 4 (1942) pp. 17–18 1 pl. Japan. J. Geol. Geogr. 1944 19 1–4 (Abstr. p. 11) No. 65.

30

Mollusca

Nolan, M. O. vide von Brand, T. & others.

649.—Noland, J. L. Determination of amino acids in invertebrates. Biol. Bull. Woods Hole **97** 2 1949 pp. 263–264.

Nomejko, C. A. vide Loosanoff, V. L.

650.—Odhner, N. H. Succinea sarsi Esmark 1886 (—elegans Quick 1933, non Risso 1826), new to the Danish fauna. Vidensk. Medd. Dansk naturh. Foren. 111 1949 pp. 217–224 11 figs.

Oddo, F. vide Bacci, G.

651.—Odlaug, T. O. Effects of stabilized and unstabilized waste sulphite liquor on the Olympia Oyster Ostrea lurida. Trans. Amer. micr. Soc. Menasha 63 2 1949 pp. 163–182 tables & graphs.

652.—Okuda, I. The Fauna of Akkesh Bay. XIV. Solenogastre. Annot. zool. jap. 22 1943 pp. 11–14 text-figs.

653.—Oliveira, P. H. de. Estudo hidrobiológico das lagoas de Piratinenga e Itaipú. Mem. Inst. Osw. Cruz. Rio de J. 46 4 1949 pp. 673–718 pls. 1—4.

Ord, M. I. vide Pelluet, D. & others.

654.—Orton, J. H. Recording gonad condition for comparison in local and geographical communities. Challenger Soc. London 1948 2 20 p. 11.

655.—Orton, J. H. Notes on the feeding habit of *Capulus ungaricus*. Rep. Mar. biol. Sta. Port Erin 61 1948 [1949] pp. 29-30.

656.—Orton, J. H. Oyster Biology and Oyster-culture. London 1937 pp. 1–211 maps, graphs, text-figs. & tables,

657.—Osima, K. Tonnidae. [In Japanese.] Conchologia Asiatica 1 pt. 4 1943. [non vidi.]

658.—Ostergaard, J. M. Spawning and Development of some Hawaiian Marine Gastropods. Pacific Science 1950 4 2 pp. 75-115 text-figs.

659.—Ôtatume, K. On two fossil Corbiculids from the Palaeogene Coalbearing Tertiary of Obirasibé, Tesio Province, Hokkaidô. J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943 pp. 15–20 text-figs.

660.—ôtatume, K. Three species of fossil Corbiculids from the Tertiary formation of Karahuto. J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943 pp. 21–28 pl. iv.

Ôtatume, K. vide Nagao, T.

Ottke, R. C. vide Bergmann, W.

661.—Otuka, Y. Turicula Dall. [In Japanese.] Conchologia Asiatica 1 pt. 3 1943. [non vidi.]

662.—Otuka, Y. Neogene fossils of the Ihara District, Sizuoka Prefecture, Japan. J. Fac. Sci. Imp. Univ. Tokyo Geol, 1938 5 1–2 pp. 1–19 pls. i, ii.

663.—Otuka, Y. Mollusca from the Miocene of Tyugohu, Japan. J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 pp. 21-45 pls. i-iv.

664.—Oyama, K. Limidae. [In Japanese.] Conchologia Asiatica 1 pt. I 1943. [non vidi.]

665.—Oyama, K. Über die koreanischen *Corbicula*-Arten. Venus, Mukaisima 12 3-4 1943 pp. 150-158 pls. 5, 6.

666.—Oyama, K. Über das Vorkommen von *Hinnites corallinus* Sowerby in Bonininseln. Venus, Mukaisima 12 3-4 1943 pp. 195-197 1 fig.

667.—Oyama, K. Review of Japanese species of *Solariella*. [In Japanese.] Jap. J. Malac. 13 1943 pp. 118-122.

Oyama, K. vide Suzuki, K.

668.—Pacaud, A. Données expérimentales sur les matériaux non végétaux dans le régime alimentaire de *Planorbis* (*Coretus*) corneus Linne. Bull. Soc. zool. Fr. 74 1949 pp. 136–139.

669.—Pain, T. Placostylus falcicula (Gassies). J. Conch. London 1949 23 2 pp. 39–40 figs.

670.—Pain, T. The distribution of *Pila speciosa* (Philippi). J. Conch. London 23 3 1949 pp. 69-70.

671.—Pain, T. On the types of three species of *Pomacea* described by G. B. Sowerby, III. Proc. Malac. Soc. London 1949 28 1 pp. 39–40 pls. 1, 2.

- 672.—Panikkar, N. K. & Tampi, P. R. S. The egg mass of a Dollid gastropod molluse from Krusadai Island. J. Bombay nat. Hist. Soc. 48 3 1949 pp. 608-610 text-figs.
- 673.—Papp, A. Fauna und Gliederung der Sarmata im Wiener Becken. [Lists.] Anz. Akad. Wiss. Min. 1949 86 pp. 256-266.
- 674.—Papp, A. Eine unterpliocane Fauna (Plaisancien) von Serres (Mazedonien). [Short list.] N. Jahrb. Min. Geol. Paläont. Stuttgart B1-4 1948 pp. 75-77.
- 675.—Papp, A. Untersuchungen an der sarmatischen Fauna von Wiesen. Jahrb. geol. Bundes Anst. Wien 89 3-4 1939 pp. 315-355 pls. ix, x.
- 676.—Parke, M. W. Report on Oyster Investigations 1939. Rep. Mar. biol. Sta. Port Erin 52 1939 p. 9.
- 677.—Parker, P. Fossil and recent species of the Pelecypod genera *Chione* and *Securella* from the Pacific Coast. J. Paleont. Menasha Wis. 23 6 1949 pp. 577-593 pls. 89-95.
- 678.—Parodiz, J. J. Contribuciones al conocimiento de los Moluscos terrestres Sudamericanos. IV. Nuevas especies de los géneros Drymaeus y Protoglyptus precedentes de la Républica Argentina y de Bolivia. Comun. zool. Mus. Hist. Nat. Montevideo 2 27 1946 pp. 1–14 text-figs., map, pl. i.
- 679.—Parodiz, J. J. Contribuciones al conocimiento de los Molluscos terrestres Sudamericanos. V. Especes nuevas o poco conocidas del gen. Peronaeus Albers 1850 de la Republica Argentina y de Bolivia. Comun. zool. Mus. Hist. Nat. Montevideo 2 38 1947 pp. 1–32 text-figs.

Pasić, M. vide Pethovic, K.

- 680.—Pata, O. Contributo allo studio della stratigrafia del Pliocene sullo stretti di Messina. [List.] Atti Acc. peloritana Messina 47 1945 pp. 9-17 1 fig.
- 681.—Pata, O. Epirogenesi, fratture ed custatism nella calabria ulteriore dal Pliocene al Tirreniano. Historia Nat. Roma 2 2-4 1947 pp. 11-15 3 figs.
- 682.—Pattison, H. Life in an ancient Arizona Sea. Plateau, Flagstaff, Arizona 21 1 1948 pp. 1-6 text-fig. & plates.

683.—Paulus, M. & N. Contribution a l'étude de la faunule malacologique de la Casamance (Afrique Occidentale Française). Bull. Mus. Hist. nat. Marseille 1948 8 2–3 pp. 74–93.

Paulus, M. vide Bayol, J.

- 684.—Pavlović, S. Note sur les conches à Corbicula fluminalis Müll. de l'Ovee Polje (Macédoine). [Fr. rés. p. 92.] Bull. Mus. d'hist. Nat. Serbie 1 1948 pp. 87-92 figs. 1-3.
- 685.—Pejovic, D. Une nouvelle localite ou l'on trouve Pironaea polystyla var slavonica (Hilber) Kuhn et Pironaea polystyla (Pirona) Méneghini. [In Serbian with French résumé p. 151.] Ann. géol. Pen. Balkan Beograd 17 1949 pp. 148–151 text-figs.
- 686.—Pellegrini, O. Ricerche statistiche sulla sessualita di *Patella coerulea* L. Boll. zool. Torino [1949] 15 pp. 115–121.
- 687.—Pelluet, D., Ord, M. J. & Nates, A. G. The Cytosome of differentiating germ cells in some land Mollusca. Trans. roy. Soc. Can. 1949 (3) 43 [6] p. 247.
- 688.—Peltrera, A. La capacità regolative dell'uovo di Aplysia limacina L. studiate con la centrifugazione e con le reazioni vitali. Pubb. Staz. zool. Napoli 18 1939 pp. 20-49 text-figs., pls. i-iv.
- 689.—Pérébaskine, V. Contribution a la connaissance de l'age du Flysch des Petites Pyrénées. Bull. Soc. géol. Fr. 5 19 1–3 1949 pp. 269–270 pl. ixb.
- 690.—Pereirà, H. F. & Gonçalves, L. I. Caramujos, caracósis e lesmas nocivos e meios de combate. Biologico, S. Paulo 15 4 1949 pp. 65-73 1 fig.
- 691.—Perkins, N. E. British Freshwater Molluscs. Aquarist London 14 1 1949 pp. 15–16 text-figs.

Petersen, S. K. vide Balslov, G.

- 692.—Petković, K. V. [On Lima (Plagiostoma) subrigida Röm.] Ann. géol. Pén. balkan (Beograd) 15 1938 pp. 437–438 text-figs.
- 693.—Petković, K. V. [On Perisphinctes brownei Marshallsp. Boehm.] Ann. géol. Pén. balkan (Beograd) 15 1938 p. 439.

- 694.—Petković, K. V. Quelques espès des Nerinées du Cretacé Inferieur à facies Wegoniens de Kosutnjak (environs de Beograd). [Fr. rés. p. 75.] Ann. géol. Pén. balkan (Beograd) 16 1939 pp. 65-76 text-figs.
- 695.—Petković, K. V. Nouvelles données sur la développement et la répartition de l'Albien aux environs de Beograd. Ann. géol. Pén. balkan (Beograd) 16 1939 pp. 131–134 text-fig.
- 696.—Petković, K. V. Le Tithon-Valangnien dans la Serbie orientale—Le problem de l'âge et de l'epaiseur de calcaires récifaux zoogènes de la Suva Planina et de dépots semblables dans la Serbie orientale. [In Serbian with French résumé p. 40; Lists.] Ann. géol. Pén. Balkan, Beograd 17 1949 pp. 15-44.
- 697.—Petković, K. V. & Milstić, O. Sur les Ammonites Barremiens trouvés dans les Calcaires Urgoniens de Košutnjak (environs de Belgrade) et leur importance. [In Serbian with French résumé p. 137.] Ann. géol. Pén. Balkan, Beograd 17.1949 pp. 123–139 pls. i. ii.
- 693.—Petrbok, J. The Molluscs of the Pleistocene of Bohemia. [In Czech with English summary p. 202.] Sbor. geol. Üst. Praha 15 1948 pp. (1) 161– (48) 208.
- 699.—Petrbok, J. Několik poznámek de gigantismu u *Helicogena pomatia* Linné. Vest. ceskosl. zool. Špolnec. Praze 8 1940 pp. 173–176.
- 700.—Petrbok, J. Biological and historical problems in the system of Agardhia truncatella Pfeiffer. Vest. ceskosl. zool. Spolnec. Praze 6-7 1939 pp. 340-345 text-fig.

Petrillo, E. vide Boscardi, F.

- 701.—Pfeiffer, K. L. Levantina spiriplana (Olivier). Arch. Molluskenk. Frankfurt a/M. 1949 77 1/6 pp. 1-51 3 maps & diagram, pls. 1-7.
- 702.—Picard, J. Notes sur les Cyclostomes des Regions paléarctiques. Jour. de Conchyliol. Paris 89 2 1949 pp. 62-82 text-figs.
- 703.—Pichler, W. Der Riedelteich bei Leoben. Mitt. naturn. Ver. Steierm. 1939 75 pp. 160–165 text-figs. & graph.

- 704.—Pickford, G. E. Vampyroteuthis infernalis Chun au. archaiedibranchiate Cephalopod. II. External Anatomy. Dana. Rep. Copenhagen No. 82 1949 pp. 1–132 tables & text-figs.. pls. i–ix.
- 705.—Pickford, G. E. The distribution of the eggs of Vampyroteuthis infernalis Chun. J. Mar. Res. New Haven 8 1 1949 pp. 73-83 tables & graphs.
- 707.—Pickford, G. E. The Vampyromorpha. A new order of Dibranchiate-Cephalopoda. Vest. ceskosl. zool. Spolnec. Praze 6-7 1939 pp. 346–358.
- 708.—Pickford, G. E. & McConnaughey, B. H. The Octopus bimaculating problem. a study in sibling species. Bull. Bingham Oceanogr. Coll. New Haven 12 4 1949 pp. 1-66 text-figs.
- 709.—Pillai, K. P. The Molluscan fauna and the lime shell resources of Travancore. [Abstracts.] Proc. Indian Sci. Congr. 1949 35th 3 pp. 196-197.
- 710.—Pilsbry, H. A. New species of Isomeria and Helicina. Nautilus Philan. 1949 62 3 pp. 99-101 pl. 6, f. 1-46.
- 711.—Pilsbry, H. A. Dissentoma, the embryonic stage of Cymatium martinianum (Orb.). Nautilus Philad. 1949 62 4 p. 142.
- 712.—Pilsbry, H. A. Drillia roseohasis and Pleurotoma albicostata Sowerby. Nautilus Philad. 1949 **62** 3 pp. 103-104.
- 713.—Pilsbry, H. A. Review of Peruvian species of *Temesa* (Mollusca. Clausiliidae). Notulae Naturae, Philadelphia No. 214 1949 pp. 1–8 text-figs.
- 714.—Pilsbry, H. A. Peruvian land mollusks of the genus *Nenia* (Clausiliidae). Proc. Acad. nat. sci. Philad. 101 1949 pp. 215–232 pls. 17–22.

Pitotti, L. vide Reverberi, G.

Pittman, L. vide Hall, C.

- 715.—Platt, R. Shells take you over World horizons. Nat. geogr. Mag. Washington 96 1 1949 pp. 33-84 textfigs., 41 col.
- 716.—Plöchinger, B. Ein Beitrag zur geologie des Salzkammergutes im Bereich von Strobl am Wolfgangsee bis zum Hang der Zwieselalm. [List, in text.] Jahrb. geol. Bundes Anst. Wien 93 1-2 1949 pp. 1-35.

- 717.—Ponomareva, L. Infiltration of areto-boreal fauna into Karsk Sea. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1949 65 6 pp. 907-909.
- 718.—Portalés, G. P. Otro nuevo afloramiento crétácico en la Mancha (Ciudad Real). R. Soc. esp. Hist. Nat. Tomo Extraord. 1949 1946 pp. 345–359.
- 719.—Popense, W. P. Genetic lines in California Cretaceous mollusks. [Abstract.] Bull. Geol. Soc. Amer. Washington, D.C. 60 12 2 1949 p. 1951.
- 720.—Powell, A. W. B. The Paryphantidae of New Zealand. No. VI. Distribution hybrids and new species of Paryphana. Rec. Auckland Inst. Mus. 1949 3 6 pp. 347–367 pls. 64–67.
- 721.—Powell, A. W. B. Biological primary types in the Auckland Museum. Rec. Auckland Inst. Mus. 1949 3 6 pp. 403-409.
- 722.—Powell, A. W. B. The species problem in New Zealand Land Snails. Trans. Roy. Soc. N.Z. 1949 77 5 pp. 202–208 text-map.

Prenant, M. vide Gabe, M.

- 723.—Pruvot-Fol, A. De la Pretendue symétrie des Ascoglosses. Arch. Zool. exp. gén. Paris 85 1948 Notes et Revue pp. 208-212 text-figs.
- 724.—Pruvot-Fol, A. Encore un mot au sujet du mode de production de la radula des gastropodes. Bull. Soc. 2001. Fr. 72 1948 pp. 123-125.
- 725.—Pruvot-Fol, A. Une dernière note au sujet du nom de *Tethys*. Jour. de Conchyliol. Paris 89 2 1949 p. 94.
- 726.—Pruvot-Fol, A. Les Porostomata, au groupes d'Opisthobranches et leurs affinités. Rev. suisse Zool. Genève 55 1948 pp. 264–266.
- 727.—Pulley, T. E. Shelled mollusks of the Texas Coast from Galveston to Port Aransas. Texas J. Sci. 1 3 1949 pp. 62–68.
- 728.—Purehon, R. D. Field Days at Dale Fort. Discovery, Norwich 9 8 1948 pp. 247-250 figs.
- . 729.—Quayle, D. B. Movements in Venerupis (Paphia) pullastra (Montagu). Proc. Malac. Soc. London 1949 28 1 pp. 31-37 text-figs. & graphs.

- 730.—Quick, H. E. Limapontia depressa Alder and Hancock in Suffolk and Glamorgan. J. of Conch. 23 3 1949 p. 84.
- 731.—Quick, H. E. Slugs (Mollusca). Synopsis of the British Fauna No. 8 1949 pp. 1-29 pl. 1.
- 732.—Raabe, Z. Remarks on protozoan parasitocenose of some representatives of genus *Mytilus*. Ann. Univ. N.C. Skodowska. Lublin 4C 1 1949 pp. 1–16.
- 733.—Ramamurthy, K. The broodpouch and nutrition of embryos in Melanoides tuberculatus (Muller). [Abstract.] Proc. Indian Sci. Congr. 36th 3 1949 p. 157.
- 734.—Ramirez, R. Descripción de algunos moluscos del Mioceno del Valle del Cibao de la República Dominicana. Publ. Univ. Santo Domingo 70 4 1 1949 pp. 1–43 pls. 1–7.
- 735.—Ranson, G. Prodissoconques et classification des Ostréidés vivants. Bull. Mus. Hist. nat. Belg. 24 42 1948 pp. 1–12 text-figs.
- 736.—Ranson, G. Gryphaea angulata Lmk. est l'espèce "type" du genre Gryphaea Lmk. Bull. Mus. Hist. nat. Paris (2) 20 6 1948 pp. 514-516.
- 737.—Ranson, G. Note sur trois espèces lamarckiennes d'Ostréidés. Bull. Mus. Hist. nat. Paris (2) 21 2 1949 pp. 248–254.
- 738.—Ranson, G. Note sur la répartition geographique des Ostréidés du genre *Pycnodonta* F. de W. Bull. Mus. Hist. nat. Paris 1949 (2) 21 4 pp. 447-452.
- 739.—Ranson, G. Quelques observations sur la Biologie de *Gryphaea* angulata Lmk. Bull. Mus. Hist. nat. Paris 1949 (2) 21 5 pp. 574–579.
- 740.—Rasmussen, E. Faunistic and biological notes on marine invertebrates. I. The eggs and larvae of Brachystomia rissoides (Hanl.) Eulimella natidissima (Mont.), Retusa truncatula (Brug.) and Embletonia pallida (Alder and Hancock), (Gastropoda marina). Vidensk. Medd. Dansk naturh. Foren. 107 1944 pp. 207–233 20 figs.
- 741.—Raven, C. P. Cyclopie par l'action de Lithium chez la Limnée (Limnaea stagnalis L.). Acta Anatomica. Basel 4 1947 pp. 239-247 text-figs.

- 742.—Raven, C. P. On the structure of cyclopic synophthalmic and anaphthalmic embryos, obtained by the action of Lithium in *Limnaea stagnalis*. Arch. neerl. 2001. 8 1949 pp. 323–352 text-figs., pls. xviii, xix.
- 743.—Raven, C. P. Het polaire gradiënt-vold in het ei van de Poelslak. Biol. Jaarb. Antwerpen 16 1949 pp. 90–95.
- 744.—Raven, C. P. The influence of an electric field on the eggs of *Limnuea stagnalis* L. Proc. Kon. Ned. Akad. Wetensch. Amsterdam 51 1948 pp. 1077-1090 4 figs.
- 745.—Raven, C. P. On maturation in the eggs of *Limnaea stagnalis* L. Bijdr. t. d. Dierk. Afl. 28 1949 pp. 372-384 2 figs.
- 746.—Raven, C. P. & Simons, M. A. On the specificity of the lithium effect on the development of *Limnaea stagnalis*. Proc. Kon. Ned. Akad. Wetenseh. Amsterdam 51 1948 pp. 1232–1238.
- 747.—Raven, C. P. & Roborgh, J. R. Direct effects of isotonic and hypotonic lithium chloride solutions on unsegmented eggs of *Limnaea stagnalis*. Proc. K. ned. Akad. Wet. Amsterdam 52 6 1949 pp. 614–622 tables & text-figs.
- 748.—Raven, C. P. & Roborgh, J. R. Direct effects of isotonic and hypotonic lithium chloride solutions on unsegmented eggs of *Limnaea stagnalis*. Proc. K. ned. Akad. Wet. Amsterdam 52 7 1949 pp. 773–780 text-figs. & tables.
- 749.—Raven, C. P. & de Wit, S. D. On the influence of lithium chloride on the eggs of *Limnaea stagnalis* at the 24-cell stage. Proc. Kon. Ned. Akad. Wetensch. Amsterdam 52 1949 pp. 28-34 2 figs.
- 750.—Ray, H. C. On a collection of Melaniids and Neritids (Mollusca Gastropoda) from the Andaman Islands, Rec. Indian Mus. Calcutta 45 4 pp. 299–308 1947 text-figs.
- 751.—Ray, H. C. Revision of Cypraeacea in the collection of the Zoological Survey of India. Part I. The Families Triviidae, Eratoidae and Pediculariidae. Rec. Indian Mus. Calcutta 46 1–4 1949 pp. 183–213.
- 752.—Raymont, J. E. G. Note on Mysia undata (Pennant). J. Conch. London 1949 23 2 p. 40.

- 753.—Raymont, J. E. G. Further observations on changes in the bottom fauna of a fertilized sea loch [Loch Craiglin]. J. Mar. Biol. Ass. Plymouth 28 1 1949 pp. 9-19.
- 754.—Rees, W. J. Variation in Purpura lapillus Linn. Proc. Linn. Soc. London 1949 161 2 p. 149.
- 755.—[Rees, W. J.] [Editor.] Portrait of the President, Arthur Wrigley, 1945-47. Proc. Malac. Soc. London 1949 28 1 frontispiece.
- 756.—Rees, W. J. Note on the hooked squid, Onychoteuthis banksi. Proc. Malac. Soc. London 1949 28 1 pp. 43–45.
- 757.—Reisinger, E. Morphologie und Entwicklungsgeschichte der Wirbellosen (exbl. Orthopoda). [Moll. pp. 36–89.] Fortschr. Zool, Jena 4 1939 pp. 70–94.
- 758.—Renaud, A. Étude de quelques brachiopodes et de quelques Pélécypodes de grés à "Dalmanella Monnieri." C.R. Soc. géol. min. Bretagne 3-4 (1937) 1939 pp. 55-61.
- 759.—Renaud, A. Le Dévonien du Synclinozium médean Brest-Laval. 2me Paléontologie. [Moll. pp. 201–275.] Mém. Soc. géol. min. Bretagne 7 2 1942 pp. 1–439 pls. i–xiv.
- 760.—Renaud, A. La faune des schistes et calcaires dévoniens de Brûlon, Loué en Charnie, Voué en Charnie, Ruillé-en-Champagne, Sablé (Sarthe). Bull. Soc. géol. min. Bretagne N.S. 1938 1939 pp. 16–20.
- 761.—Renz, C. & Renz, O. Eine untertraadische Ammoniten fauna von der griechischen Insel Chios. Schweiz. Palaeont. Abh. 66 (1948–49) 1948 No. 1 text-figs., pls. 1–16.
- 762.—Reyne, A. On the structure of the shells and pearls of *Tridacna squamosa* Lam. and *Hippopus hippopus* (Linn.). Arch. néerl. Zool. 8 1947 pp. 206–241 text-figs., pl. viii.
 - Ripplinger, J. vide Jullien, A.
- 763.—Ripsom, C. A. Reduction of the time factor in rearing Australorbis glabratus. Amer. Midl. Nat. Notre Dame 1949 42 3 pp. 757-758.
- 764.—Robertson, I. C. Pigmy neighbors in the snail world. Hobbies, Buffalo, N.Y. 1949 30 2 pp. 24–27 figs.

765.—Robertson, J. D. Ionic regulations in some marine invertebrates, [Moll. pp. 192-197.] J. exp. Biol. Cambridge 26 2 1949 pp. 182-200 tables.

766.—Robinson, A. An introduced Pond snail in the Murray district. West Aust. Nat. Perth 2 2 1949 pp. 47-48.

Roborgh, J. R. vide Raven, C. P.

767.—Robson, G. C. The Cephalopoda Decapoda of the Arcturus Oceanographic Expedition 1925 [posthumous paper]. Zoologica, New York 33 1948 pp. 115-132 text-figs. 1-18.

Rodriguez, O. vide Bardain, E.

768.—Roger, J. Pectinidés miocènes pliocènes et quaternaires de Syrie. Notes et Mém. Haut. Comm. Républ. Franc. Syrie et Au Liban. 3 1940 pp. 325-349 text-maps. pls. i, ii.

769.—Roger, J. & Buge, E. L'Association Cellépore-Gastropode dans les Faluns de la Touraine. Bull. Soc. géol. Fr. (5) 17 7-9 1948 pp. 461-470 pl. xvii.

770.—Roig, M. S. Nuevos moluscos de Cuba. Revista Soc. Malac. 'C. de la Torre' Habana 1949 6 3 pp. 85-88 text-map, pl. 3.

Roig, M. S. vide Aguayo, C. G.

771.—Roman, F. Listes raisonnées des faunes du Pliocène et du Miocène de Syrie et du Liban. Notes et Mém. Haut. Comm. Républ. Franc. Syrie et au Liban. 3 1940 pp. 355–399 text-maps, pls. i-v.

772.—Romanini, M. G. Attività i ialuronidasica della ghiandole salivari anteriori e posteriori di *Octopus vulgaris* e di *Octopus macropus*. Bol. Soc. ital. Biol. spr. 25 8 1949 pp. 1179-1180.

773.—Rosén, B. Intrazellulare Verdanung bei *Helix pomatia* L. Zool. Jahrb. Jena (Allg. Zool.) 60 1941 pp. 241–252 pls. 1–3.

774.—Rosenberg, G. Neue Fossilfunde und Beobachtungen am Kalkalpennordostrand bei Wien. [Lists.] Jahrb. geol. Bundes Aust. Wien 89 1–2 1939 pp. 177–196 text-fig., pls. i-iii.

775.—Rosenberg, H. R. The Provitamin D in Clams. Nature, London 164 4175 1949 p. 795.

776.—Rehder, H. A. Some land and freshwater mollusks from the coastal region of Virginia and North and South Carolina. Nautilus Philad. 1949 62 4 pp. 121-126.

777.—Reddi, K. K., Giri, K. V. & Das, R. Thiaminase system in freshwater mussel (Lamellindius marginalis), [Abstract.] Proc. Indian Sci. Congr. 1948 34th 3 p. 39.

778.—Reverberi, G. & Pitotti, M. Ricerche sulla distribuzione delle ossidasi e perossèdasi lungo il "cell-lineage" di nova a mosaico. Pubb. Staz. zool. Napoli 18 2 1940 pp. 250–263 text-figs.

Roberts, T. G. vide Newell, N. D. & others.

Roborgh, J. R. vide Raven, C. P.

779.—Rotarides, M. Malakofaunistische Notizen II. Fragmenta faun. Hungarica 11 1948 pp. 77–82 text-figs.

780.—Royer, J. Kleine Beiträge zur Kenntnis der märkischen Weichtierfauna. Märk. Tierw. Berlin 4 1940 pp. 185–186.

781.—Ruggiero, G. Un nuovo "ospite nordico" nel Calabriano del Catanzarese. Historia Nat. Roma 2 2-4 1947 p. 10 1 fig.

782.—Ruggieri, G. Alcune Trophonopsis del Pliocene e Postpliocene italiano. Giorn. geol. Bologna 2 18 1945-6 pp. 89-96 pl. vi.

783.—Ruggieri, G. Il Calabriano e il Siciliano nella Valle del Santerno (Imola). [List pp. 96, 98, 99 and 103– 108.] Giorn. geol. Bologna 2 17 1943–4 pp. 95–113.

784.—Ruggieri, G. La malacofauna del Calabriana Romagnolo. [List.] Giorn. geol. Bologna 3 **20** 1948 pp. 63–110 pls. i–iii.

785.—Ruggieri, G. Il Terrazzo marino presiciliano della Penisola di Crotone. [List.] Giorn. geol. Bologna 3 20 1948 pp. 39–62 text-figs.

786.—Ruggieri, G. II Pliocene superiore di Capocolle (Forli). [Lists pp. 24–28.] Giorn. geol. Bologna **3 20** 1948 pp. 19–38.

787.—Ruggieri, G. Terrazzi Quaternari a Faune Siciliana nel Golfo di Squillace. [List pp. 82–86.] Giorn. geol. Bologna 2 15 1941 pp. 77–88.

788.—Rusconi, C. Los moluscos miocenicos de Cacheuta Mendoza. Rev. Mus. Hist. nat. Mendoza 1949 3 4 pp. 237–239 figs. 789.—Rushentzev, V. E. Some new Namurian Ammonites from the Aktubinsk area. C.R. Acad. Sci. Moscow N.S. 67 4 1949 pp. 737–740, 2 figs.

36

- 790.—Sacarrão, G. F. Études embryologiques sur les Céphalopodes. Arq. Mus. Bocage, Lisbon 16 1945 pp. 33–70 text-fig.
- 791.—Sacarrão, G. F. Sobre alguns aspectos do desenvolvimento dos ovos telolecíticos e sua importância biológica geral. [Moll. pp. 132–143.] Arq. Mus. Bocage, Lisboa 19 1948 pp. 77–163.
- 792.—Sadasivan, V. The rate of growth of *Cerithidea cingulatus* Gmelin (Gastropoda, Pectinibranchia). Proc. Indian Sci. Congr. 1949 35th 3 p. 198.
 - Saddy, J. vide Fischer, P. H.
 - Saget, G. vide Jullien, A. & others.
- 793.—St. George, R. C. C. & Wold, G. The photosensitive pigment of the squid retina. Biol. Bull. Woods Hole 97 2 1949 p. 248.
- 794.—Sakaguti, S. A new species of Entomotis from the Upper Triassic of the Kitakami mountainland. Jubilee Publ. Comm. Prof. H. Yale, etc. 1 1939 pp. 227–231 pl. 15.
- 795.—[Salisbury, A. E.] [Notes on the J. G. Jeffreys Collections from the Smithsonian Miscellaneous Collections 104 15 1946, 1-96.] J. Conch. London 1949 23 2 pp. 55, 56.
- **796.—Salisbury**, A. E. A new species of *Rhiostoma*. Proc. Malac. Soc. London 1949 **28** 1 pp. 41, 42 pl. 3B.
 - Salvan, H. vide Choubert, G.
- 797.—Salopek, M. O naseagama sokaminama Koa Kunovac-vrela u Lici, Prirod, Istraž, mat.-prir, Razred, No. 4 1914 pp. 1–24, 7 pls. 1 fig.
- 798.—Salopek, M. Monografija trijadičke cefalopodne faune Kuna-gore Prilog I. Prirod. Istraž. mat.-prir. Razred No. 13 1918 pp. 21–27 pls. i, ii.
- 799.—Salopek, M. Title as last—Prilog II. Prirod. Istraž. mat.-prir. Razred. No. 14 1919 pp. 165-184 pls. vi (iii)—xi (viii).
- 800.—Salopek, M. O Ladiničkim škriljavaina hod Donjeg Pazarišta. Priod. Istraž. mat. prir. Razred. No. 13 1918 pp. 3–20 pls. i, ii.

- 801.—Salopek, M. O naslagama s Daonellama u Hrvatskoj. Priod. Istraž. mat.-prir. Razred. No. 13 1918 pp. 28-33 pls. i, ii.
- 802.—Sampelayo, P. H. Pradoceras (Kotoceras) kobayashi n. sp. del Ordoviciense de Ciudad Real. Bol. Inst. Geol. Esp. 61 1948 pp. 47–52 pls. i, ii.
 - Sato, T. vide H. Yabe.

Mollusca

- Sato, G. vide D. B. McMullen & others.
- 803. –[Savinov, G. I.] (The fauna of the peripherical part of the middle and the upper low Carbon of the Shiznoosk elevation in Stalingrad district.) C.R. Acad. Sci. Moscow N.S. 69 1 1949 pp. 65–67.
- 804. -Saurin, E. Lamellibranches du Trias supérieur de Hoa-Huynh (Sud-Annam). Bull. Serv. géol. Indochine 26 3 1941 pp. 1-16 pls. i, ii.
- 805.—Schalie, H. v. der. The Land and Freshwater mollusks of Puerto Rico. Misc. Pub. Mus. Zool. Univ. Michigan 1948 70 pp. 1-134 maps. text-figs. pls. i-xiv.
- 806.—Schallek, W. The glycogen content of some invertebrate nerves. Biol. Bull. Woods Hole 97 2 1949 pp. 252-253.
- 808.—Schilder, F. A. Probleme und Methoden der Biostatistik. I. Berechnune der Gesamtäkuliehkeit. Biol. Zbl. Leipzig 66 5/6 1947 pp. 186–197 tables & graphs.
- 809.—Schilder, F. A. Probleme und Methoden der Biostatistik. II. Quantitative Zoogeographie. Biol. Zbl. Leipzig 66 7/8 1947 pp. 201–210 tables & graphs.
- 810.—Schilder, F. A. Probleme und Methoden der Biostatistik. III. Die Angleichskurse (der Trend). Biol. Zbl. Leipzig 66 11/12 1947 pp. 401–416 tables & graphs.
- 811.—Schilder, F. A. The variation of banding in *Cepaea*. Nautilus, Philad. 1949 62 4 pp. 116–119 tables & graph.
- 812.—Schindewolf, O. H. Über das Apikalende der Actinoceren (Cephal., Nautil.). Jahrb. Reichs. Bodenforsch. Berlin 62 1944 pp. 207-247 pls. 8-11, 15 text-figs.

- 813.—Schindewolf, O. H. Discosceriden (Cephal., Nautil.) im deutschen Devon. Jahrb. Reichs. Bodenforsch. Berlin 62 1944 pp. 499-533 pls. 34-42, 16 text-figs.
- 814.—Schindewolf, O. Zur Nomenklatur der Clymenien (Cephalop., Ammon.). N. Jahrb. Min. Geol. Paläont. Stuttgart B1-3 1949 pp. 64-76 text-fig.
- 815.—Schindewolf, O. H. Zur Phylogenie der Clymenien (Cephalop., Ammon.). N. Jahrb, Min. Geol. Paläont. Stuttgart B7 1949 pp. 197-209 text-figs.
- 816.—Schlesch, H. Arion rufus L. empiricorum Fér. i Danmark. Flora og Fauna, København 55 1-2 1949 p. 38.
- 817.—Schlesch, H. Janós Wagner 1906-1948. Proc. Malac. Soc. London 1949 28 1 p. 8.
- 818.—Schlickum, W. R. Vitrina (Vitrinobrachium) brevis am Niederrheim. Archiv. f. Molluskenk, Frankfurt a/M. 1949 78 1/3 pp. 61-62.
- 819.—Schmid, F. Orientierte Anheftung von Ostrea vesicularis Lamarck, Dimyodon nilssoni Hagenow und Crania parisiensis Defrance. Mitt. Geol. Staatsinst. Hamburg 19 1949 pp. 53-56 text-fig. pls. 12, 13.
- 820.—Schmidt, W. E. Die Mittelkambrische Faune von Doberlug. Jahrb. Reichs. Bodenforsch. Berlin 62 1944 pp. 344–399 pls. 21–24.
- 821.—Schmierer, Th. Markische Fundevon Gonyodiscus (Discus) rudevitus (Stud.), Vertigo (Vertigo) alpestris Ald. neu für die Mark (Gastrop., Pulmon.) Mark. Tierw. Berlin 4 2/3 1940 pp. 163-170.
- 822.—Schneid, T. Über Ataxioceratiden des Nördlichen Frankenjura. Palaeontographica Stuttgart A96 1-3 1944 pp. 1-43 pls. i-xii text-fig.
- 823.—Schoenmann, R. Mollusca 470-487 text-figs. Die Welt, der Tiere. Wien, 1949.
- 824.—Schouppé, A. Die Fauna des Steinbruches von Retznei bei Ehrenhausen. [List.] Mitt. naturw. Ver. Stererm. 1949 77-78 pp. 142-144 text-fig.
- **825.—Schouppé, A. Eine Vise-Transgression am Steinberg bei Graz. [Short Lists.] Verh. geol. Bundes Anst. Wien 1946 7-9 1949 pp. 81-101 text-fig.

- 826.—Schouten, A. R. Milax (Tandonia) sowerbii (Fér.) in Nederland. Basteria Lisse 1949 13 4 p. 45–54 text-figs.
 - Schuif vide Hennekarn & others.
- 827.—Schuster, W. H. Over de mogelijkheden ener oestercultuur in Indonesie. Landbouw 21 1949 pp. 33–42.
- 828.—Schwarzbach, M. Die Fauna des Bug-Karbons, ihre stratigraphische und paläogeographische Bedeutung. [Moll. pp. 40-67.] Palaeontographica Stuttgart A97 1-3 1949 p. 1-74, 62 text-figs, table & pls. i-iv.
- 829.—Schwengel, J. S. A new Japanese Limpet. Nautilus Philad. 1949 **62** 3 pp. 97–98 pl. 6 f. 1, 1a–e.
- 830.—Schwengal, J. G. Fusinus spectrum (Adams & Reeve), a new record for the Gulf of Mexico. Nautilus Philad. 1949 62 3 pp. 101, 102 pl. 6-f. 2.
- 831. —Schwegler, E. Vorläufige Mitteilung über Grundsätze und Ergebnisse einer Revision der Belemnitenfauna des Schwäbaschen Jura. N. Jahrb. Min. Geol. Paläont. Stuttgart B10 1949 pp. 294–306.
- 832.—Schwetz, J. Sur l'ecologie de *Planorbis smithi* Preston 1910. Ann. Soc. roy. Zool. Belg. 80 1949 (1950) pp. 87–91 text-figs.
- 833.—Schwetz, J. Sur une nouvelle collection de mollusques d'eau douce du Congo belge et du Ruanda-Urundi [Lists.] Bull. Inst. Roy. Colon. Belge 20 1 1949 pp. 265-301.
- 834.—Scott, M. I. H. Moluscos del Noroeste Argentino. Acta zool. Lillo. Tucuman 6 1948 pp. 241–274 plate.
- 835.—Scott, M. 1. H. Moluscos del Biotopo de Cerro Colorado. Acta zool. Lillo. Tucuman 6 1948 pp. 229–239 text-figs. pls. i, ii.
- 836.—Segerstrale, S. G. The Brackishwater fauna of Finland. Challenger Soc. London 3 1 1949 p. 20.
- 837.—Segerstråle, S. Skärjärdens lägre Havsdjur. [Moll. pp. 365–366, 380–382, 386, 391, 397 fig.] Skärgårdsbokm, Helsingfors 1948 pp. 356– 400 text-figs.

- 838.—Selli, R. I Caratteri e le affinita delle Malacofaune quaternarie del Mar Rosso. [List pp. 6–10.] Giorn. geol. Bologna 2 17 1943–4 pp. 5–22.
- 839.—Sériesse, P. Deuxième note sur des *Hippurites* a replis multiples. Bull. Soc. Hist. nat. Toulouse 1949 84 1-2 pp. 17-21, 2 text-figs.
- 840.—Serventy, D. L. The spread of the Mediterranean snail (*Helix pisana*) on Rottnest Island. West Aus. Nat. Perth 2 2 1949 pp. 38–42.
- 841.—Seshaiya, R. V. A further note on the breeding, parasitism and development of the Indian freshwater mussels. [Abstract.] Proc. Indian Sci. Congr. 35th 1949 2nd pag. p. 197.
- 842.—Seurat, L. G. Mollusques pp. 17–23. Zoologie Saharienne. Alger. 1944 pp. 9–58.
- 843.—Shalem, H. L'influence de la rosée et des brouillards sur la repartition des Escargots du Levant. Jour, de Conchyliol. Paris 89 2 1949 pp. 93-107 text-map.
- 844.—Shimanski, V. N. The upper Carbon Nautiloides in South Ural. [In Russian.] C.R. Acad. Sci. Moscow N.S. 1949 66 5 pp. 929–932 figs.
- 845.—Shimansky, V. N. Some notes on evolution and geographical distribution of Cretacean Nautiloids. C.R. Sei. Acad. Sci. Moscow N.S. 68 2 1949 pp. 385–388.
- 846.—Shimizu, S. First discovery of *Dictyoconites* from the Upper Triassic of the Kitakami mountainland, Northeast Japan. Jubilee Publ. Commem. Prof. H. Yale, etc. 2 1940-1 pp. 919-926 pls. 48, 49.
- 847.—Sieber, R. Die Turritelliden des niederösterreichischen Miozäns. [List.] An. Akad. Wiss. Wien 1949 86 pp. 151–160.
- 848.—Sieber, R. Eine Fauna der Grunder Schichten von Guntersdorf und Immendorf in Niederösterreich (Besirk Hollabrunn). [Lists.] Verh. geol. Bundes Arst. Wien 1946 7–9 1949 pp. 107–122.
 - Sigal, J. vide Dubourdieu, G.
 - Simons, U. A. vide Raven, C. P.
- 849.—Sivalingam, V. Some Ceylon fresh water snails and human schistosomes. Ceylon J. med. Sci. 1949 6 4 pp. 184—185 plates.

- 850.—Skramlik, E. von. Über den Kreiseauf bei den Weichtieren. Ergebn. Biol. Berlin 18 1941 pp. 88–286, 59 figs.
 - Smith, P. B. vide Loosanoff, V. L.
- 851.—Smith, A. G. & Gordon, Jr.. M. Monterey Mollusca—corrections. Nautilus Philad. 1949 62 3 p. 105.
- 852.—Smith, M. Triton, Helmet and Harp shells, Florida, 1948. Synonymy. nomenclature, range and illustrations. pp. i-v, 1-57 pls. 1-16.
- 853.—Sokolov, B. S. Contribution to the knowledge of Tertiary and Early Quaternary stratigraphy deposits of the Narinsk depression (Tian-Shan). [In Russian.] C.R. Acad. Sci. Moscow N.S. 1946 66 4 pp. 681–684.
 - Somner, H. vide Stranger, D. W.
- 854.—Sorensen, A. Some observations on Haliotidae (abalones) and their world distribution. Nautilus Philad. 1949 62 4 pp. 138–142.
- 855.—Sornay, J. & Tessier, F. Ammonites nouvelles du Maestrichtien du Sénégal. Bull. Soc. géol. Fr. 5 19 1-3 1949 pp. 245-249 pl. vii & 1 fig.
- 856.—Sproston, N. G. A preliminary survey of the plankton of the Chu-San region, with a review of the relevant literature. Sinensia, Shanghai 1949 20 1-6 pp. 58-161 text-figs.
- 857.—Stainforth, R. M. The Haunstoma fauna in the Zapotal ands of Southwest Ecuador. J. Paleont. Menasha, Wis. 23 2 1949 pp. 155-156.
- 858.—Standen, O. D. Experimental Schistosomiasis. I. The Culture of the snail vectors *Planorbis boissyi* and *Bulinus truncatus*. Ann. Trop. Med. Parasit. L'pool. 43 1949 pp. 13–22.
- 859.—Steenberg, C. M. Études sur l'anatomie et la systématique due genre Eremina (Gastéropodes, Pulmonés). K. danske Vidensk. Selsk. Biol. Midd. 20 14 1949 pp. 1–28 text-figs. pls. i–x. [Posthomous paper, edited by G. Mandahl-Barth.]
- 860.—Steintoff, U. Beitrage zur Lebensgeschichte vom Monacha rubiginosa und Vertigo substriata (Gastropoda). Arch. f. Malak, 78 4/6 1949 pp. 159-163.

- 861.—Stephenson, T. A & A. Report on second visit to North America during 1948 pp. 1–6. [Title only.]
- 862.—Stevanović, P. La faune et la composition du Loess Marccageus a Beograd. [List with notes.] Fr. rés. p. 42. Ann. géol. Pén. balkan (Beograd) 16 1939 pp. 28–44.
- 863.—Stevanović, P. M. Données stratigraphique complimentaires sur les couches de la Serbie Occidentale et de Choumadie. (Fr. rés. p. 37.) Bull. Mus. d'hist. Nat. Serbe 2 1949 pp. 9–43 8 text-figs.
- 864.—Stevanović, P. M. Données stratigraphique complémentaires sur les couches miocénes. [In Serbian.] Bull. Mis. d'hist. Nat. Serbe 2 1949 pp. 44–48 pl. 1 map.

Stevanović, P. M. vide Eberzin, A. G.

Stek, V. D. vide Hennekam.

Stone, R. vide McMullen, D. B.

- 865.—Stoyanow, A. Occurrence of Texan Peruvian Ammonoids in Arizona. [Abstract.] Bull. Geol. Soc. Amer. Washington, D.C. 60 12 2 1949 p. 1946.
- **\$66.**—**Stoyanow**, A. Lower Cretaceous stratigraphy in South-Eastern Arizona. [Moll. pp. 61–130.] Mem. Geol. Soc. Amer. Washington D.C. **38** 1949 pp. 1–156 pls. 1–28 map.
- 867.—Strain, H. H. Hopkinsiaxanthin, a xanthophyll of the sea slug *Hopkinsea rosacea*. Biol. Bull. Woods Hole 97 2 1949 pp. 206–209.
- 868.—Stranger, D. W., Wikholm, D. M., Mold, J. D. & Sommer, H. Paralytic shellfish poison. IV. Bases accompanying the poison. V. The primary source of the poison, the marine plankton organism, Gonyaulax catanella. J. biol. Chem. Baltimore 177 1 1949 pp. 1-6, 7-11 tables.
- 869.—Stratton, L. W. Colonization of Land snails. J. Conch. London 1949 23 2 p. 43.
- 870.—Stromer, E. Die jungtertiäre Fauna des Flinzes und des Schweiss-Sandes von Münches. Nachträge. Abh. bayer. Akad. Wiss. 1940 N.F. No. 48 pp. 1–103 pls. i–iii. [Moll. pp. 59–61. List.]

- 871.—Strong, A. M. Additional Pyramidellidae from the Gulf of California. Bull. S. Calif. Acad. Sci. 48 2 1949 pp. 71–93 pls. 11, 12.
 - Strong, A. M. vide Hertlein, L. G.
- 872.—Subrahmanyam, T. V., Karandikar, K. R. & Murti, N. N. The Marine Pelecypoda of Bombay, J. Univ. Bombay-N.S. 17 N.S. 5 No. 25 1949 pp. 50-81 text-figs.
- 873.—Sugiyama, T. & Asao, S. On Nerinea cf. visurgis Roemer from the Torinosu-Limestone, Japan. [Japanese with English résumé.] Jour. Geol. Soc. Japan 49 (1942) pp. 434–438, 1 pl. abs. 67.
- 874.—Šuklje, F. Gornjoiniocenske naslage sela Gore kraj Petrinje. Prirod. Istraž. mat.-prir. Razred. No. 4 1914 pp. 25–42 2 pls. 1 fig.
- 875.—Sullivan, C. M. Bivalve larvae of Walpeque Bay, P.E.I. Bull. biol. Board Canada 77 1948 pp. 1–36 pls. i–xxii.
- 876.—Susuki, K. Lepidodesma Simpson. [In Japanese.] Conchologia Asiatica 1 pt. 2 1943. [Non vidi.]
- 877.—Suzuki, K. Zwei neue tertiäre Corbicula-Arten aus Nord-Sachalin. Venus, Mukaisima 12 3-4 1943 pp. 159-171 pls. 7, 8.
- 878.—Suzuki, K. A new species of Cristaria from the Isikari Group in Hokkaido. [In Japanese.] Jap. J. Malac. 15 1/4 1948 pp. 44-46, 3 figs.
- 879.—Suzuki, K. & Isizuka, K. On the variation of Nuculana confusa (Hanley) with description of a new subspecies. [In Japanese with English summary.] Jap. J. Malac. 13 1943 pp. 38–64 18 figs. pls. 1, 2.
- 880.—Suzuki, K. & Oyama, K. Überblick über die Corbiculiden Ostasiens. Venus, Mukaisima 12 3-4 1943 pp. 138-149.
- 881.—Suzuki, K. & Oyama, K. Freshwater shells from the coal-bearing Tertiary formations in Mic-ken, Japan. [In Japanese.] Jap. J. Malac. 15 1/4 1948 pp. 36-44, 5 text-figs.
- 882.—Sylvest, O. Copulation observed in *Viviparus fasciatus* (O. F. Müller). Hydrobiologia, Den Haag 1 3 1949 pp. 309–311 fig.

- 883.—Sziji, J. & Vágvölgyi, J. Contributions to the Molluscan fauna of the Börzsöny Mts. Fragmenta faun. Hungarica 11 1948 pp. 33–36.
- 884.—Taki, I. Collecting shells in Central China. [In Japanese.] Venus. Tokyo 10 1940 pp. 110-119, 17 figs.
- 885.—Taki, I. Anatomical study of Cipangopaludina migagii Kuroda. [In English with Japanese résumé.] Venus, Tokyo 10 1941 pp. 131–134, 8 figs.
- 886.—Taki, I. On keeping Octopods in an aquarium for physiological experiments, with remarks on some operative techniques. [English with Japanese summary.] Venus, Tokyo 10 3/4 1941 pp. 140–156, 4 figs.
- 887.—Taki, I. On the variation in the colour pattern of a bivalve, Venerupis philippinarum, with special reference to its bilateral asymmetry. [English with Japanese summary.] Venus, Tokyo 11 2/3 1941 pp. 70–87, 51 figs.
- 888.—Taki, I. The mollusca of the Inland Sea of Japan (1). Venus, Mukaisima 12 1/2 1942 pp. 64-80, 15 text-maps & figs.
- 889.—Taki, I. The Mollusca of the Inland Sea of Japan (2). [In English with Japanese résumé.] Jap. J. Malac. 13 1/4 1943 pp. 11-118, 14 text-figs.

Taki, I. vide Kanamaru, T.

Tampa, P. R. G. vide Panikkar, N. K.

- 890.—Tanzi & Kanamaru [T.]. Diala vitrea Sowerby used as a fertilizer. [In Japanese.] Venus, Tokyo 10 3/4 1941 p. 184.
- * 891.—Tasch, P. A new fossil locality in the Lower Cambrian Monkton formation of Vermont. Canad. Field Nat. 63 5 1949 pp. 210–211 table & text-map.

Taub, R. vide Walsh, J. H.

- 892.—Tauber, A. F. Die Terediniden der Wiener Miozäns. Anz. Akad. Wiss. Wien 1949 86 pp. 120–124.
- 893.—Tavani, G. Rudiste ed altri Molluschi cretacei dell Migiurtinia (Africa orientale). Palaeontogr. ital. Pisa 46 (n.s. 16) 1949 pp. 1–40 pls. i-iv. 2 text-figs.

Taylor, L. H. vide Herber, E. C.

- 894.—Tchang-Si. Recherches limnologiques et zoologiques sur le lac de Kunming, Yunnan. Contr. Inst. Zool. Peiping. 4 1940 pp. 1-24 graphs & map.
- 895.—Tchang, Li & Hsia, W. P. The regional differences and the sexual dimorphism of two snails, Margarya melanioides Nevill and Margarya monodi Dautzenberg & Fischer, from the West coast of Kunming Lake. [Chinese summary pp. 76-77.] Contr. Inst. Zool. Peiping 5 2 1949 pp. 67-77.
- 896.—Tchang, Si & Tsi, C. Y. A revision of the genus Margarya of the family Viviparidae. [Summary in Chinese pp. 24, 25.] Contr. Inst. Zool. Peiping 5 1 1949 pp. 1–25 text-figs. pls. i–iii.
- 897.—Tuchert, C. Notes on Eocene Nautiloids from Victoria. J. Min. Geol. Dept. Mines Victoria 3 1 1947 pp. 40–42 text-figs.
- 898.—Teichert, C. New Nautiloids from the older Tertiary of Victoria. J. Min. Geol. Dept. Mines Victoria 3 2 1947 pp. 48-51 text-figs.

Teichert, C. vide Thomas, D. E.

- 899.—Teichert, C. & Cotton, B. C. A new Aturia from the Tertiary of South Australia. Rec. S. Aust. Mus. Adelaide 9 2 1949 pp. 255–256.
- 900.—Teramachi, A. An attempt to find a new collecting field of shells in Prov. Satsuma, with a description of a new limpet. Notoacmea fuscoviridis. Jap. J. Malac. 15 5/8 1949 pp. 90–93.
- 901.—Teramachi, A. & Kira, T. On the natural habitat and vertical distribution of marine shells inhabiting around Japan. [In Japanese.] Venus, Tokyo 11 2/3 1941 pp. 94-96.

Termier, G. vide Henri, M.

- 902.—Termier, H. & G. Role des Aviculopectinidae dans la Morphogénèse des Dysodontes Mésozoiques. Bull. Mus. Hist. nat. Paris (2) 21 2 1949 pp. 292–299 text-figs. 10.
- 903.—Tesch, J. J. Dana Report No. 34. Heteropoda. Dana Rep. Copenhagen No. 34 1949 pp. 1–53, 44 text-figs. pls. i–v.

Tessier, F. vide Sornay, J.

Thaureaux, J. vide Fauer-Fremont, E.

- 904.—Theobald, N. & Maubeuge, P. L. Paleographie du jurassique inferieur et moyen dans le Nord-Est de la France et la Sud-Ouest de L'Allemagne. [Short lists in text.] Ber. naturf. Ges. Freiburg 1949 39 pp. 249 320 pl. A, B, C, tables & figs.
- 905.—Thomas, H. D. & Davis, A. G. The Pterobranch Rhabdopleura in the English Eocene. [Lists pp. 14-17.] Bull. Brit. Mus. (Nat. Hist.) Geol. 1949 1 1 pp. 1-19 text-figs. pls. 1-3.
- 906.—Thomas, D. E. & Teichert, C. A lower Ordovician Nautiloid from Bendigo, Victoria. J. Min. Geol. Dept. Mines Victoria 3 1 1947 pp. 50-51, text-fig.
- Thompson, T. F. ride Woodring, W. P.
- 907.—Thore, S. Investigations on the "Dana" Octopoda. Part I. Bolitaenidae, Amphitretidae, Vitreledonillidae and Alloposidae. Dana Rep. Copenhagen No. 33 1949 pp. 1–35, 69 text-figs. & charts.
- 908.—Thore, S. Cephalopoda collected by The "Skagerak" Expedition in the Eastern Atlantic, 1946. Göteborgs Vetensk Saml. Handl. 1948 (6B) 5 15 pp. 1-12.
- 909.—Thorson, G. Lidt om Havsneglenes forplantning. Dyr i Natur Mus. Kobenhavn 1941 pp. 11–23, 17 text-figs.
- 910.—Thorson, G. Notes on the egg-capsules of some North-Atlantic prosobranchs of the genus Troschelia, Chrysodomus, Volutopsis, Sipho and Trophon. Vidensk. Medd. Dansk naturh. Foren. 104 1940 pp. 251-265, 9 figs.
- 911.—Thurgood, A. & W. Mollusca of Grange-over-Sands, Lancashire. [Land.] J. Coneh. London 1949 23 2 pp. 48, 49.
- 912.—Thurgood, W. The mollusca of the Leeds Naturalists Club and Scientific Associations Area. J. Conch. London 23 3 1949 pp. 73-83 text-map.
- 913.—Tiba, R. Distribution of Astraea japonica and temperature of waters. [In Japanese.] Venus, Tokyo 10 1940 pp. 107-109.

- 914.—Tiba, R. Sexual dimorphism in some species of *Buccinidae*. [In Japanese with English Summary.] Venus, Tokyo 11 2/3 1941 pp. 87–94, 4 figs.
- 915.—Tiba, R. A statistical test of the shell of the genus *Tugali* of Japan. Venus, Mukaisima 12 3-4 1943 pp. 183-195, 4 figs. 4 tabs. 4 graphs.
- Thaurcause, J. vide Fauvre-Fremont. E.
- 916. -Tinker, S. The Hawaiian Tun Shells. Pacific Sci. Honolulu 3 4 1949 pp. 302-306 text-figs.
- 917.—Tixier, R. & Lederer, E. Sur l'haliotixioline, pigment principal des coquilles d'*Haliotis cracherodii*. C.R. Acad. Sci. Paris 228 21 1949 pp. 1669-1671.
- 918.—Tobien, H. Über die Lebensweise der Ascoceraten (Cephal., Nautil.). N. Jahrb. Min. Geol. Paläont. Stuttgart B10 1949 pp. 307-323 textligs.
- 919.—Tortonese, E. Note intorno alla fauna e flora marine dell'Isola di Rosi (Mar Egco). [Moll. list p. 18.] Boll. Pesca Piscicolt. Idrobiol. Roma 23 2 N.S. 1 1947 pp. 13–20.
- 920.—Troedsson, G. Om fynd av rätiska fossil i Skäne. [English summary pp. 548, 549.] Geol. Fören. Stockh. Förh. 70 4 1948 pp. 528–550 text-figs.
- 921.—Troelsen, J. C. Contributions to the Geology of the area round Jørgen Brønlunds Fjord, Peary Land, North Greenland. [Moll. p. 18 (Ordovician).] Medd. Grønland 1949 149 2 pp. 1-29 text-figs. & map.
- 922. -Trueman, E. R. The ligament of *Tellina tennis*. Proc. zool. Soc. London 119 1949 pp. 717-742 text-figs. graphs & table.
 - 923.—Tsi, C-Y. ride Tchang-Si.
- 924.—Turner, R. D. The family Tonnidae in the Western Atlantic. Johnsonia Cambridge U.S.A. 2 26 1948 pp. 165–192 text-figs. "plates" 74–85.

Turner, R. D. vide Clench, W. J.

Turner, R. S. vide Moore, A. R.

- 925.—Tyler, A. Properties of Fertilizin and related substances of eggs and sperm of Marine Animals. Amer. Nat. 1949 83 811 pp. 195-219 text-figs. & tables.
- 926.—Tynbati, M. Zoological observations on Mollusca. (1) On Amalthea conica Schumacher. [In Japanese.] Jap. J. Malac. 13 1–4 1943 pp. 123–124. 2 text-figs.

Vagvolgyi, J. vide Szijj, O.

- Valle, A. vide Bianch, C. & others.
- 927.—Vašiček, M. New Pelagic Opisthobranchia from the Moravian Tortonian. [Russ. res. p. 34. Engl. res. p. 35.] Věstnik Stát. Úst. Československi Rep. 24 1949 pp. 31–36 pl. i.
- 928.—Vasserot-Stoeffler, J. Observations sur le mode d'alimentation des Patelles. Jour. de Conchyliol. Paris 89 3 1949 pp. 187–188.
- 929.—Vatova, A. Rapporti tra temperatura, salinità e deflussi nell'alto Adriatico e Loro importanza per la biologia marina. Boll. Pesca Piseicolt. Idrobiol. Roma 22 1946 pp. 22–27 graph.
- 930. Vatova, A. Le zoocenosi bentoniche dell'Adriatico. Boll. Pesca Piscicolt. Idrobiol. Roma 22 1946 pp. 131–139 map.
- 931.—Vatova, A. La Fauna bentonica dell'Alto e Medio Adriatico. Nova Thalassia, Venezia 1 3 1949 pp. 1-110 tables i-vi in text & pls. (tables) vii-xxxyii.
- 932.—Vatova, A. Caratteri di alcune Facies bentoniche della Laguna Veneta. Nova Thalassia, Venezia 1 4 1949 pp. 3-13.
- 933.—Vatova, A. Caratteri della fauna bentonica dell'Alto e Medio Adriatico e zoocenose cui dà origine. [Summary in English.] Pubb. Staz. zool. Napoli 21 1947 pp. 50-64, tables, pl. 1.
- 934. Vecchia, O. Il Liassico tra il Sebino e la Val Cavallina. [Short lists only.] Riv. ital. Paleont. Paoia 55 3 1949 pp. 89–113 text-figs.
- 935. Vecchia, O. Su alcuni nomi generici di Ammonici liassici. [Summary in English.] Riv. ital. Paleont. Milan 55 4 1949 p. 139.

- 936.—Venmans, L. A. W. C. Malacologische aantekeningen. Basteria Lisse 1949 13 1-3 pp. 43-44.
- 937.—Venmans, L. A. W. C. Malacologische aantekeningen. 3 Eemfossielen. Basteria 13 1949 pls. 54–63 fig.
- 938.—Verdcourt, B. Mollusca [Recorders Report for Bedfordshire]. Bedfordshire Nat. 1949 No. 3 pp. 25-26.
- 939.—Verdcourt, B. References to the speed of land mollusca. J. Conch. London 1949 23 2 p. 47.
- 940.—Verdcourt, B. Ancylus fluviatilis Müller in stagnant water. J. Conch. London 20 3 1949 p. 93.
- 941.—Verdcourt, B. The Radulae of the British non-marine Mollusca vii [Hydrobia]. Microscope 1948 7 1 pp. 19-24 figs.
- 942.—Verdcourt, B. Alteration in Nomenclature. The Microscope 1948 7 pp. 25–26.
- 943.—Verdcourt, B. The Radulae of the British non-marine Mollusca viii [Amnicola]. Microscope 1948 7 2 pp. 34-37 figs.
- 944.—Verdcourt, B. The Radulae of the British non-marine Mollusca ix | Bithynia|. Microscope 1948 7 3 pp. 69-74 figs.
- 945.—Verdcourt, B. The Radulae of the British non-marine Mollusca xa [Viviparus]. Microscope 1948 7 4 pp. 104-107 figs.
- 946.—Verdcourt, B. The Radulae of the British non-marine Mollusca xb | Viviparus]. Microscope 1949 7 5 pp. 118–120 figs.
- 947.—Verdcourt, B. The Radulae of the British non-marine Mollusca xi. [Valvata]. Microscope 1949 7 7 pp. pp. 188–193 figs.
- 948.—Verdcourt, B. The Radulae of the British non-marine Mollusca xii [*Pomatias*]. Microscope 1949 7 8 pp. 219-222 figs.
- 949.—Verdcourt, B. The Radulae of the British non-marine Mollusca xiii. Microscope 1949 7 9 pp. 242-243 figs.
- 950.—Verrill, A. H. Some new West Indian Shells, a new Astraea from Barbados. Mollusca Tavares, 2 3 1947 p. 70 plate.

- 951.—Vialli, V. Nuova fauna ad Ammoniti del Barrenicano superiore Lombardo. Atti Soc. ital. Milano 1949 88 1-2 pp. 35-64 pl. 1.
- 952.—Vidal y López, M. Sobre una rara especio pirenaica. R. Soc. esp. Hist. Nat. Tomo Extraord, 1949 1946 pp. 189–190.
- 953.—Viergever, J. Schouwens Zuiddijk. Natura 46 1949 pp. 78-79 3 figs.
- 954.—Vinogradova, Z. A. The chemical composition of invertebrates in the Black Sea. [In Russian]. C.R. Acad. Sci. Moscow N.S. 1949 65 6 pp. 891–894 diagrams.
- 955.—Viola, V. Diagnosi di forme nuova. Riv. ital. Paleont. Milano 55 2 1949 p. 83 text-figs.
 - Vitagliano, G. vide Montalenti, G.
- 956.—Voous, K. H. The morphological anatomical, and distributional relationship of the Arctic and Antarctic Fulmars (Aves, Procellariidae) [Stomach contents: Cephalopods and Pteropods]. Ardea 37 1949 pp. 113–133, 2 figs, pl. ix.
- 957.—Vogel, R. Zur Kenntnis der Nacktschnecken insbesondere ihrer Verbreitung in Württemberg. Jh. Ver. vaterl. Naturk. Württemb. 94 1938 pp. 169–179 text-fig.
- 958.—Vokes, H. E. The hinge and marginal pectinations of Nuculoidea Opima (Hall), type of Nuculoidea Williams and Bregar. J. Wash. Acad. Sci. 39 11 1949 pp. 361-363 text-fig.
- 959.—Von Brand, T., Nolan, M. O., and Mann, E. R. Observations on the respiration of Australorbis glabratus and some other aquatic snails. Biol. Bull. Woods Hole 95 1948 pp. 199–213. Tables and graphs.
- 960.—Vos, A. P. C. de. Enige hydrobiologische waarnemingen op Vlieland Bijdr. t. d. Dierk. Afl. 28 1949 pp. 540–542.
- 961.—Voss, G. L. Notes on a specimen of Octopus hummelincki Adam from the Florida Keys. Rev. Soc. Malac. 'Carlos de la Torre' Habana 7 1949, 3, 4, pl. 1.
 - Ubaglis, G. vide Ancion & others.
 - Unny, M. M. vide Chidambaram, K. Valle, A. vide Bianchi, C. & others.

- Wald, G. vide St. George, R. C. C.
- 962.—Walker, F. T. Tellina magna found in Orkney. Nature, London 163 4148 1949 p. 682.
 - Watson, J. L. vide Azim, L. A.
- 963.—Warwick, T. The colonization of bomb-crater ponds at Marlow, Buckinghamshire. J. Animal Ecol. 1949 18 pp. 137–141.
- 964.—Webb, G. R. Studies of the sex-organs of mating polygyrid landsnails. Trans. Ill. Acad. Sci. 40 1947 pp. 218-227, 2 figs.
- 965.—Weber, E. Ein Beitrag zur Kenntnis der Rossfeldschiehten und ihrer Fauna. N. Jahrb. Min. Geol. Paläont. Stuttgart 86 2 1942 pp. 247– 281 text-figs & tables, pls. xii-xvi.
- 967.—Weber, N. A. Late summer invertebrates, mostly insects, of the Alaskan Arctic Slope. Ent. News 60 5 1949 pp. 118–128.
- 968.—Weel, P. B. v. Some notes on the African giant snail, Achatina fulico Fér. III. Observations on the biology. Chronica Naturae 104 1948 pp. 335-336.
- 969.—Weel, P. B. v. Some notes on the African giant snail Achatina fulica Fér. IV. On its biological balance and means of destruction. Chronica Naturae 105 1949 pp. 25–27 fig.
- 970.—Weel, P. B. v. The rhythmical production of enzymes in the glandula media intestini of Achatina fulica Fér. during the first hours of digestion. [Preliminary note.] Chronica Naturae 105 1949 pp. 53–55 fig. & table.
- 971.—Weiler, W. Die Otolithen aus dem Vang-Tertiar Süd-Rumäniens. Senekenbergiana, Frankfurt a.M. 1949 30 4–6 pp. 291–293 pls. 1–6.
- 972.—Welsh, J. H. & Taub, R. The action of choline and related compounds on the heart of *Venus mercenaria*. Biol. Bull. Woods Hole 95 1948 pp. 346–353 graphs.
- 973.—Wenig, K. & Halacka, K. Problem of the existence of ascorbic acid in the snail (*Helix pomatia*). Vest. ceskosl. Zool. Spolnec. Praze. 12 1948 pp. 231-237.
- 974.—Wenz, W. Gastropoda. Teil 4. Prosobranchia. Handb. Paläozoologie 6 6.1 1940 pp. 721–960.

- 975.—Werner, B. Die amerikanische Pantoffelschnecke Crepidula fornicata L. im Nordfriesischen Wattenmeer. Zool. Jahrb. Jena (Syst.) 1949 77 pp. 449–488 text-fig.
- 976.—White, K. M. Musculus lebourae, new species. Proc. Malac. Soc. London 1949 28 1 pp. 46–49 text-figs., pl. 3A.
- Wikholm, D. M. vide Stranger, D. W. & others.
- 977.—Williams, L. C. Enlightened Africa. Scient. Monthly, Lancaster, Pa. 1949 68 3 pp. 199–207 figs.
- 978.—Wilson, Jnr., C. W. Pre-Chattanooga stratigraphy in Central Tennessee. [Moll. pp. 119. 143, 207, 251 pls. 10, 13, 19, 27.] Bull. Geol. Surv. Tennessee 56 1949 pp. 1-407 maps, table, text-figs., pls. 1-28.
- 979.—Winckworth, R. A new name for *Leuconia* Gray. J. Conch. London 1949 23 2 p. 38.
- 980.—Winckworth, R. [Obit. Note on the late James Hornell.] J. Conch. London 1949 23 2 p. 53.
- **981.**—Winckworth, R. Ceeil Price-Jones 1863–1943. Proc. Malac. Soc. London 1949 28 1 p. 1.
- 982.—W[inckworth], R. Arthur William Rogers 1872–1946. Proc. Malac. Soc. London 1949 28 1 pp. 1–2.
- 983.—W[inckworth], R. Mathew William Kemble Connolly 1872–1947. Proc. Malac. Soc. London 1949 28 1 p. 2.
- 984.—Winckworth, R. Harold Charles Winckworth 1878–1947. Proc. Malac. Soc. London 1949 28 i p. 3.
- 985.—Winckworth, R. Walter Edward Collinge 1867–1947. Proc. Malac. Soc. London 1949 28 1 pp. 3–4.
- 986.—Winckworth, R. D'Arcy Wentworth Thompson 1860-1948. Proc. Malac. Soc. London 1949 28 1 p. 5.
- **987.**—**Winckworth**, R. Alfred James Peile 1868–1948. Proc. Malac. Soc. London 1949 28 1 pp. 5–7.
- 988.—Winckworth, R. Shells used as horns. Proc. Malac. Soc. London 1949 28 1 pp. 37–38 text-figs.
- 989.—Wirz, A. (In B. Peyer, Die Triasfauna der Tessiner Halkalpen XV.) XV. Beiträge zur Kenntnis des Ladinikums im Gebiete des Monte San

- Giorgio. [Mollusca pp. 49-54.] Schweiz. Palaeont. Abh. **65** (1944-47) 1945 No. 2 pp. 1-84 text-figs., pls. 74-76.
- 990.—Wirtz, D. Die Fauna des Sylter Crag und ihre Stellung im Neogen der Nordsee. Mitt. Geol. Staatsinst. Hamburg 19 1949 pp. 57-76 pls. 14-16.
- 991.—Wittmann, O. Zur Stratigraphie des Doggers längs der Rheintalflexur bei Lörrach und em Röttler Schloss, Ber. naturf. Ges. Freiburg 1949 39 pp. 149–195.
 - Wald, G. ride St. George, P. C. C.
- 992.—Woodring, W. P. & Thompson, T. F. Tertiary formation of Panama canal zone and adjoining parts of Panama. [Lists in text.] Bull. Amer. Assoc. Petrol. Geol. Oklahoma 33 2 1949 pp. 223–247 map, graph.
- 993.—Wright, C. W. & Wright, E. V. The Cretaceous Ammonite genera Discohoplites Spath and Hyphoplites Spath. Quart. J. Geol. Soc. London 104 4 1949 pp. 477–497 pls. xxviii–xxxii.
- 994.—Wrigley, A. The London clay at Lower Swanwick, Hampshire. Bull. Brit. Mus. (N. Hist.) Geol. 1 1 1949 pp. 13-19.
- **995.**—Wrigley, A., A. S. Kennard 1870–1948. Jour. of Conchology **23** 1 1948 p. 20.
- 996.—Wrigley, A. T. D. A. Cockerell 1866–1948. Jour. of Conchology 23 1 1948 p. 19.
- 997.—Wrigley, A., Alfred Santer Kennard 1870–1948. Proc. Malac. Soc. London 1949 28 1 pp. 4–5.
- 998.—Wrigley, A. English Eocene and Oligocene Naticidae. Proc. Malac. Soc. London 1949 28 1 pp. 10–30 text-figs.
- 999.—Wrigley, A. [For portrait see Rees, W. J.]
- 1000.—Wurtz, C. B. Something more than slow (Snails—World travellers). Frontiers, Philadelphia 1950 14 4 pp. 101-103 text-figs., map p. 106.
- 1001.—Wurtz, C. B. Some snail records from South-Eastern Ohio. Nautilus Philad. 1949 62 3 pp. 91–93.
- 1002.—Wurtz, C. B. Dr. George H. Clapp. [Notice of death.] Nautilus Philad. 1949 62 4 p. 143.

- 1003.—Wurtz, C. B. Quadrula (Quincuncina) guadalupensis sp. nov. (Unionidae: Pelecypoda). Notulae Naturae, Philadelphia 1950 No. 224 pp. 1–3 figs. 1–5.
- 1004.—Yabe, H. & Sato, S. A new bivalve from the Jurassic Torinosu Series of the Abukuma Mountainland (English). Proc. Imp. Acad. Tokyo 18 (1942) pp. 251-254. [Abs. 66.]
- 1005.—Yamada, M. [On Turbo cornutus Solander. In Japanese.] Dobuto. Zasshi Tokyo 56 No. 11-12 1946 pp. 5-10.
- 1006.—Yamaguti, M. An ecological observation of *Melanoides reiniana* in Lake Tyuzenzi. [In Japanese.] Venus. Tokyo 10 1940 pp. 109-110 2 figs.
- 1007.—Yamamoto, T. On the distribution of Cephalopods in Korea. [Japanese with English summary.] Venus, Tokyo 11 4 1942 pp. 126-133.
- 1008.—Yamamoto, T. On the ecology of Octopus variabilis typicus (Sasaki), with special reference to its breeding habits. Venus, Mukaisima 12 1-3 1942 pp. 9-20 10 text-figs., tables.
- 1009.—Yamamoto, T. Sexual dimorphism of Loligo bleekeri and Idiosepius paradoxus on their mantle length. [In Japanese.] Jap. J. Malac. 15 1949 pp. 94-96 2 figs.

Yamamoto, T. vide Uchida, K.

- 1010.—Yen, T. C. Further note on some Tertiary Gastropods of Yunnan (China). Arch. Molluskenk. Frankfurt a.M. 1949 78 1/3 p. 100.
- 1011.—Yen, T. C. Corrections of fossil localities. J. Paleont. Menasha, Wis. 23 3 1949 p. 329.
- 1012. Yen, T. C. Review of the Lower Cretaceous fresh-water molluscan faunae of North America. [Lists.] J. Paleont. Menasha, Wis. 23 5 1949 pp. 465-470.
- 1013.—Yen, T. C. Nomenclatural Notes. A new name for *Carinorbis* Yen. J. Paleont. Menasha, Wis. 23 5 1949 p. 573.
- 1014.—Yenne, K. A. Pedioceras, a synonym of Crioceras (Pseudocrioceras). J. Paleont. Menasha, Wis. 23 6 1949 pp. 623-624 pl. 102.

- 1015.—Yonge, C. M. On the structure and adaptations of the Tellinacea deposit-feeding Eulamellebranchia. Philos. Trans. London 234B 609 1949 pp. 29-76 29 text-figs.
- 1016.—Yosida, H. On the Veligers and young shells Cardium muticum Reeve. [Japanese with English résumé.] Venus, Tokyo 10 1940 pp. 87-91 9 figs.
- 1017.—Yoshida, H. A remarkable new *Calliostoma* from Japan. [Japanese and English.] Jap. J. Malac. 15 1/4 1948 pp. 33–36 3 text-figs.

Young, J. Z. vide Boycott, B. B.

- 1018.—Youngquist, W. The Cephalopod fauna of the White Pine Shale of Nevada. J. Paleont. Menasha, Wis. 23 3 1949 pp. 276–305 pls. 56–64.
- 1019.—Youngquist, W. The Cephalopod fauna of the White Pine Shale of Nevada: Supplement. J. Paleont. Menasha, Wis. 23 6 1949 pp. 613-616.

Youngquist, W. vide Miller, A. K.

Youngquist, W. vide Miller, A. K. & others.

- 1020.—Zahálka, B. Les terrains crétacés de la coupe Josefov-Skalička. [Russ. rés. p. 286, Fr. rés. p. 288. Věstník Stát. Geol. Úst. Československé Rep. 24 1949 pp. 265–290 pls. i, ii.
- 1021.—Zapfe, H. Fossilfunde im Rettenbachkalk bei hekl, Oberösterreich. Anz. Akad. Wiss. Wien 1949 86 pp. 251–256.

Zatzepin, Y. I. vide Filatova, Z. A.

- 1022.—Zbyszewski, G. Etude géologique de la région d'Almeirim. Comm. Serv. geol. Portugal 28 1947 pp. 217–263 diagrams, pls. i-vii, map.
- 1023.—Zilch, A. Studien Paul Ehrmann's über asiatische und südamerikanische Clausiliiden. 1. Zur Kenntnis der Arten von Paraphaedusa O. Boettger. 2. Über einiger südamerikanische Neniinae. Arch. Molluskenk. Frankfurt a.M. 1949 78 1/3 pp. 69–97 pls. 4–6.
- 1024.—Zilch, A. Nomenklatorische Bemerkungen. [Wenz namems Handb. Paläozool.] Archiv f. Mollusk. 78 1/3 1949 p. 101.

1025.—Zoch, W. Dia stammesgeschichtliche Gestaltung der Doggerbelemniten Schwalens und ein Vergleich mit Lias und Kreidebalemniten. N. Jahrb. Min. Geol. Paläont. Stuttgart 183 3 1940 pp. 479-510 pls. xiii-xixa.

1026.—Zolezzi, G. Contributo allo studio dell'Alimentazione du Cefalopodi: Loligo vulgaris Lam. Boll. Pesca Piscicolt. Idrobiol. Roma 16 4 1940 pp. 131–135.

1027.—Zalezzi, G. La Pesca nella Provincia di Venezia. Boll. Pesca Piscicolt. Idrobiol. Roma 22 1 N.S. 2 1946 pp. 155–231.

1028.—Zuk, P. Achatina fulica (Fér.). An interesting interception from the Philippines. Mus. Art Notes, Vancouver, B.C. (2) 1 1 1949 pp. 34–35.

II.—SUBJECT INDEX

N.B.—The number in Clarendon type after the author's name in both Subject and Systematic Indices refers to "Titles," where fuller references will be found.

GENERAL LITERATURE AND HISTORY

General Works and Monographs.-Tyrian purple, notes on production, R. P. BENGAY 67; Madagascar-Iconography and Classification of the Tropidophora, E. FISCHER-PIETTE & J. MILLOT 263; Studies on Bulinus, B. Hubendick 380; Textbook on Palaeozoology-Moll. pp. 106-163, O. KKHN 479: Cardium edule L., L. LAMBERT 522; Natural History of Marine Animals, G. E. & N. MAC-GINITIE 560; A revision of the genus Phlysiogrammoceras, P. L. MAUBEUGE 590; The molluscan fauna of glasshouses in the Netherlands, A. J. MEEUSE & B. HUBERT 600; American Peruvian Nautiloids, 218 pp. & 59 plates, A. K. MILLER & W. YOUNGQUIST 615; Review of Teredo species, figs., F. Moll 627; Cephalopoda of Baroda. S. T. Moses 636; Edible mollusca of Ria de Pasajes, J. M. NAVAZ 644; Oyster culture and biology, J. H.

Obeton 656; Vampyroteuthis infernalis Chun, G. E. Pickford 704; The land and freshwater Mollusca of Puerto Rico. H. v. der Schalle 805; Revision of "Belemnite" fauna. E. Schwegler 831; The mollusca of the Inland Sea of Japan, I. Taki 838; Revision of Viviparidae, Tckary-Si & C. Y. Tsi 896; Handbuch der Paläozoologie Gastropoda-Prosobranchia, W. Wenz 974; Cretaceous freshwater Mollusca of North America—a review, T. C. Yen 1012.

History.—Some Eighteenth Century Conchologists, W. R. Dawson 201; The etymology and use of the term byssus, P. J. v. d. Feen 243; Japanese Conchology, T. Kanamaru 441; Japanese Conchology, T. Kanamara 443; History of Japanese Conchology, T. Kanamaru 444; Japanese Conchology, T. Kanamaru 444; Japanese Conchology. T. Kanamaru 444; Japanese Conchology.

Biography.—Shintaro Hirase (Portrait), Anon 2; Shintaro Hirase 1884-1939, Anon. 3; R. H. Moses 1871-1949, A. Blok 86; Charles Montague Cooke Jnr. 1874-1948, W. J. CLENCH 158; C. Montague Cooke Jnr. 1874-1948, W. J. CLENCH 161; C. Montague Cooke Jnr., W. J. CLENCH 162; C. B. Adams Jan. 11, 1814-Jan. 18, 1853, W. J. CLENCH & R. D. TURNER 165; F. A. Singleton 1897-1947, L. R. Cox **187**; C. H. Moore 1869-1949, J. W. Jackson **403**; F. Taylor 1871-1949, J. W. Jackson 404; L. E. E. E. Dupont, E. H. MADGE 568; E. Stainton 1885-1949, E. M. More-HOUSE 631; Arthur Wrigley (Portrait). W. J. REES [Editor] 755; Francisco Mariano Pagán 1896-1942 (Portrait). H. v. der Schalle 805 : Janós Wagner 1906-1948, H. Schlesch 817: James Hornell (Obit. note), R. WINCKWORTH 980; Cecil Price-Jones 1863-1943, R. WINCKWORTH 981; Arthur William Rogers 1872-1946, R. W[INCKWORTH] 982; Mathew William Kemble Connolly 1872-1947, R. W[INCKWORTH] 983; Harold Charles Winckworth 1878-1947, R. W[INCKWORTH] 984; Walter Edward Collinge 1867-1947, R. W[INCKWORTH] 985; D'Arcy Wentworth Thompson 1860-1948, R.WINCK-WORTH 986: Alfred James Peile 1868-1948, R. WINCKWORTH 987; Alfred Santer Kennard 1870-1948, A. WRIGLEY 997; Dr. George H. Clapp (notice of death), C. B. WURTZ 1002.

Bibliography.-List of works of Shintaro Hirase, Venus Tokyo 10 1 1940 pp. 3-14, Anon. 4; Chronology of Literature and Literature dealing with Egg Capsules, pp. 13, 197, P. Bondesen 104; Bibliography relative to Truncatella of the Western Atlantic, W. J. CLENCH & R. D. TURNER 164; Publications of C. B. Adams, W. J. CLENCH & R. D. TURNER 165; Index to L. Germain's Contributions faune malac. l'Afrique Equatoriale, E. FISCHER (" L. GERMAIN") 299; The Conchological Manuscripts of the late E. Dupont Jnr., E. H. MADGE 568; Bibliography relative to the Tonnidae of the Western Atlantic, R. D. TURNER 924; Molluscan papers by A. J. Peile. R. WINCEWORTH 987.

Taxonomy.—Revision of Isocardiidae. C. C. BERINGER 74; Redonien Rissoinidae, a preliminary note to their revision, P. Calas 131; Key to Western Atlantic Truncatella, W. J. CLENCH & R. D. TURNER 164: Systematics and control methods, FISCHER-PIETTE 261; Madagascan Tropidophora, E. FISCHER-PIETTE & J. MILLOT 263; Taxonomy of Japanese Clausiliidae, T. Habe 327; Japanese Assimineidae, T. Habe 330; Key to the genera of the Family Tellinidae. L. G. HERTLEIN & A. M. STRONG 361; Key to the subgenera of Tellina, L. G. HERTLEIN & A. M. STRONG 361; Keys to the genera of Semelidae and the species of Semele, L. G. HERTLEIN & A. M. STRONG 362; Key to the genera of Donacidae and species of *Donax*. L. G. HERTLEIN & A. M. STRONG 362; Relations among the genera of Entoconchidae, A. V. IVANOV 402; Some closely allied Japanese Cypraeidae, T. KURODA 504; Systematic position of the Pyramidellidae, KURODA & HABE 514: British Fresh and Brackish water Gastropods-key and notes on Ecology. T. T. MACAN & R. D. COOPER 558; Cancellariidae, J. G. MARKS 576; A natural system for the Unionidae, H. MODELL 624; Prodissoconches and classification of Oysters, G. RANSON 735; Keys to genera and species of the Heteropoda of the Dana Expedition. J. J. TESCH 903; Key to the genera and species of Hawaiian Doliidae [Tonnidae], S. TINKEE 916; Key to identification of British Non-marine

Mollusca based on radular characteristics, B. Verdcourt 949.

Nomenclature.—Revision of Molluscan names appearing in Parasitology Textbooks, R. T. Abbott 6; Torinia Gray 1842 v. Heliacus Orb. 1842, Ch. Bayer 60; Nomenclature of Clymenia s. l. and a new name. O. Schindewolf 814; The validity or otherwise of some Liasic Ammonites, O. Vecchia 935; Alteration in Nomenclature, B. Verdourt 942.

Economics.—Control of snail hosts. R. T. Abbott 6; Molluses as food in New England, R. L. Carson 138; Experimental Controls for Schistosomiasis, L. A. C. R. CRYOLLA DA MOTA 142; Decline of Oyster populations, H. A. Cole 171; Experiments with copper and its salts and vegetable toxins in the control of snails, S. G. COWPER 186: Control of Teredo norvevica, E. FAUVÉ-FREMONT & J. THAU-REAUX 242; Economic notes on early civilization and shellfish, P. H. FISCHER 254, 255; Louisiana Oyster production, G. GUNTER 319; Achatina fulica and sugar canes, J. W. Hes 363; Java—damage to sugar canes by Achatina fulica, J. W. HES 363; Determination of condition of oysters, A. E. HOPKINS 373; Oyster condition, R. M. INCLE 391; Mollusca used for food on Kauai, Hawaiian Islands, A. KAY 449; Sanitary controls relative to comestible shellfish, L. LAMBERT 521; Control of Schistosomiasis japonica experiments with Oncomelania quadrasi, D. B. McMullen & J. W. Ingalls 565; Effects of cooking on poisonous shellfish, J. C. MEDCOF and others 594; Distribution of maladies caused by Trematodes infecting certain Pulmonates, R. MERLE 606; Achatina fulica attacking tobacco, J. C. v. d. M. Mohr 625; Biology and Oyster Culture, J. H. Orton 656; Calcium content and distribution of species from which lime is obtained in Travancore, K. P. PILLAI 709; Oyster Culture in Indonesia, W. H. SCHUSTER 827; Sales in kgs. of shellfish, A. VATOVA 931; Achatina fulica, P. B. v. WEEL 969; Fish of Province of Venice, G. Zolezzi 1027; Achatina fulica transported with tractors, P. Zuk 1028.

Ethnology.—Ethnological notes and shellfish relative to early civilization, P. H. FISCHER 255; A Londonderry

kitchen-midden and its contents, N. F. McMillan 566; Shells used as horns, figs., R. Winckworth 988.

STRUCTURE including HISTOLOGY

General Anatomy.-Oncidium verraculatum Cuv., figs., P. H. ARVATI & K. R. KARANDIKAR 36; Cephalopod "white body "structure and function, figs., A. Bolognari 102; Microstrueture of some Pennsylvanian Nautiloids. A. G. FISCHER & R. FINLAY JNR. 251; The Pyramidellidae-Odostomia Tubonilla jeffreysii especially, figs., V. FRETTER & A. GRAHAM 278; Gunesella fusca Gude, G. jacobii Pils. Trishoplita optima (Pils.), figs., T. Habe 336; Morphology Bulinus, figs.. B. Huben-DICK 380; Lithoglyphus naticoides (C. Pfeiffer), H. Krause 474; Of Ischnochiton winckworthi Leloup 1936, figs... E. LELOUP 530; Anamenia heathi sp. nov., E. LELOUP 531; Paragymnomenia richardi gen. et sp. nov. off C. Martin. Mediterranean, figs., E. LELOUP 532; Structure and functions of Hippurites. B. MILOVANOVIC 616; Milax sowerbii (Fér.), figs., A. R. SCHOUTEN 826; Octopus vulgaris, Eledone moschata. Haliotis tuberculata, Helix pomatia, figs... E. v. Shramlik 850; Cipangopaludina migagii Kuroda, figs., I. Taki 885; Musculus l bourae sp. nov., figs., K. M. WHITE 976; Structure of Tellinidae Semelidae, Donacidae and Asaphidae. figs., C. M. Yonge 1015.

Radula (figured).—A plysia sagamiana Baba, A. dactylomela (Rang), A. parvula (Mörch), A. sibogae (Bergh), A. hirasei (Baba), A. kurodai (Baba), Dolabrifera dolabrifera (Rang), Petäli-fera punctulata (Tap.-Can.), Notarchus indicus armatus Baba, N. leachii freesi (Griffin), Dolabella auricula Sol., Stiliger boodleae Baba, S. smaragdinus Baba, Hermaeina orientalis Baba, H. nigra Baba, Elysia viridis (Mont.), E. japonica Eliot, E. obtusa Baba, E. trisinuata Baba, E. splendens Baba, Berthellina delicata (Pease), Pleurobranchus novaezealandiae Cheeseman, Crimora lutea Baba, Polycera japonica Baba, Gymnodoris citrina (Bergh), G. alba (Bergh), G. inornata (Bergh), G. subflava, Nembrotha gracilis Bergh, Kaloploeamus ramosus (Cantr.), Plocamopherus tilesii Bergh, P. imperialis Angas, Lamellidoris mitsuii Baba, Okescia japonica Baba, O. echinata Baba, Goniodoris glabra Baba, G. felis Baba, Hopkinsiella hiroi Baba, Okadaia elegans Baba, Glossodoris lineo-lata Hasselt, G. alderi (Collingwood), G. pallescens (Bergh). G. aureopurpurea (Collingwood), G. sibogae (Bergh), G. festiva (Adams), G. maritima Baba, G. placida Baba, G. sagamiensis Baba, G. florens Baba, Noumea nivalis Baba, N. parva Baba, N. purpurea Baba, Casella atromarginata (Cuvier), Ceratasoma cornigerum M. & Roe, C. bicolor Baba. Cadlina japonica Baba, Cadlina sagamiensis Baba, Cadlinella ornazissima (Risbec), Miamira flavicostata Baba, Actinocyclus laevis Bergh, var. variegata (Eliot), A. japonicus Eliot, Hallaxa indecora (Bergh), Rostanga arbutus (Angas), Aldissa sanguinea (Cooper). Ctenodoris aurantiaca (Eliot), Neodoris tricolor Baba, Trippa intecta (Kelaart). Discodoris concinna Ald & Hand, Thordisa parvas Baba. Homolodoris japonica Bergh, Halgerda japonica Eliot, H. rubicunda Baba, Dermatobranchus striatus (Hasselt), D. substriatus Baba, D. striatellus Baba, D. semistriatus Baba. D. ornatus (Bergh), D. nigropunctatus Baba, D. sagamianus Baba, D. multi-dentatus Baba, Armina japonica Eliot. Armina major Baba, A. appendiculata Baba, A. babai Tchang, Madrilla sangniunea (Angas), M. gloriosa Baba, M. granularis Baba, Tritoniopsilla alba Baba, Paratritonia lutea Baba, Marionia olivacea Baba, Dendronotus gracilis Baba, Bornella digitata Ad. & Rue, B. japonica Baba, Scyllaea pelagica L., Notobryon wardi Odhner, N. bijecurum Baba, N. clavigerum Baba, Doto japonica Odhner, D. bella Baba, D. rosacea Baba. D. purpurea Baba, Eubranchopsis virginalis Baba, Cratena bicolor (Bergh). C. venusta Baba, C. anulata Baba, C. pinnifera Baba, Subcuthona pallida Baba, Viona pinnata Eschscholtz, Favorinus japonicus Baba, F. perfoliatus Baba, Hervia lineata (Eliot), H. ceylonica Farran, H. japonica (Baba), H. serrata Baba, H. affinis Baba, Herviella yatsui (Baba), Facelinella quadrilineata (Baba). F. anulifera Baba, Pteraeolidia semperi (Bergh), Aeolidiella japonica Eliot, Aeolidiella takanosimensis Baba, Bacolidia japonica Baba, B. fusiformis Baba. Glaucus marinus (Dupont), Figured Radulae of spp. from Sagami Bay. Japan, K. Baba 40; Fusitriton murrayi (E. A. Smith), fig., K. H. BARNARD 56; Thaanumella angulosa Ancey,

W. J. CLENCH 160; Truncatella pulchella Pfr., fig., W. J. CLENCH & R. D. TURNER 164; Truncatella valida Pfr. T. kiusiuensis Pils., T. k. japonica Pils., figs., T. HABE 328; Paludinella (Cavernacmella) kuzuensis Suzuki, T. HABE 330; Radulae of Japanese marine Gastropods, figs., T. Habe 333; Columbarium pagoda (Less), Ancilla (Baryspira) sp., Siphonalia cussid riae-formes (Rve), S. fusoides (Rve), S. spadicia (Rve), Oliva musterlina Lk., Turrancilla sp., Nass ria magnifica Lischke, Kelletia lischkei Kuroda, Pusia hizenensis Pila., Thala ogasawarana Pils., Vexill im collinsoni A. Ad., Fulgorario (Saotomea) delicata (Fulton), figd., pl. 3, Jap. J. Malac. 13 1-4 1943, T. HABE 333; Babylonia japonica (Reeve), Vasum turbinellum (L.), Lippistes (Separatista) separatista Dlwn., Mitra (Striga-tella) scutulata (Gmelin), Helizcus dorsuosum (Hinds), E gina menkeana (Dkr.), Gyroscala perplera (Pease), Patela (Penepatella) stillaeformis Rve., Cypraeolina cotamago (Yokoyama), Erato callosa (Ad. & Rve.), Muresul azami (Kuroda), figd., pl. 4, Jap. J. Malac. 13 1-4 1943, T. HABE 333; Pectinodonta rhyssa Dall, fig., T. Habe 339; Bulinus sarasinorum, bada:, minahassae, doliolum, novoquineae, subundatus, staqnalis, dospi, keysseri, ovalinus, sumatranus, leopoldi, burnanus, africanus, globos s, natalensis, tropicus, inflatus, sena alensis, forskali, figs., B. HUBENDICK 330; Patella argenvillei Krauss, P. barbara L., P. coc lear Born, P. compressa L., P. granatina, P. granularis L., P. longic sta Lk., P. miniata Born, P. oculus, P. tabularis Krauss, P. variabilis Krauss, H. I. Koch 480; Conus textile, Conus striatus, Conus geographus, Conus marmoreus, Conus tulipa, R. Merle 606; Succinea elegans Quick, N. H. Odhner 650: Vampyroteuthis infernalis Chun, G. E. PICKFORD 704; O topodoteuthis nielseni, figs., G. C. ROBSON 767; Gastrocopta pulvinata Scott, Leptinaria bacterionides (Orb.), Happia skiaphila (Orb.), Drepanostomella circumscripta Scott, Guppia lilloana Scott, Guppia aenea Scott, all figured, M. I. H. Scott 834; Eremina hasselquisti zitteli O. Bttg., Eremina dillioyniana nounensis (Talry.), Steenberg, Erlmina desertorum (Forskål), C. M. STEENBERG 859; Margarnya melanioides Nevill, M. monodi Dautz & Fisch., M. tropidophora (Mab.), M. gantsunghaiensis

sp. nov., M. mansayi Dautz. & Fisch., Tchang-Si & C. Y. Tsi 895; Dorsopsis taningi, fig., S. Thore 907; Eledonella pygmaea, Amphitretus pelagicus, Vitrekidonella richardi, Alloposus mollis, figs., S. Thore 907; Tonna perdis L., T. maculosa Dllwn., T. galea L., Eudolium crosseanum Monts., Oocorys (Benthodolium) abyssorum Verrill & Smith, O. bart-chi Rehder, figs., R. D. Turner 924; Hydrobia ulvae, ventrosa, figs., B. Verdcourt; Amnicola taylori, fig., B. Verdcourt; Bithynia leachii, tentaculata, fig., B. Verdcourt; Viviparus fasciatus, figs., B. Verdcourt; Viviparus riviparus, figs., B. Verdcourt; Pomatias elegans, figs., B. Verdcourt; Hydrobia ulvae & ventro a, B. Verdcourt 941-947.

Muscular System.— The adductor muscles of Paphia decussata L., E. F. GALIANO 293.

Alimentary System and Alimentation.
—Cytology and histology of the digestive tract in the Polyphacophora, M.
GABE & M. PRENANT 285; Production
of Gastropod Radulae, A. PRUVOT-FOL
724; Alimentary anatomy of Helir
pomatia, B. ROSEN 773.

Reproductive System.—Reproduction—Pyramidellidae, V. Fretter & A. Graham 279; Genital anatomy of Bulinus, figs. B. Hubendick 380; Female organs of reproduction, Turritella and Purpura, figs., J. Kostitzine 472; The sex-organs of mating Polygyrid landsnails, G. R. Webb 964.

Excretory and Secretory Organs.— Endocrine glands of Cephalopods, P. CAZAL & D. BOGORAZO 143; Secretory cells in *Dentalium entale* Deshayes, M. GABE 283.

Nervous System.—Remarks on the Golgi element, J. R. Baker 51; Cerebral nerves of Gastropoda, figs., H. Leyon 536.

Nacreous Growths.—Fossil pearls, E. Dartevelle 197; Pearl forming, S. Mori 634; Pearl structure of examples found in *Tridacna* and *Hippopus*, A. Reyne 762.

Shell.—Hinge and shell outline, Ctenodonta, Nucula, Leda, Macrodon, Cucullaea, Vanuxemia, figs., K. Beurlen 76; Shell formation and calcification, G. Bevelander & P. Bexzer 80; Shell Pigment, figs., A. Comfort &

R. E. H. NICHOLAS 177; Tegument of Chiton olivaceus Spengl, M. Gabe & M. PRENANT 286; Operculum, Viviparus, Bithynia and Turbo, figs., B. HUBENDICK 381: Shell structure of Hemiphaedusa cambojensis Pfr. and Phaedusa paviei Morlet, figs., F. E. Loosjes 549; Shell structure of Tridacna and Hippopus, A. REYNE 762; Shell formation as affected by the 'pH' of the water, C. A. RIPSOM 763; Hinges of Pinctada, Chlamys, Spondylus, Pseudomonotis, figs., H. & G. Termier 902; Ligament of Telliva tenuis, E. R. TRUEMAN 922; Hinge character of Nuculoidea opima (Hall), H. E. Vokes 958: The structure of the calcareous operculum of Natica, figs., A. WRIGLEY 998.

PHYSIOLOGY

General.—Paleobiology of Boursconia C. Dechaseaux 292; Ecological and Physiological studies on the effect of Pulpmill wastes on Oysters, P. S. Galtsoff, A. Chipman, J. B. Engle & H. A. Calderwood 296; Phylogeny of Clymenia s.l., G. H. Schindewolf 315.

Chemical Contents. - The Lipids and Sterols specially of marine species, W. BERGMANN 71; Studies on marine products, occurrence of brassicasterol in Mollusea, W. BERGMANN & R. C. OTTKE 72; Modification of CaCo₃ in Lamellibranehs, L. CAVALCA Alcaline phosphatases in Acanthochites fascicularis (L.), M. GABE & M. PRENANT 290; Fertilizer in eggs of Mactra solidissima, C. B. METZ & J. E. DONOVAN 608 : Amino acids in Mactra solidissima Dillwyn and Loligo pealei Lesueur. J. L. NOLAND 649; CaCO₃ content in shells supplying lime in Travancore, H. P. PILLAI 709; Provitamin D in clams, H. R. ROSENBERG 775; Lamellidens marginalis, K. K. RADDI, K. V Girl & R. Das 777; Chemical content of the nerve of Loligo pealei. W. SCHALLER 806; Hopkinsiaxanthin in Hopkinsia rosacea, H. H. Strain, 867; Chemical composition of the Black Sea Mollusea, Z. A. VINOGRADOVA 954; Ascorbic acid in Helix pomatia L., K. WENIG & K. HALACHA 973.

Glandular Secretions and Pigments.— On the Epiphallus gland in Siphonariidae, B. Hubendick 382; Extract of purple gland of Murex trunculus, A. Jullian & J. Ripplinger 429; Indigotin pigment in the shell of Haliotis cracherodii Leach, A. Comfort 176; The photosensitive pigment of the retina of Loligo pealei, R. C. C. St. George & G. Walch 793.

Respiration.—In sea water of low Oxygen tension of *Pinetada martensi* (Dkr.), S. Mori 635; Respiration of *Australorbis glabratus*, J. Von Beard, M. O. Nolan & E. R. Mann 959.

Reaction to Toxins.—Toxic action of Choline on heart of Venus mercenaria, J. H. Walsh & R. Taub 972.

Experimental Studies.—On the action of copper and its salts and vegetable extract in the control of snails, S. G. COOPER 186: Experiments on effects of certain chlorides on egg cleavage (Lymnaea stagnalis), N. S. Grasveld 310: Effect of Calcium on the Axoplasm of Squid nerve, A. L. Hodgkin & B. Katz 367; Cardiac physiology. A. Jullien 426; Control of the intermediate host of Schistosoma japonicum, H. C. KAN 439; Breeding experiments, Homoegency in Cepaea nemoralis, M. LAMOTTE 523; Experiments in Schistosoma infection in Oncomelania, D. N. MCMULLEN, J. ENDO-ITABASHI S. Seto, S. Komegama & R. Stone 564; On the effects of Sulphur liquor on Ostrea, T. O. Odlaug 651: Germ cells in certain land mollusca, D. Pelluet & others 687; Cyclopia as a result of action by Lithium on ovae of Lymnaea stagnalis, C. P. RAVEN 741; Experiments on the effects of Lithium chloride on the unsegmented eggs of Lymnaea stagnalis. C. P. RAVEN & J. R. ROBORGH 747; Octopus, M. G. ROMANINI 772; On the properties of Fertilizin and allied substances of eggs and sperm, A. TYLER 925: On the effect of Choline and related compounds on the heart of Venus mercenaria, J. H. Welsh & R. Taub 972.

Alimentation.—Ampullaria, A. S. Alonso, Z. J. A. de Castellanos 19; The control of micro-organisms through the pallial cavity and the intestine of bivalves, G. B. Goykher 307; The Molluscan Stomach, A. Graham 309; Alimentation—Patella, J. Vasserolstoeffer 928; Alimentation in Loligo rulgaris Lk., G. Zolezzi 1026.

DEVELOPMENT EVOLUTION AND GENETICS

General.—Development of Neritina fluviatilis L. in brackish and fresh water, P. Bondesen 105; Development by divergent methods in morphologically similar species (Crepidula spp.), W. R. Coe 167.

Growth.—Growth and development of Ostrea madrasensis Preston, P. K. Jacob & M. Nellayander 406; Growth of O. virginica, gonad development and spawning, survival feeding V. L. Loosanoff 543; Growth of Ostrea virginica during different months, V. L. Loosanoff & C. A. Nomejho 547; Size increase, N. D. Newell 645.

Oogenesis and Oology .- Morphological-biological analysis of egg-capsules of Freshwater Gastropods, P. Bondesen 104; Oogenesis in the Polyplacophora, figs., M. GABE & M. PRENANT 288; Gonad development and spawning of Oysters, V. L. LOOSANOFF 543; An egg mass of Tonna sp. from Krusadai Island, N. K. PANIKKAR & P. R. S. Tampi 672; Brachystomia rissoides (Hanl.), Eulimella nitidissima (Mont.), Retusa truncatula (Brug.) and Embletonia pallida (Ald. & Hanc.), figs., E. RASMUSSEN 740: Rate of growth of Cerithidea cingulatus Gmel., V. Sadasi-VAN 792; Egg capsules Natica, Aplysia, Do'ium, Bela, Conus, Sipho, Thais, figs., G. Thorson 909; Egg capsules of Troschelia, Chrysodomus, Volutopsis, Sipho and Trophon, figs., G. Thorson 910.

Embryology.—Neritina fluviatilis L., P. Bondesen 105; Embryology of Oncidium verraculatum Cuv., figs., P. R. Awati & K. R. Karandikar 36; Embryology and development of Habea inazawai, figs., T. Habe 332; Glochidia of Japanese freshwater mussels, G. Inaba 390; Embryology of Sepia officinalis, G. Monlalenti & G. Vitagliano 629; Action of Lithium on eggs producing abnormal embryos, figs., C. P. Raven 742; Embryology of Cardium muticum. The Veligers and young shells, H. Yosida 1016.

Spermatogenesis.—C. L. BHATIA 82; Spermatocysts, J. B. GATENBY & A. A. MOUSSA 298; Spermatogenesis, Spermagglutination and fertilization, F. G. v. MEDEN 596.

Larval Stages.—Xancus pyrum (L.), K. CHIDAMBARAM & M. M. UNNY 154; Teredo, figs., P. L. Krang 473; Brachy stomia rissoides (Hanc.), Eulimella nitidissima (Mont.), Retusa truncatula (Brug) and Embletonia pallida (Ald. & Hanc.), figs., E. RASMUSSEN 740.

Variation.—Ecological variations, L. Agrell 12; Hydrobia (Potamopyrgus) jenkinsi Smith in Denmark, P. Bondesen & E. W. Kaiser 106; Variation of Patina pellucida, A. Graham 308; Of Nuculana confusa (H.), pls. 1, 2, K. Suzuki & K. Isizuka 879; Theodoxus fluviatilis and Dreissensia polymorpha, K. Becker 62; Variation of Cyclostoma elegans, E. Marchesini 573; Growth variation in the shell of Natica (Neverita) josephinia Risso, E. Marchesini 574.

Ornamental.—Variation of the banding of Cepaea, table and graph, F. A. Schilder 811; Colour pattern in Venerupis philippinarum, I. Taki 887.

Evolution.— Nuclear evolution in oogenesis Lymnaea stagnalis, L. Arvy, 31; The last surge of the Nautiloids, A. K. Miller 611; California Cretaceous Molluses, W. P. Popenoe 719; Evolution Aviculopectinidae, Pectinidae, Ostreidae, figs., H. & G. Termier 902.

Teratology.—Anisus leucostoma Millet. figs., C. R. BOETTGER 93; A case of bifurcated Siphon Paphia decussatus (L.), H. BOUXIN 109; Abnormal embryos of Lymnaea stagnalis produced by the action of Lithium on the eggs. figs., C. P. RAVEN 742.

ECOLOGY HABITAT, HABITS, FIELD NOTES AND TECHNIQUE

General.—Ecological distribution, L. AGRELL 12; Dispersal Achatina, J. ALLAN 17; Records of occurrence of Hydrobia jenkinsi Smith in Denmark, P. Bondesen & E. W. Kaiser 107; Ecological study of the biota of some ponds and ditches in Northern Florida. J. C. Dickinson, Jr 211; Rockpool Gastropods, V. M. Fretter 277; Observations on the ecology of Philomycus carolinianus (Bosc), W. M. Ingram 395; Ecological notes of a collector in Pinar Del Rio, Cuba, M. K. Jacobson 407; Biological and Ecological notes on Ostrea rhizophorae in Puerto Rico.

N. T. Maltox 705; Ecological notes on the Heteropoda of the Dana Expedition, J. J. Tesch 903; Observations on Amalthea conica Schum., M. Tynbatt 926; Ecological note on Melancides reiniana in Japan, M. Yamaguti 1006.

Locomotion.—Speed of land mollusca, B. Verdcourt 939.

Feeding Habits.—Nutrition and sexuality of Crepidula, W. R. COE 166; Feeding—Pyramidellidae, V. Fretter & A. Graham 279; Feeding habits and food of Philomy us carolinianus, W. M. INGRAM 395; Ariolimax columbianus (Gould) and the California Bay fruit as its food, figs., W. M. INGRAM & C. HAND 397; Diatoms as great part of the food of Ostrea mad asensis Preston, P. K. JACOB & M. NELLAYANDER 405; Rate of feeding by Mytilus edulis L., C. B. JØRGENSEN 424; Rate of feeding (Mytlus), C. B. JØRGENSEN 425; Capulus ungaricus, J. H. ORTON 655.

Breeding Habits.—Reproduction of Hydrobia jenkinsi Smith in Denmark, P. Bondesen & E. W. Kaiser 107; Spawning behaviour of Oysters and Venus mercenaria, H. H. Haskin 350; Duration of Breeding period in Madras of Cerithidea cingulata, V. Sadasivan 792; Lamellides marginalis sexual majority at just over 2 years. Breeding seasons July, Aug. and Dec.—Feb., R. V. Seshaixa 841; C. pulation in Viviarus fusciatus, fig., O. Sylvest 882; Octopus variavitis typicus (Sasaki), T. Yamamoto 1008.

Sex and Sex Reversal.—Sex reversal and gonadal changes in Patella coerulea, G. Bacct 46; Sexuality and nutrition of Crepidula, W. R. Coe 166; Sexuality in Crepidula plana, figs. & tables, W. B. Coe 168; Sexual dimorphism of Loligo blackeri and Idiosie pius paradoxus, T. Yamamoto 1009.

Boring Habits.—Of Hiatella gallicana Lamarck and H. arctica (L.), W. R. Hunter 386; Teredo, P. L. Kramp 473.

Special Habits.—Habits and mode of life of the Pyramidellidae, V. FRETTER & A. GRAHAM 278; Habits of Tellinidae, Semelidae, Donacidae and Asaphidae, figs., C. M. YONGE 1015.

Sociology.—Association of Molluses and Balanus, G. Kolosvary 467; Association, J. Roger & E. Buge 769.

Parasitism and Commensalism.-Schistosoma, R. T. ABBOTT 6; Parasitic castration Dentalium entale Desh., L. ARVY 32; Parasitic Melanella on Antidon, G. BACCI 44; List of hosts definitely observed of Pyramidellidae. V. FRETTER & A. GRAHAM 278; Proboscidosaccus enigmaticus, a new parasite on Mactra solida L., figs., L. GALLIEN 295; Hacea inayawar parasitic on Liadumene luciae (Verrill), a sea-anemone of Japan, T. HABE 332; Control of intermediate host of Schisto oma japo icum, H. C. KAN 439; Lymnaea stagnalis and Fasciola hepatica, S. B. KENDALL 452; Schistosoma infection, J. F. MAL ONADO & F. V. HERRERA 570; Mucronalia angulata sp. nov. on Holothurian, G. MANDAHL-BARTH 571; Commensalism Udostomia tripda Totten and Mya arenaria L. in the Gulf of S. Lawrence, V. C. Medcof 595; Ciliates parasitic in the gills of Mytilus edulis, figs., Z. RAABE 732; Fishes as suitable hosts of Lamellidens marginatis Glochidia, R. V. SESHAIYA 841; Ceylon fresh water snails, V. SIVALINGANI 849.

Rate of Growth and Embrychic Development.—Of Cerithidea congulatus Gmel., V. Sadasivan 792; Embryonic studies on the Cephalopoda, G. F. Sacarrao 790.

Effect of diet on Purpura, W. J. REES 754.

Hermaphrodism in Rissoidae and Hydrobiidae, V. Johansson 417.

Environmental Effects.—Adaptations of Tellinidae, Semelidae, Denacidae, Asaphidae, as regards structure and habits, figs., C. M. Yonge 1015.

Habitat.—Habit, Habitat and Distribution of Oncidium verraculum Cuv.. P. R. AWATI & K. R. KARANDIKAR 36; The habitat of Philomycus carolinianus (Bosc), W. M. INGRAM 395; Habitats of Bombay Pelecypoda, T. V. Subrahmanyam & others 872.

Toxic and Disease Carrying molluses of the Orient and Western Pacific, R. T. Abbott 6.

Aestivation.—Helminthoglypta traskia phlyctaena (Bartuck), W. M. INGRAM 396.

Temperature Effects.—Effect of temperature and lethal limit for *Venerupis* philippinarum, H. KURASIGE **487**.

Effect of Salinity.—Low salinity on Oysters, P. A. Butler 125; Effect of changes of salinity on crystalline style of Oysters, V. L. Loosanoff 545; Effect of varying salinity on Ostrea, V. L. Loosanoff & P. B. Smith 548.

Effect of Chemicals.—Effect of veratrine on molluscan muscles, Z. M. Bacq 49.

Dessication.—Effect of drying on certain marine snails, N. T. MATTON 586.

Effects of Injury.—Cellular injury, V. MENKIN 601.

Technique.—Schistosomiasis in snails, Techniques in handling, R. T. Abbott 6; experiments to find the best method of packing live snails for transport (Bulinus, Planorbis), M. A. AZIM & J. L. WATSON 37; Culture of mantle tissue, G. Bevelander & J. Martin 81; Treatment of living shells for experimental purposes, T. Kanamaru & I. Taki 446; A collecting outfit for shells in sandy bottoms, fig., S. Kubo 475; Hand grab, fig., T. T. Macan 557; Rearing Austrolorbis and reducing time factor, C. A. Ripsom 763; Breeding and maintenance of Planorbis boissyi and Bulinus truncatus as vectors of Schistosoma, O. D. Standen 858; On keeping Octopods in Aquaria and some operative Technique, I. Taki 886.

Conchometry.—L. LISON 540; Conchometry as regards Lamellibranchs, L. LISON 541; Tugalis gigas (Marts), T. vadososinicata Yokoyama, R. TIBA

915.

ZOOGEOGRAPHY

Distribution.—Distribution of Anodomia cygnea (L.) and differences in sex and in gill-structure, H. H. Bloomer 92; Spirula spirula L. distribution map, A. F. Brunn 121; List and Distribution Chart of Peruvian Paleozoic Palecypod, B. J. Chronic 156; Pacific Islands, Partula population, H. E. Crampton 189; Northern limits of Zaptyx, T. Kuroda 496; Partula of the Society Islands, B. Lundman 556; Distribution in Puerto Rico of some Land snails, N. T. Mattox 587; Dispersal of molluses as shown by occurrences in Dutch glasshouses, A. D. J. Meeuse & B. Hubert 600; Distribution of the eggs of Vampyroteuthis infernalis Chun., G. E. Pickford 706; Distribution of Pila speciosa

(Phil.), T. Pain 670; Distribution maps of the mollusca of Puerto Rico, H. v. Der Schalle 865; Distribution of Milax sowerbii (Fzr.), gagates (Drap.) and rusticus (Miller) in British Isles and Western Europe, map, A. R. Schouten 826; Rottnest Island spread of Helix pisana, D. L. Serventy 840; Geographical distribution of Nautiloidea, in connection with their adaptive capacity and morphological structure, Shimansky 845; Notes on world distribution of Haliotidae, A. Sorensen 854; Distribution of Heteropoda of the Dana Expedition, J. J. Tesch 903; Distribution of Astraea japonica, R. Tiba 913; Bathymetric and Bentonic distribution in the Adriatic, A. Vatova 931.

General Lists and Catalogues.—Species and subspecies of *Torinia* Gray, Ch. Bayer 60; Plio-Pleistocene Astartidae, A. V. Ch Ten Brock 116; Devonian fossils, K. Gross 316; The superspecific nomenclatural units of the Cancellariidae, J. G. Marks 576; Quaternary Mollusca of L'Etang de Berre, P. Mars 577; List of Rudistes of the Coniacian of Uchaux and Céze, G. Mennissier 603; Types in the Auckland Museum, A. W. B. Powell 721; Lists, L. A. W. C. Venmans 937.

British Isles.—Land Mollusca of the Isle of Mull, L. B. Langmead 526; Grange-over-Sands, Lancs., Land Molluscan Lists, A. & W. Thurgood 911; Mollusca of the Leeds Naturalists' Club and Scientific Associations Area, W. Thurgood 912.

Europe.—Fauna of the Grotte de la Balancière, J. Bayol & M. Paulus 61; Mollusca of Lago di Paola, G. Brunnelli & G. Cannicci 119; Württemberg fossils, W. Carlé & O. Linck 137; Species from the Lias of the Basse Provence, R. P. Charles 144; Hauterivian fossils of Massif d'Allauch Provence, R. P. Charles 146; Of the fauna of various zones at Blanes, M. Duran & M. Massuti 226; Gasteropods and Lamellibranchs of the Tu onian of Provence France, S. Fabratany 239; Mollusca Colline delle Terreforti Etna District, pp. 65–74, A. Francaviglia 276; Oberharz fossils, A. Fuhrmann 282; Miocene fossils of the Loire Basin, pp. 210–216, M. Glibert 304; Miocene fossils of the Basin of the Loire, L. Glibert 305;

Fossils of Oberbayern, O. Hölzl 370; Serbian fossils, V. Kostic-Podgorska 471: Mollusca of Lago di Scanno, G. LANZI 527: Moll. of the Bay of Santander, O. R. MARTIN & R. F. CREHUET 579; List of species found in Dutch hothouses, A. D. J. MEEUSE & B. HUBERT 600; Bartonian Fossils of the Paris Basin, L. & J. MORELLET 632; Titho-Valanginian fossils of Eastern Serbia, K. V. Petkovic 696; Pliocene fossils, Messina, G. PATA 680; Lower Pliocene Mollusca of Serres, A. PAPP 674; Sarmatian fossils of Wiesen, A. Papp 675; Devonian Molluscan fauna of Brittany, A. RENAUD 760; Pliocene fossils from Calabria, G. RUGGIERO 781; Calabrian fossils of Valle del Santerno, lists, G. Ruggieri 783; Pliocene mollusca of Capocolli, G. Ruggieri 786; A Fossil Fauna of Guntersdorf and Immendorf, R. Sieber 848; Rhactic fossils from Scania, Sweden, p. 548, G. Troedsson 920; Fauna of the Adriatic, pp. 24–27, A. VATOVA 931; Neogene fossils of the North Sea, D. Wirtz 990; List of fossils from the Miocene and Pliocene around Almeirim. Portugal, G. Zhyszewski 1022.

54

Asia.—List of Japanese cavernicolous molluscs, T. Habe 330; Indian Marine Mollusca, J. Hornell 374; Indian marine mollusca as study—Opisthoranchia, J. Hornell 375; Japanese Calliostoma, a catalogue of species, N. Ikebe 388; Land shells of AguniSima, I. Isimori 400; Land shells of Mt. Mitumine, T. Kuroda 499; List Mollusca of Ponape Island, Japan, T. Krra 454; Malayan Diplommatina, F. F. Laidlaw 520; Trias Ammonites and a Nautiloid from Kuna-gore, figs., M. Salopek 799; Bombay—illustrated list of the Pelecvpoda, T. V. Subrahmanyam, K. R. Karandirar & N. N. Murte 872; Chiua, T.-C. Yen 1010.

Africa.—Pliocene Mollusea from Cap-Bon, M. Arnould 30; Some Eocene shells of Southern Nigeria, H. Gregory 312; Japanese Cuspidaria, T. Kuroda 509; Mascarene mollusca from the MS. notes of the late L. E. Dupont, jnr., E. H. Madge 568; Mollusca of Casamance, W. Africa, M. & N. Paulus 683; Quaternary Molluscan fauna of the Red Sea, R. Selli 838; Mollusca of the Sahara, L. G. Saurat 842.

Australia.—Fossils Central Tasmania. The country around Waddamana. R. W. FAIRBRIDGE 240.

Pacific Islands.—Samoan Islands—Cyclophoridae and Pupinidae, W. J. CLENCH 157; Dent Peninsula British North Borneo Neogene fossils, L. R. Cox 188.

Atlantic and Mediterranean Islands.—Cuban Rissoina, M. Desjardin 209; Puerto Rico land and freshwater shells, figs., H. v. der Schalle 805; I. of Rode Marlgeo, E. Tortonese 919.

Greenland.—Marine Quaternary fossils of the Disko Bugt district, Greenland, P. Harden, S. Jensen & D. Laursen 348.

North America.-Mollusca collected in the basin of the Chaco River, New Mexico, R. J. Drake 218; Shells found in alluvium at Buell Park, Apache Co., Arizona, R. J. Drake 220; Additional list of mollusca found in Lebanon, County Pennsylvania, R. R. HEILMAN 355; Limacidae, Endodontidae, Arionidae, Succineidae, Pupillidae, Valloniidae, Carychiidae and Truncatellidae of California, W. M. INGRAM 392; Mollusca of the Counties bordering San Francisco Bay, W. M. INGRAM & C. LOTZ 394; Species found in the temporary and permanent ponds of Michigan, B. Kenk 463; Snail records from Quetico Provincial Park of Ontario, R. G. LINDEBORG 538; List of Species in Alphabetical order of genera of the Pioneer Bahama Expedition, G. L. McGinty 561; Texas Marine shells. T. E. Pulley 727; List of the Pre-Chattanvoga Mollusca of Central Tennessee, C. W. Wilson, Jr. 978; Shells collected in S.-E. Ohio, C. B. WURTZ 1001.

Central America.—Land and Freshwater Mollusca from Guatemala, F. Haas 325.

South America.—List and Distribution Chart of Paleozoic Mollusca of Peru, J. B. Chronic 156; Bolivia new species of *Drymaeus*, fig., J. J. Parodiz 678.

DISTRIBUTION (A) Geographical

Museums and Collections and Expeditions.—Teyler's Museum Teuthoidae, C. O. v R. Altena 20; The Monterosato-Bettrani collection now deposited

in the Zoological Museum of Rome, W. J. CLENCH 159; Locard Collectionlarge Cepaea nemoralis. A. Comfort 175; List of species of Posidonomya, M. Feio 246; I. of Oland and S.E. Sweden expedition, J. GISLÉN 302; V. Piret Collection, J. DE HEINZELIN DE BRAUCOURT 356; Eastern Pacific Expedition of the New York Zoological Society, XXXIX. Mollusca of the West Coast of Mexico and Central America, L. G. HERTLEIN & A. M. STRONG 360; Raffles Museum-On a collection of non-marine Mollusca from Malaya in the Museum, W. S. S. v B. JUTTING 434; Travancore Scaphopods. notes on a collection, C. V. KURIAN 488; Pioneer Bahama Expedition, T. L. McGINTY 561; Narrative of the Pioneer Bahama Expedition, P. L. & T. L. McGinty 563; Auekland Museum types, A. W. B. Powell 721; Indian Museum Triviidae, Eratoidae. Pediculariidae, H. C. RAY 751; British Museum specimens of Onychoteuthis banksi and records of capture, W. J. REES 756; "Arcturus" Oceanographic Expedition, 1923—Cephalopoda, G. C. Robson 767; J. G. Jeffrey's Collections, [A. E. SALISBURY 795; Dana Expedition-Report on the Heteropoda, J. J. Tesch 903; 'Skagerak' Expedition 1946—Cephalopoda of the Eastern Atlantic. S. THORE 908.

(a) FOSSILS AND RECENT LAND AND FRESHWATER

PALÆARCTIC REGION

Finland.—Brackish-water fauna, S. G. SEGERSTRALL 836.

Scandinavia.—Sweden, the occurrence of Ancylus fluriatilis in Ringsjön, Ä. Hall 343; Sweden, Rhaetic fossils of Scania, G. Troedsson 920.

British Isles.—Isle of Man supplementary Report on Mollusca, J. R. Bruce 117; England, First record of Uhligella, two new species from the Albian, R. Casey 139; Doncaster—record for Acme fusca (Montagu), A. S. Cook 179; S. side of Ditchley Park, Charlbury, Oxfordshire, a new locality for Ena montana (Drap.), L. W. Grensted 313; Cave Fauna, M. Hamilton & E. A. Glenne 353; Devon fauna of the Exe estuary sand and sand banks. N. A. Holme 371; Fauna of four streams in the Black Mountains, S. Wales, J. R. E. Jones 421; Occur-

rences of Pisidium pseudosphaerium Favre in England, J. G. J. KUIPER 484; Dorset Mollusca report for 1948, W. D. LANG 524; The Isle of Mull Land Mollusca, L. B. LANGMEAD 526; Three Dubs Tarn on Claife Heights, west of Windermere, Mollusca, T. T. Macan 557; Bromborough, Cheshire, The Brackish-water Mollusca, N. F. McMIL-LAN 567; Dale Bay fauna, figs., R. D. PUBCHON 728; Britain, Freshwater Molluses, figs., N. E. PERKINS 691; The Land Mollusca of Grange-over-Sands, Lancashire, A. & W. THURGOOD 911; Mollusca of the Leeds Naturalists' Club and Scientific Association's Area, W. THURGOOD 912; Bedfordshire records, B. VERDCOURT 938; Swanwich, Hampshire, fauna of the London Clay, A. WRIGLEY 994; English Eocene and Oligocene Naticidae, A. WRIGLEY 998.

France.—Provence Lias, J. Alloi-TEAU & R. P. CHARLES 18; A new species of Nautilus from the Lutetian, Paris, P. Bédé 64; Aquitaine, Upper Vindobonian, F. M. Bergounioux & F. Crouzel 73; Rissoinidae of the Redonian, P. Calas 131; Triasic Mollusca from Provence, R. P. Charles 145: Hauterivian fossils of Provence, R. P. CHARLES 146; Lower Tithonian France, a new Ammonite genus and species, P. Donze 216; Upper Cretaceous Provence, France, new species. S. Fabre & Taxy 239; Oligocene, Lower Alsace, S. Gillet 301; Middle Miocene of the Basin of the Loire, M. GLIBERT 304; Basin of the Loirelist of Miocene fossils and nomenclature corrections, L. GLIBERT 305; Lorraine Ammonites, P. L. MAUBEUGE 589; Middle Keuper, Lorraine, occurrence of Myophoria, P. L. MAUBEUGE 591: Bartonian fossils of the Paris Basin, L. & J. Morellet 632; Siegenian Mollusca, Brittany, A. Renaud 760.

Denmark.—Notes on some land mollusca of Fionie, G. BALSLØV & S. H. PETERSEN 53; Occurrence and variation of Hydrobia (Potamopyrgus) jenkinsi Smith, fig., P. BONDESEN & E. W. KAISER 106; Occurrence and ecology of Hydrobia jenkinsi, R. BONDESEN & E. W. KAISER 107; Presence of Arion rufus empiricorum Fér, H. SCHLESCH 816.

Holland.—A new Holocene Amauropsis, Holland, A. Bloklander 87; Holland Postglacial Mollusca, R. Hagg 342.

Belgium.—New species from the Westphalian, F. DEMANET 206; Ammonites, P. L. MAUBEUGE 589.

Germany.—Ranges of Milax rusticus its occurrence in Western Germany, C. R. Boettger 95; N.W. Germany a new Ammonite fauna from the Lias, H. Hoffmann 359; Fossil Mollusca of Oberbayern, O. Hölzl 370; Ammonite fauna (Psiloceras), W. Lange 525; Wurttemberg—fossil of the genus Ludwigia, short lists only, pp. 149, 187, E. Lorcher 552; Trochtelfinger fossils, S. Müller 633; Some new Devonian Nautiloids, O. H. Schindewolf 813; Wurttemberg Slugs, R. Vogel 957.

Austria.—Sarmatian fossils, A. Papp 675; Fauna of Guntersdorf and Immendorf, R. Sieber 848.

Italy.-New Rhaetic Modiola spp., F. Anelli 28; Bologna, fauna of the Spipola Groto, C. Bianchi, L. di Caporiacco, M. G. Massera & A. Valle 83; Maestrichtian fossils, C. BRICCHI 115; Lago di Paola, G. Brunelli & G. Cannicci 119; Lago di Massaciuccoli, C. Brunnelli & G. Cannicci 120; Mollusca of Lago di Scanno, G. Lanzi 527; Salerno Pliocene species, list, G. MINGLIANO 620; New spp. of Trophonopsis from the Pliocene, G. Ruggieri 782; Valle del Santerno Calabrian and Sicilian fossils, lists, G. RUGGIERI 783; Pliocene Italy, new species and vars., G. Ruggieri 784; New Pliocene species, G. RUGGIERI 785; Pliocene fossils of Capocolle, G. RUGGIERI 786; Lombardy, Barremian Ammonites, figs., V. VIALLI 951.

Spain.—A New Cenomanian Ammonite, M. Collignon 172; Blanes, N.E. Spain, quantitative distribution tables, M. Duran & M. Massutt 226.

Portugal.—A new Glyphioceras, M. Feio 245; Portugal, Miocene and Pliocene, G. Zbyszewski 1022.

Greece.—Description of Mitrocapina beotica (Munier-Chalmas), figs., G. Mennessier 604.

Europe.—Ammonites of Servia, Z. Bešić 79; Pleistocene Biogeograph, E. S. Deevey Jnr. 204; W. Lithuania, occurrence of Campylaea faustina, L. Hasslein 351; Dalmatia, Eocene fossils of Mont Promina, O. Kühn 478; West Carpathian Rudistes, O. Kühn & D. Andrusov 482; Luxemburgh Am-

monites, P. L. Maubeuge 589; Belgrade district Cretaceous fossils, K. V. Petkovic 694; Belgrade, Albian fossils, K. Petkovic 695; Pleistocena Molluscs of Bohemia. J. Petrbok 698; Belgrade fossils, list, P. Stevanovic 862; Yugo Slavia, Gore Mollusca and new species, F. Suklje 874; Moravia Tortonian Opisthobranchs, M. Vašíček 927; Triasfauna of "Kalkalpen," XV. Monte San Giorgio, A. Wirz 989; Cretaceous, E. Europe, B. Zahálka 1020.

Russia.-Occurrence of Mollusca in the Firth of Kovdsk in connection with the salinity, White Sea, Russia, Buk-HELOVA 124; Influence of ecologic factors on occurrence of parasitic Mollusca in Perca fluviatitis, Russia, BYCHOVSKAYA (PAVLOVSKAYA) 130; Mollusca in Tarkhan and Kotzakhur in Gruzia, Russia, M. F. Dzvelaya 229; Morphological study on the larval stage and post larval metamorphose of Parenteroxenos dogieli A. Iwanow, Sont Sachalin, Russia, A. V. IVANOV 401: Cambrian Nautiloidea of Angara, K. B. KORDE 468; Mollusca found in coal of Irkutzk, Russia, G. G. Martinson 580; Mollusca in the Amur estuary, O. B. Mokiyevski 626; New Namurian Ammonites from the Aktubinsk area. Russia, V. E. RUSHENTZEV 789; New upper Carbon Nautiloids in South Ural, V. N. SHIMANSKI 844; Mollusca in Tertiar and Early Quaternair deposits of Narinsk (Tiau-Shan), Russia. B. S. Sokolov 853.

Mediterranean Islands.—Majorca fossils, G. COLOM 174; Sardinia new Helicidae, E. v. Martens 578; Islands of Rhodes and Scarpanto localities for Levantina, K. L. PTEIFFER 701; Lower Trias of the Isle of Chios Ammonite fossils, C. & O. Renz 761; Sicily and Quaternary Gulf of Squillace, G. Ruggieri 787.

North Africa.—Pliocene of Menzel Temima, M. Arnould 30; Lybia Maestrichtian fossils, C. Bricchi 113; Lybia, a new Fossil Tylostoma from the Maestrichtian, C. Bricchi 115; Siva Oasis Armstrong Expedition, Libyan Desert, G. I. Crawford 190; Morocco. fossils, G. Dubar 221; Algeria, Cretaceous fossils, G. Dubourdieu & T. Sigal 224; W. Sahara, sub-fossil species collected by M. Monod, E. Fischer-Piette 262; Tripolitania, a

new species of Maestrichtian Burtinella, A. M. Maccagno 559; Mollusca of the Sahara, L. G. Seurat 842.

Syria.—Lebanon merozoic Gastropods, G. Delpey 205; Palestine— Levantina spiriplana Olioier and varieties, K. L. Pfeiffer 701; Pliocene Pectinidae of Syria, J. ROGER 768.

ORIENTAL REGION ANI) EAST INDIES

India.—A fossil Cretaceous Ostrea from Baripada, S. C. CHATTERJEE 148; India, Travancore Miocene Cypraeidae, new species, A. H. DEY 210; Madras—Shells and animal remains found on the beach, F. H. GRAVELY 311; Baroda Cephalopods Sepiola 1, Loligo 3, E oploteuthis 1, Sepia 5, Octopus 6, S. T. Moses 636.

Ceylon.—Freshwater snails and human schistosomes, V. SIVALINGAM 849.

Andaman Islands.—Melanoides, H. C. Ray 750.

Malaya.—Celebes, Gyliotrachela concreta sp. nov. genus new to Celebes, W. S. S. v. B. JUTTING 433; Malaya on a collection of non-marine mollusca in the Raffles Museum, W. S. S. v. B. JUTTING 434; Malay species of Boysidva, Paraboysidva, Hypselostoma and Gyliotrachela, W. S. S. v. B. JUTTING 435; Species of Diplommatina of Malaya, F. F. LAIDLAW 520.

Siam.—Rhiostoma tomlini sp. nov., A. E. Salisbury 796.

Korea,—Land shells from Tyósen, T. Kuroda & M. Miyanaga 518; Korean species of *Corbicula*, K. Oyama 665.

China.—Clausiliidae, T. Habe 335; A Permian Cephalopod faunule, I. Hagasaki 352; New Chinese element in fauna of Premorski land, Russia, J. M. Likharev 537; Tonkin, a new Phaedusa, F. E. & A. C. W. Loosjes 550; Central China, Collecting shells, I. Taki 884; Tertiary Yunnan, T. C. Yen 1010.

S. Annam.—Upper Triassic fossils, figs., E. Saurin 804; East Asia species of *Corbicula*, K. Suzeki & K. Oyama 880.

Japanese Subregion.—Japan Erodonidae, Illustrated Catalogue, T. Habe 326; Nippon, new land snails Diplom-

matina oyamai sp. nov. and Hemiphaedu a attrita keizii subsp. nov., T. HABE 334; Glochidia of freshwater mussels, S. INABA :90; Land shells of Agunisima, M. Isimori 400; Ise Province, Japan, species of Euhadra, I. KANA-MARU 440; Taiwan shells, T. KURODA 491; Taiwan, a new Viviparid, T. Kuroda 492; On Kino-O-Sima, shells collected by A. Adams, T. Kuroda 493; Land shells of Mt. Mitumine, Titibu Range, T. Kuroda 499; New shells of the Tyugoku District, T. Kuroda 506; A new gen. & sp. from Kamaliusa, Japan, T. Kuroda 507; Kyobun-to Port Hamilton, Korea Archipelagoland shell fauna, T. Kuroda & M. Miyanaga 517; Japan, Palaeogene fossils from the Isikari Coalfields, T. NAGAO & K. ÔTATUME 642; Two new Corbiculids, K. OTATUME 660; New Neogene species, Y. Otuka 662; Miocene fossils from Tyugoka, Y. OTUKA 663; A new Triassic Entomotis, S. SAKAZUTI 794; A new Dictyoconites from the Trias, S. SHIMIZU 846; A new Cristaria from the Isikari group, K. Suzuki 878; Tertiary Japan, K. Suzuki & K. Oyama 881; Mollusca of the Inland Sea of Japan, I. TAKI 889.

Philippine Islands.—Achatina fulica (Fér.), P. Zku 1028.

AUSTRALIAN AND POLYNESIAN REGION

Australia.—Australian recent and Tertiary mollusca of the Volutidae, B. C. COTTON 183; Australia Tertiary Marginellidae, B. C. COTTON 184; Central Tasmanian fossils, R. W. FAIRBINGE 240; Devonian fossils from Gippsland, Victoria, E. D. GILL 300; Australia, Lymnaea lessoni in the Murray District, A. ROBINSON 766; Eocene Nautiloids from Victoria, figs., C. TEICHERT 897; Victoria—New lower Tertiary Nautiloids, figs., C. TEICHERT 898; S. Australia, a new subsp. of Aturia clarpei, C. TEICHERT & B. C. COTTON 899; Victoria—a Nautiloid from the Lower Ordovician, figs., D. C. THOMAS & C. TEICHERT 906.

New Zealand.—Otahuhu Auckland Pliocene Mollusca, J. Marwick 581; Land snails, the species problem, A. W. B. POWELL 722; Distribution and new species of Paryphantidae, A. W. B. POWELL 720. Pacific Islands.—Fijian Islands—Cyclophoridae and Pupinidae, W. J. CLENCH 157; Society Islands—Partula, H. E. CRAMFTON 189; New Guinea, Mesozoic fossils, Cretaceous, figs., M. E. GLAESNER 303; Kurile Islands, a new Amnicola, T. HABE 329; Formosa—Clausiliidae, T. HABE 335; Bonin Islands—Collecting, O. KATURA 447; Formosan Marmarostoma, T. KURODA 489; Borneo, a new Ennea, E. v. Martens 578.

ETHIOPIAN REGION

East Africa.—North-East African Cardium, figs. & map, H. Kaltenbach 438; East Africa, some Cretaceous mollusca, G. Tavani 893.

West Africa.—Fossil Ludwigia of Bielefeld, W. Althoff 23; Unionidae of French West Africa, A. Franc 273; Africa, fauna of Casamance, M. & N. Paulus 683; Senegal—new Maestrichtian fossils, J. Sornay & F. Tesser 855.

Central Africa.—Lower Congo, a new Edouardia, E. Dartevelle 198; Southern Nigeria, some Eocene shells, H. Gregory 312; Lake Albert Edward. Biomphalaria smithi Preston—ecology, figs., J. Schwetz 832; Africa, L. C. Williams 977.

South Africa.—South African pond snails—a note, F. G. Cawston 141; S. Africa, notes on structure of Ammonites, E. C. N. v. Hoepen 368.

Madagascar.—New Oxfordian fossils, M. COLLIGNON 173; Madagascar—Tropidophora, E. FISCHER-PIETTE 258, 259; Madagascar, Senonian Ammonites, V. Hourco 379.

NEARCTIC REGION

Alaska.—Late summer invertebrates, N. A. Weber 967.

Labrador.—Quaternary, R. Abrard & A. de la Rue 10.

Greenland.—Cretaceous fossils, W. MAYNE 593; Greenland Ordovician, J. C. TROELSEN 921.

Canada.—Wood borers in Canada, E. C. BLACK & G. R. ELSEY 85; Alberta, Ribbon Creek Jurassic fossils, M. B. CROCKFORD 191; Ontario records from Quetico Provincial Park, R. G. LINDEBORG 538. North America.—The larger freshwater "Clams" of California, Oregon and Washington, W. M. INGRAM 393; American Permian Nautiloids, A. K. MILLER & W. YOUNGQUIST 615.

North Eastern United States.—Illinois —Upper Mackinaw R. Unionidae, G. A. Braun & G. I. Dykastra 112; Lebanon, Co. Pennsylvania, additional list of species, R. A. Hellman 355; Michigan—species found in temporary and permanent ponds, R. Kenk 463; Michigan and Manitoba, Middle Devonian fossils, A. La Roque 528; Vermont, Lower Cambrian Gastropods, P. Tasch 891; Ohio—record from the South Eastern, C. B. Wurtz 1001.

South Eastern United States.—Texas—Taxonomic status of Bulimulus, C. Hall & L. Pittman 344; Northern Arkansas—Notes on the Polygiridae, L. Hubricht 383; Texas—a Dentalium from the Pennsylvanian, A. K. Miller 612; Some land and freshwater shells from the coastal regions of Virginia and North and South Carolina, H. A. Rehder 776; Central Tennessee, Pre-Chattanooga fossils, C. W. Wilson Jnr. 978; Texas, a new Quadrula, C. B. Wurtz 1003.

Western United States .- Chaco River basin Mollusca, New Mexico, R. J. Drake 218; Chihuahua, Arcohelix (Radiocentrum) almoloya sp. nov., R. J. DRAKE 219; Buell Park, Apache, Co. Arizona, Molluscan shells found in alluvium, R. J. Drake 220; Kansas, species of fossil snails from the Peoria and Big tell members of the Pleistocene, J. C. FEYE & A. R. LEONARD 281; Wyoming, some new Cretaceous Ammonites, O. Hans 322; Two new species of Gastropods from the Eocene California, HANNA & HERTLEIN 346; Western United States, Paleoecology of Jurassic Seas, R. W. IMLAY 389; California-List of the Limacidae, Endodontidae, Arionidae, Succincidae, Pupillidae, Valloniidae, Carychiidae and Truncatellidae, W. M. INGRAM 392; Counties of San Francisco Bay-Land Molluses, W. M. INGRAM & C. LOTZ 394: California, genetic lines of Cretaceous Mollusca, W. P. POPENOE 719; Arizona. the fauna of an ancient sea, H. PATTISON 682; Permian "index" ammonoids in Arizona, A. Stoyanow 865; Lower Cretaceous, S.E. Arizona, A. STOYANOW 866; White Pine Shale, Nevada, lies between the Devonian Nevada Limestone below and the Mississippian? Diamond Peak quartzite above, W. Youngquist 1018; Nevada, a new Dimorphoceras from the Mississipian, W. Youngquist 1019.

CENTRAL AMERICAN REGION

Mexico.—Aptian Cephalopods, W. E. HUMPHREY 384.

Guatemala.—A list of some Land and Freshwater Mollusca, F. HAAS 325.

Uruguay.—A new subsp. of Strophocheilus oblongus. L. P. Barattini & O. R. Ledón 54; Uruguay, notes on some marine molluses, A. Carcelles 135.

Panama.—A new Drymaeus, J. C. BEQUAERT 68; Panama, two new fossil Mytilopsis, L. G. HERTLEIN & G. D. HANNA 358; Panama Tertiary, WOODRING & THOMPSON 992.

Cuba. — New Operculates, C. G. AGUAYO & M. S. ROIG 14; New Operculates, W. J. CLENCH & C. G. AGUAYO 163; A new Opishosiphon, W. J. CLENCH & C. G. AGUAYO 163; Collecting in Pinar Del Rio, M. K. JACOBSON 407; New Operculates, M. S. ROIG 770.

West Indies.—Dominica, two new Middle Miocene fossils, C. G. AGUAYO 13; Puerto Rico—distribution of some land snails, N. T. MATTOX 588; Dominica, Miocene fossils, R. RAMIREZ 734; Puerto Rico, land and freshwater Mollusca, H. V. DER SCHALIE 805.

SOUTH AMERICAN REGION

South America.—S.E. America, Coastal region of Virginia and N. & S. Carolina, some Land and Freshwater Mollusca, H. A. REHDER 776; South American Neniinae, A. ZILCH 1023.

Argentina.—A new Thaumastus, J. C. BEQUAERT 68; Argentina, notes on some marine molluses, A. CARCELLES 135; Notes on some bivalves, A. CARCELLES 136; Argentina, Hydrobiological study, P. H. DE OLIVEIRA 653; New species of Protoglyptus, figs., J. J. PARODIZ 678; Some new and little known species of Peronaeus, J. J. PARODIZ 679; Argentina, a new Miocene Corbicula, C. Russoni 788; New species from North Western Argentina, M. I. H. Scott 834.

Bolivia.—Some new and little known species of *Peronaeus*, J. J. PARODIZ 679.

Brazil. — Amazon area freshwater shells, F. Haas 320; Mollusca of the Amazon District, F. Haas 321.

Colombia.—Some new Cretaceous fossils, E. Basse 58; Colombia and Venezuela, Upper Eccene, A. N. DUSENBERRY JNR. 228; Colombia, the Hannotoma fauna. H. O. HEDBERG 354.

Chile.—New species of Ancylus, W. A. BIESE 84.

Peru.—A new Strophocheilus, J. C. BEQUAERT 68; Peru—three new land snails, F. Haas 323; Peru—new land and freshwater Molluscs, F. Haas 324; New species of Isomeria and Helicina. H. A. PILSBRY 710; Peru, review of the Peruvian species of Temesa, H. A. PILSBRY 713; New fossil Clausiliidae of the genus Nenia, H. A. PILSBRY 714.

Venezuela.—Mollusca of the Hamatoma formation in Colombia and Venezuela, A. N. DUSENBURY JNR. 228; Venezuela, The Hannotoma fauna, H. O. HEDBERG 354.

(β) Marine ARCTIC

Arctic Ocean.—Gastropods in the Soviet Union, Northern Seas, Z. A. FILATOVA & U. I. ZATZEPIN 250; Arctic, a new Solenogaster, E. LELOUP 533; Arcto-boreal Mollusca in Karsk Sea, M. POMMAREVA 717; Alaskan Arctic slope invertebrate fauna, N. A. Webber 966; N. Frisian Islands and Crepidula fornicata L., B. Werner 975.

Iceland.—Amphineura, J. KNUOSEN 462.

NORTH TEMPORATE

North Atlantic.—Geographical variation of Littorina obtusata (L.), J. KNUDSEN 461.

Eastern North Atlantic.—Cornwall—the occurrence of Ia thina exigua. T. G. W. FOWLER 268; Scilly Islands—record for Divoricella divaricata (L.), T. G. W. FOWLER 269; Isle of Man—Capulus ungaricus on Modiolus, N. S. Jones 423; Eastern Atlantic—Cephalopods of the Skagerak Expedition, S. Thor. 908; Orkney—Tellina magna record, F. T. Walker 962.

Western North Atlantic.—Florida, a new Pleurobranchus, R. T. Abbott 7; Western Atlantic Truncatella, W. J. Clench & R. D. Turner 164; Western Atlantic—the marine molluscs described by C. B. Adams, portrait & figs., W. J. Clench & R. D. Turner 165; Rissoina of Cuban waters, M. Desjardin 209; Puerto Rico, outline map of larger colonies of Ostrea rhizophorae, and biological studies, N. T. Mattox 585; Gulf of Mexico, a new record for Fusinus spectrum (Ad. & Rve.), fig.. J. S. Schwengel 830; Mollusca of Malpequa Bay, Prince Edward Island (Canada), C. M. Sullivan 875; Western Atlantic Tonnidae, figs., R. D. Turner 924; Barbados—a new Astraea, A. H. Verrill 950; Florida Keys and variation of Octopus hummelincki Adam, G. L. Voss 961.

Mediterranean.—Gulf of Naples—Eenthonic investigations, G. Bacci 45; G. of Genova, Mediterranean Sepia, S. Cozzi 192; Istanbul local waters and their Cephalopods, B. Digby 212; Black Sea, Zooplankton, near Karadag, M. A. Dolgopolskaia 213; Planktonic gastropods from the Western Mediterranean, figs., A. Franc 274; Lido di Venezia (Moll.), E. Ninni 647; Adriatic Ventonic researches, A. Vatova 930; Adriatic bottom fauna, A. Vatova 933.

Black Sea.—Mollusca near Karadagh, M. Beckmann 63.

Western Pacific.-Matsu Bay, Japan, Pectinidae studies, Anon. 1; Sagami Bay, Japan, Opisthobranchs, K. Baba 40; Japan—a new Solenogaster from Amakusa, K. Baba 41; Japan-a new commensal Devonia ohshimai on Leptosy apta ooplas, T. KAWAHARA 448: Formosan Marmarostoma species, figs., T. KURODA 489; Japan Sea-the occurrence of a commensal Calidoniclla, T. KURODA 495; Japanese Strombus of the group Euprotomus, T. Kuroda 502; Japanese Murices renamed, T. Kuroda 503; A new gen. & sp. of Cyprinidae from the coast of Odawara, Japan, T. Kuroda 508; On Japanese Cuspidaria and new species, T. KURODA 509; New Japanese Solemya, T. KURODA 510; Japan, a new genus and species related to Aplodon (Modulus), T. KURODA 511; A new Pulmonate genus from Taiwan, Japan, T. KURODA & S. EMURA 513: Cocculina of Japan, Kuroda & Habe 515; Review of Japanese species of Solariella, K. Oyama 667; Akkeshi Bay, Solenogastre, S. Okuda 652; Japan—a new Acmaea, J. S. Schwengel 829; Chu-San region Plankton, N. G. Sproston 856; Isikari Group, a new species of Cristaria, K. Suzuki 878; Japan, natural habitat and vertical distribution of marine mollusca, A. Teramacki & T. Kira 901; Korean Cephalopoda, T. Yamamoto 1007; Japan, a new Calliostoma, H. Yoshida 1017.

Eastern Pacific.—Galapagos Islands, notes on nomenclature Pleurotoma bicolor Sow. P. roseotincta Dall., L. G. HERTLEIN & A. M. STRONG 359; West Coast of Mexico and Central America, L. G. HERTLEIN & A. M. STRONG 360; West Coast of Mexico and Central America, L. G. HERTLEIN & A. M. STRONG 362; Hawaiian Islands some edible molluses of Kanai, A. Kay 449; Kurile Islands, a new Laiochochlis and a new Ptychatractus, figs., T. KURODA 505; Hinnites in Bonin Island, K. OYAMA 666; Hawaiian marine mollusca development, figs., J. M. OSTERGAARD 658: Pacific Coast Chione and Securella recent and fossil, P. PARKER 677; Pacific Cephalopoda of the "Arcturus" Oceanographic Expedition 1923, G. C. Robson 767; Monterey Mollusca, A. G. Smrith & M. Gordon Jnr. 851; Gulf of California, new Pyramidellidae, A. M. STRONG 871; Hawaiian Tonnidae, S. TINKER 916.

TROPICAL AND SUBTROPICAL

Indo-West Pacific.—Antemetula, H. REHDER 776.

Indian Ocean.—West Persian Pelecypoda, A. Franc 275; Indian Molluses—a study. Part I. Amphineura. Gastropoda (Streptoneura), Taenioglossa, Stenoglossa, J. Hornell 374; Indian Molluses—a study, figs., Eulamellibranchia; Nautilus, J. Hornell 376; Travancore, bottom Scaphopoda, C. V. Kurian 488; Mascarene Islands, Mollusea noted by the late L. E. Dupont Jnr., E. H. Madge 568; Mollusean fauna of the Red Sea, R. Selli 838; Bombay Pelecypoda, T. V. Subrahmanyam & others 872; A new Musculus from the test of Herdmania pallida, Indian Ocean, figs., K. M. White 976.

SOUTH TEMPORATE AND SUBANTARCTIC

South Atlantic.—Lagos and West African beaches from Lekki in the East to Lomé in Togoland frequented by Terebra micans in the zone of intense surf action, F. J. Harper 349; The species of South African Patella figures of shells and radulae, H. J. Koch 460; Atlantic, Azores and Gorringe Bank, Anamenia heathi sp. nov., E. Leloup 531; Atlantic off Teneriffe, a new Solenogaster, E. Leloup 534.

South Pacific.—Marianas Islands—new Syncerid species, R. T. Abbott 8; Samoa—collecting, R. T. Abbott 9; New South Australian gastropods, B. C. COTTON 185.

(b) Geological

Quaternary.—R. ABBARD & A. DE LA RUE 10; Marine fossils of Disko Bugt district, Greenland, P. HARDEN, S. JENSEN & D. LAURSEN 343; Pectinidae of the quaternary of Syria, J. ROGER 763; Quaternary of the Gulf of Squillace, G. RUGGIERI 787; Quaternary Molluscan fauna of the Red Sea, R. SELLI 838.

Pleiostocene.—Plio-Pleistocene Astartidae, A. N. Ch. Ten Brock 116; Pleistocene snails from North East Kansas, J. C. Fryer & A. B. Leonard 231; Bohemia, the Pleistocene Mollusca, J. Petersok 693; Macedonia—Note on Corbicula fluminalis Mull in the Pleistocene, S. Pavlovic 684.

Tertiary.-New Tertiary species and one genus, W. Berger 70; Tertiary Isocardia, C. C. Beringer 74; Tertiary Volutidae of Australia, B. C. COTTON 183; Tertiary Marginellidae of Australia, B. C. COTTON 184; New Zealand Tertiary spp. from Smith R., Lake Huron, K. Mason 583; A new Tertiary, Batissa, from Tesio Province, Hokkaido, H. OTATUME 659; New Tertiary Corbicula from Sachalin Ids., K. SUZUKI 877; Some Tertiary freshwater shells from Mie-ken, Japan, K. Suzuki & K. Oyama 881; New Lower Tertiary Nautiloids from Victoria, figs., C. TEICHERT 898; A new Tertiary Aturia subspecies from G. St. Vincent, S. Australia, C. TEICHERT & B. C. COTTON 899; Tertiary, Panama, WOOD-RING & THOMPSON 992; Yunnan (China) Tertiary Gastropods, T.-C. YEN 1010.

Pliocene.—N. Africa, M. Arnould 30; Neogene fossils of the Dont Peninsula, British North Borneo, L. R. Cox 188; Pliocene mollusca of the coast adjacent to Nimes, G. Denezor 207; Liguria Pliocene, A. Festa 248; Pliocene Mollusca of Otahuhu, Auckland, J. Marwick 581; Neogene Japan, new species, Y. Otuka 662; Pliocene Calabria, O. Pata 631; Lower Pliocene Serres, Haute Alps, A. Papp 674; Pliocene and miocene fossils of Syria and Lebanon, F. Rowan 771; Pliocene, G. Ruggiero 781; New species of Trophonopsis from Italy, G. Ruggieri 782; Pliocene, Italy, G. Ruggieri 783; Pliocene, Crotone, Italy, lists & sp. nov., G. Ruggieri 785; Upper Pliocene fossils of Capocolle, G. Ruggieri 786; Sylter Crag fossils of the North Sea, O. Wirtz 990; Pliocene. Portugal, G. Zenszewski 1022.

Miocene.-Middle Miocene, a new Circulus and a new Haplocochlias, C. G. AGUAYO 13: New Cypraea species from the Miocene, S. India, A. K. DEY 210; Belgium, France, Miocene fossils from the basin of the Loire, M. GLIBERT 304; Miocene species of the Bassin de la Loire with nomenclature corrections. L. GLIBERT 305; Miocene, a new Japanese Katelysia, N. IKEBE 387; Miocene, Tropical American (Ecuador) Cancellariidae, J. G. MARKS 576; Miocene Tyugoku, Japan, Y. OTUKA 663; Sarmatian fauna of Wiesen, A. PAPP 675: Miocene fossils of Dominica. R. RAMIREZ 734; Miocene and Pliocene fossils of Syria and Lebanon, F. ROMAN 771; Eastern Servian Miocene, P. M. STEVANOVIC 863; Miocene *Terèdo* and *Bankia*, Vienna, A. F. TAUBER 892; Tortonian fossils from Moravia, M. VASI GER 927; Miocene, Portugal, G. Zbyszewski 1022.

Oligocene.—France and Potamides lamarcki Brong, H. ALIMEN 16; Lower Alsace, Oligocene fossils, figs., S. GILLETS 301; English Oligocene Naticidae, A. WRIGLEY 998.

Eocene.—Lower Eocene, France, L. FERGUEUR 247; Mollusca in Upper Eocene in Armenia, A. A. Gabrielman 291; Eocene—Some Southern Nigerian Shells, H. Gregory 312; Calfornia, Middle Eocene, Hanna & Hatlein 346; Genus Psephaca in the Middle Eocene, Northern Caucasus, Russia, I. A. Korobkov 469; Eocene

fossils of Monte Promina, Dalmatia, O. KÜHN 478; Miocene Turritella, Austria, R. Sieber 847; Eocene Nautiloids from Victoria, figs., C. Teichert 397; English Eocene Naticidae, A. Wrigley 998.

62

Mesozoic.—Fossils of the Lebanon region, G. Delpey 205.

Cretaceous.-New Cretaceous fossils from Colombia, E. BASSE 58: Maestrichtian Lybia new fossils, C. Bricchi 113; Maestrichtian Italy, new species, C. Bricom 115; Cret. Ostrea gajensis sp. nov. from Baripada, S. C. Chatter-JEE 148; Cretaceous Vigny, France. some new species, A. Chavan 151; A new Cenomanian fossil from Spain, M. Collignon 172; Cretaceous, Algeria, G. Dubourdieu & T. Sigal 224; New species from Provence, France, S. FABRE-TAXY 239; Middle Senonian mollusca from St. Etienne-du-Rouveav, A. Follet 267: New Mesozoic fossils from New Guinea, M. F. GLAESSNER 303; Upper Cretaceous Niobrara formation, M. O. GRIFFITHS 314; New Cretaceous Ammonites from Wyoming, O. Haas 322; Aptian Cephalopods from the La Peña formation, N.E. Mexico, W. E. Humphrey 384; Cre-taceous dwarfed Cephalopods and environmental significance, B. KUMMEL 485; Maestrichtian Burtinella libyca sp. nov., figs., A. M. MACCAGNO 559; Cretaceous fossils, Greenland, between Kuhn Island and Cape Franklin, W. MAYNE 593; Cretaceous Californian Molluscan evolution, W. P. POPENOE 719: Cretaceous fossils of the Belgrade district, K. V. Petkovic 694; Albian fossils of the Belgrade district, K. PETKOVIC 695; Cretaceous development of Belimnitellidae, graph, E. SCHWEGLER 831; Maestrichtian fossils from Senegal, J. SORNAY & F. TESSIER 855; S.E. Arizona, Lower Cretaceous A. STOYANOW 866; Cretaceous mollusca of East Africa, G. TAVANI 893; Barremain Ammonites from Lombardy, figs., V. VIALLI 951; New species from the Maestrician Lybia, V. VIOLA 955; Cretaceous Belemnites, W. Zoch 1025.

Jurassic.—Ammonites in 1949, W. J. Arkell 29; Jurassic, D. Aubert 35; New Oxfordian fossils in the S.E. of Madagascar, M. Collignon 173; Jurassic fossils of Ribbon Creek,

Alberta (List), M. B. B. CROCKFORD 191; Jurassic Seas of the Western U.S.A., R. M. IMLAY 389; Triassic dwarfed Cephalopods and their environmental significance, B. KUMMEL 485; Lower and Middle Jurassic of N.E. France and S.W. Germany, N. Theobald & P. I. Maubeuge 904; Jurassic, Japan, H. Yabe & S. Sato 1004; Jurassic (Dogger) Belemnites, W. Zoch 1025.

Lias and Rhaetic.—New Lias fossils of Provence, J. Allotteau & N. F. Charles 18; New Rhaetic Modiola from Italy, figs., F. Anelli 28; Lias Basse Provence, R. P. Charles 144; Rhaetic fossils of Lombardy, C. Chiesa 153; Liasic Gryphaea, R. P. Charles 147; Lombardy Rhaetic fossils, C. Chiesa 153; Lias. Marocco, G. Dubar 221; New Ammonites from N.W. Germany, K. Hoffmann 369; Lias, Europe, Fossil Loliginites, Lologinites, on pl. ii, F. Klinghardt 459; Lower Lias, France, R. Mouterde 637; Rhaetic fossils in Scania, Sweden, G. Troedsson 920; On the generic names of some Liassic Ammonites, O. Veccha 935.

Trias.—Montinegro, Z. Besic 78; Mollusca from Provence, R. P. Charles 145; Isle of Chios, Lower Trias ammonite fossils, C. & O. Renz 761; Trias, Japan, S. Sakaguti 794; Upper Triassic fossils from Hoa-Huynh, S. Annam, E. Saurin 804; Upper Triassic Dictyoconites from Japan, S. Shimigu 846; Trias fauna, Monte San Giorgio, A. Wirz 989.

Paleozoic.—Nautiloid structure, A G. FISCHER & M. R. FINDLAY 251.

Permian.—Cephalopods of China, I. Hayasaki 352; Permian Nautiloids of America, 59 pls., A. K. Miller & W. Youngquist 615; Peru—Upper Paleozoic, N. D. Newell, B. T. Chronic & T. G. Roberts 646; Permian fossil Clausiliidae from Peru, H. A. Pilsbry 714; Arizona Permian Ammonoids, occurrence of index fossils, A. Stozanow 865.

Carboniferous.—Aptien. Occurrence of Knemiceras compressum Hyatt in Algeria, G. DUBOURDIEU 222; Viscan fossils from Meatola, Portugal, M. Feio 245; A Pennsylvanian Dentalium from Texas, A. K. Miller 612; Mississippian

Cephalopods, MILLER, Downs & Youngquist 614; Carboniferous fossils, M. Schwarzbach 828.

Devonian.—Lower Devonian, Coblenz—new species, G. Dahmer 194; Victoria—Devonian fossils from Sandy's Creek, Gippsland, E. D. Gill 300; Middle Devonian uncoiled Gastropods of Michigan and Manitoba, A. La Roque 528; Mollusea in the Upper Devonian of Donetz Ridge, Russia, V. P. Makridin 569; Devonian, France, Brett-Laval Syncline, A. Renaud 759; New Devonian Nautiloids from Germany, G. H. Schindewolf 813.

Ordovician.—Westphalian of Campine, new species, F. Demanet 206; Ordovician, a new Pseudoconularia from the Siljan District, Sweden, I. HESSLAND 364; Ordovician, a new Beloitoceras from Iowa, MILLER & YOUNGQUIST 613; Lower Ordovician Nautiloid from Victoria, figs., D. E. THOMAS & G. TEICHERT 906; Greenland, J. C. TROELSEN, 921.

Cambrian.—Nautiloidea from the Upper Cambrian at Angara, Russia, K. B. KOBDE 468; Paleoecology of the Cambrian, Montana and Wyoming. G. LOCHMAN 542; Lower Cambrian Gastropods in Vermont, P. TASCH 891.

HI.—SYSTEMATIC INDEX

N.B.—Full references are given only in the case of a new genus, species or variety. In other cases the number in "Large Bold Clarendon" referes to the list of titles where the full reference will be found. Where the beference is given in the Systematic Part, the volume number is printed in Smaller Clarendon.

Note.—The arrangement here used follows in general that of Thiele's Handbuch. The most important differences are that Epitonacea and Pyramidellacea are placed immediately preceeding Muricacea in order of grouping and the families Triviidae and Eratoidae are placed in Lamellariacea.

Where more than one page is given in a reference, the one in roman type is where a new name is first mentioned and the one in *italic* is where the gen. sp. or var. is actually described.

Aplacophora

Anamenia heathi sp. nov. Atlantic Azores, Gorringe Bank, E. Leloup Bull. Mus. Hist. nat. Belg. 23 26 pp. 1-11 figs.

Chaetoderma akkesiensis sp. nov. 30 fms. Akkeshi Bay, Japan, S. Okuda Annot. zool. jap. 22 1943 p. 12 figs.

Entonomenia atlantica gen. et sp. nov. near Teneriff, E. Leloup Bull. Mus. Hist. nat. Belg. 24 37 1948 p. 1 figs.

Epimenia ohshimai sp. nov. Tomioka, Amakusa, Japan, K. Baba Venus 10 1940 p. 91 f. 1 A.D.

Meromenia hirondellei Solenogaster gen. et sp. nov. G. of Gascoyne, E. LELOUP Bull. Inst. a Sci. nat. Belgique 25 | 1949.

Micromenia simplex gen. et sp. nov. Arctic 76° 20' N. lat., 25° 27' 15" E. long., E. Lelour Bull. Mus. Hist. nat. Belg. 24 18 1948 p. 1 figs.

Paragymnomenia richardi gen. et sp. nov. near Cape Martin, Mediterranean, E. Leloup Bull, Mus. Hist. nat. Belg. 23 35 1947 pp. 1-11 text-figs.

Polyplacophora

Polyplacophora, morphology of the blood, L. Arvy & M. Gabe 33; Cytology and Histology of the digestive tube, M. Gabe & M. Prenant 285; Ovogenesis, M. Gabe & M. Prenant 288.

LEPIDOPLEURACEA

Lepidopleurus cinereus ovogenesis, figs., M. Gabe & M. Prenant 288.

CHITONACEA

Acanthochites fascicularis, M. Gabe & M. Prenant 284; Acanthochites fascicularis ovogenesis, figs., M. Gabe & M. Prenant 288; Acanthochites fascicularis (L.) Alkaline phosphatases, figs., M. Gabe & M. Prenant 290.

Chiton olivaceus, M. Gabe & M. Prenant 284; C. olivaceus Spengler tegument, figs., M. Gabe & M. Prenant 286; C. olivaceus ovogenesis, figs., M. Gabe & M. Prenant 288.

Ischnochiton winckworthi Leloup 1936—anatomy, figs., E. Leloup 530.

Gastropoda

Gastropoda—the radulae of some Japanese species, figs., T. Habe 333; Gastropoda—On the production of the Radula, A. Pruvor-Fol 724; Gastropoda fossils from the Miocene of Dominica, R. Ramirez 734.

STREPTONEURA

ASPIDOBRANCHIATA

RHIPIDOGLOSSA

HALIOTIDACEA

Cheilotomona nom. nov. for Cheilotoma Kohen 1889 non Dejean 1835, STRAND Arch. Naturg. 92A 1938 (8); 68, side strain, W. WENZ Handb. Paläozool. Gastr. 1; 162 et A. ZILCH Archiv. f. Molluskenk. 78 1/3 1949; 101.

†Discocirrus crispus p. 121 pl. ix f. 20, 21; D. armatus p. 121 pl. ix f. 22-28: spp. nov. Lias Diebel Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948.

†Discohelix (Colpomphalus) splendens sp. nov. Lias Djebel Bou-Dahar, Moroce), G. Dubar Notes et Mém Serv. Mines Carte Geol. Maroc 68 1948. p. 118 pl. ix f. 15-17 text-fig. 44 (p. 115).

†Emarginula rhaetica sp. nov. Rhaetic, Lombardy, C. Chiesa Riv. ital. Paleont. Milan 55 1 1949 p. 31 pl. iii f. 15-16.

Fissurella fertilization, F. G. v. Meden 596.

Haliotidae—ecological observations and notes on world distribution, A. SORENSEN 854.

Haliotis cracherodii Leach and var. californiensis Schultz—Identity of shell pigment (Indigotin ?), A. COMFORT 176; H.—fertilization, F. G. v. MEDEN 596; H. tuberculata L. anatomy, figs., E. v. SKRAMLIK 850; H. cracherodii colour principal 'haliotivioline,' R. Tixier & E. Lederer 917.

†Mastigospira gen. nov. Euomphalidae genotype Hyolithes alatus Whiteaves, Middle Devonian, Dawson Bay, Lake Winnipegosis, Manitoba, Canada, A. La Roque Contr. Mus. Pal. Univ. Michigan Ann. Abor 7 7 1949 pp. 113 114 pl. i f. 1, 3, 4.

Megathura crenulata experiments on the properties of Fertilization and related substances of eggs and sperm, A. TYLER 925. †Peruvispira gen. nov. p. 146 Pleurotomariidae genotype P. delicata sp. nov. p. 147 pl. 28 f. 9-12 Lower Peruvian, Peru, B. J. Chronic in Newell, Chronic & Roberts "Upper Paleozoic of Peru" 1949.

Puncturella dorcas sp. nov. off Toda, 100 fms., Japan, T. Kina & T. Habe Jap. J. Malac. 15 5 1949 p. 87 fig. 2.

Prosobranchiata

Docoglossa

PATELLACEA

Acmaea langfordi sp. nov. Chikura. Japan, J. S. Schwengel Nautilus Philad. 1949 62 3 p. 97 pl. 6 f. 1, la c.

Nacella (Patinigera) kergnelenensis E. A. Smith, N. (P.) polaris Hombron & Jacquinot), N. (P.) polaris concinna Strebel, figures, A. CARCELLES 135.

Notoacmaea fuscoviridis sp. nov. Satsuma, Japan, M. Teramachi Jap. J. Malac 15 5/8 1949 p. 90.

Patella coerulea L. sex reversal and seasonal gonadial changes, tables & figs.. G. Bacci 46; observations on G. Bacci 47; Patella, C. Dons 215; P. lusitanica. coerulea "may be easily separ[at]ed on the basis of their metric characters." distribution and station at Blanes, N.E. Spain, M. Duran & M. Massuti 226; Patella observations of the biology. N. S. Jones 420; P. sanguinans Reeve a synonym of P. miniata Born, H. J. Koch 460; P. obtecta Krauss is a juvenile form of P. barbara, H. J. Koch 460; Patella fertilization, F. G. v. Meden 596; P. coerulea sex proportions, tables, O. Pellegrini 686; Patella alimentation, J. Vasserol-Stoeffer 928.

Patina pellucida varieties, A. GRAHAM.

Pectinodonta rhyssa Dall, notes and fig. of radula, T. Habe 339.

TROCHACEA

Alcyna acia sp. nov. Rottnest Id., W. Australia, B. C. Cotton "bicarinate and more strongly sculptured than A. australia Hedley 1907 from Mast Hd. Id. 17-20 fms." Trans. roy. Soc. S. Aust. 1948 72 1 p. 31 pl. i f. 7, 8.

†Amphiscapha peruviana sp. nov. Lower Peruvian, Peru, B. J. Chronic in Newell, Chronic & Roberts "Upper Paleozoic of Peru" 1949 p. 149 pl. 49 f. la-c. †Amphitrochilia (Aristerella) undata subgen. et sp. nov. p. 128 pl. x f. 12; A. (Aristerella?) rorata p. 129 pl. x f. 13-15: sp. nov. Domerian Diebel, Bou-Dahar, G. DUBAR Notes et Mém. Serv. Mines Carte Geol, Marco 68 1948.

†Aristerella subgen. nov. of Amphitrochilia with undata sp. nov. Lias Diebel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 63 1948 p. 128 pl. x f. 12.

Astraea japonica distribution and water temperature, R. TIBA 913; A. ruthi sp. nov. Barbados, B.W.I., A. H. VERRILL Mollusca Tavares 2 3 1949 p. 70. plate.

Austroliotia gen, nov. genotype Liotia botanica Hedley 1915 New South Wales, B. C. COTTON Trans, roy. Soc. S. Aust. 1948 72 1 p. 31,

†Calliomphalus ilsae sp. nov. Monti Promina, Dalmatia, Eocene, O. KÜHN Jahrb. geol. Bundes Arst. Wien 91 1-2 1948 p. 71 pl. 2 f. 7-8.

Calliostoma (Otukaia) hajimeanum sp. nov. off Kii coast, 100 fms., Japan, H. Yoshida Jap. J. Malac. 15 1-4 1948 pp. 33, 34 text-figs. 1-3; C. a catalogue of Japanese species, N. Iuebe 388.

†Calliostoma dubertreti sp. nov. Mesozoic, Lebanon, G. Delpey. Notes Mem. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 58 text fig. 35 pl. xi f. 13; C. lecointreae sp. nov. middle Miocene, Loire basin, M. Glibert Mem. Mus. Hist. nat. Belge (2) fasc. 30 1949 p. 43 p. ii f. 5. C. orbignyanus praeformis, C. o. gracilitesta, C. conitesta, C. podolicoformis nudostriata, C. p. paucistriata, C. p. harthergensis, C. p. wieseniensis "spp. and n. spp." [nomm. nud. here], A. Papp 673.

Circulus striatus (Philippi) figured, L. A. W. C. Venmans 937.

†Circulus striatus turoniensis nov. forma Middle Miocene, Loire basin, M. GLIBERT Mém. Mus. Hist. Nat. Belg. (2) fasc. 30 1949 p. 70 pl. iv f. 5; C. quadricristatus sp. nov. Middle Miocene, Republic of Dominica, G. G. AGUAYO Rev. Soc. Malac. Habana 1949 6 3 p. 91 pl. 4 f. 1-3.

†Circulopsis dautzenbergi sp. nov. Middle Miocene, Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 p. 71 pl. v f. 2.

†" Crossostoma" atlantis sp. nov. Lias Djebel, Bou-Dahar, Morocco, G. DUBAR Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948 p. 123 pl. ix f. 30, 31.

†Delphinulopsis marianii sp. nov. Rhaetic, Lombardy, C. Chiasa Riv. ital. paleont. Milan 55 1 1949 p. 31 pl. iii f. 17, 18.

Gibbula umbilicaris chiefly "in places exposed to the beating of the waves" at Blanes, N.E. Spain, M. DURAN & M. MASSUTI 226.

†Gibbula angulata spirocarinata 'n. sp.' [nom. nud. here], A. Papp 673.

Iniubinus err. pro Jujubinus, G. Ruggieri Giorn. Geol. Bologna 3 20 1948 p. 58.

Marmarostoma of Formosa, S. Kuroda 489.

Modelia sp. nov. fig., Cretaceous Belgrade, B. MILOWANVIC 618.

†Monodonta (Oxystele) amedei turoniensis nov. forma=Trochus patulus Dujardin 1837 non Brocchi, M. GLIBERT Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 p. 63 pl. iii f. 10.

†Monodontella geometrica sp. nov. Cretaceous, Vigny, France, A. Chavan C.R. Séances Soc. géol. Fr. Paris 6 1949 p. 104 f. 3.

†Perrinia stammi sp. nov. Neogene Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 16 pl. 1 f. la-c.

Orthonychia pajerensis sp. nov. Lower Permian, Peru, B. J. Chronio in Newell, Chronic & Roberts 'Upper Paleozoic of Peru' 1949 p. 153 pl. 28 f. 6a-9b.

†Pachydontella genotype etiampicta gen. et sp. nov. Pliocene, Otahuhu, Auckland, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1948 pp. 6 27, 28 pl. 6 f. 1, 6.

†Proconulus spinatus sp. nov. Lias Djebel, Bou-Dakar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948 p. 126 pl. x f. 7-9.

Solariella s.l.—a review of Japanese species, K. Oyama 667.

†Solariella bekfayensis sp. nov. Mesozoic, Lebanon, G. Delfey Notes & Mém. Haut-Comm. Republ. Franc. Syrie et Au Liban 3 1940 p. 52 text-fig. 30 pl. vi f. 11.

†Tectus (Dimorphotectus) chouberti sp. nov. Lias Djobel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Marce 68 1948 p. 126 pl. x f. 4-6 text-fig. 45 (p. 115).

Trochus sacellus and its allies [in Japanese], T. KURODA 494.

†Trochus papilla maior "n. sp." [var. nov.] Gore, F. Škulje Prirod. Istraž. mat. prir. Razred. 4 1919 p. 34.

Tugali gigas (Marts), T. vadososinuata Yokoyama, Conchometry tables and graphs, R. Tiba 915.

Turbo operculum fig., B. Hubendick 381.

†Turbo (Lunella) ozawai sp. nov. Miocene, Tyugoku, Japan, Y. Otuka J. Soc. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 pp. 22 36 p. iii f. 22-24.

†Zethalia coronata sp. nov. Pliocene, Waikua River Pliocene, N.Z., J. Marwick. Palaeont. Bull. N.Z. 16 1948 p. 28 pl. 6 f. 4, 5, 8.

NERITACEA

†Cornulites hindtei sp. nov. Lower Devonian, Coblentz, G. Dahmer Senekenb. Frankfurt 29 1-6 p. 133 f. 13.

Helicina (Helicina) siolii sp. nov. Rio Branco de Obidos Para, Brazil, F. Haas Archiv. f. Malak, 78 4/6 1949 pl. 7 f. 4; H. (H.) weyrauchi sp. nov. Jaén Depmt. of Cajamarca, Peru, F. Haas Fieldiana Zool. Chicago 31 23 p. 192 fig. 40; H. acobambensis Acobamba N. of Tarma, Peru at 3,900 metres p. 100; H. chionea Mejorada, near Huancayo, Peru at 2,600 meters p. 101; H. huancapistana Huancapistana, Peru at 1,800 metres p. 101; spp. nov., H. A. Pilsbry Nautilus Philad. 1949 62 3.

†Nerita (Desmieria) zumoffeni sp. nov. Mesozoic, Lebanon, G. Delley Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 41 text-fig. 17-19 pl. vi f. 7-8.

†Neritaria subincisa Kittl. from the Trias, Montenegro, fig., Z. Besić 78.

Neritina fluviatilis L. development in brackish and freshwater, P. Bondeson 105.

†Pilcolus gollmeri sp. nov. Mesozoic, Lebanon, G. Delleey Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 43 text-fig. 20–22 pl. iv f. 17. Theodoxus iluviatilis [sic] (L.) fluviatilis (L.) figs. shell structure and pattern, K. Becker 62.

COCCULINACEA

Cocculina japonica uncinata subsp. nov. pp. 58, 62, pl. 3 f. 8; C. nipponica pp. 59, 62 f. 1; C. pacifica pp. 59, 63 f. 5; C. punctoradiata pp. 59, 64 f. 7-9; C. tosaensis pp. 60, 64 pl. 3 f. 4; C. scabra pp. 60, 66 pl. 3 f. 3; C. teramachii pp. 60, 65 pl. 3 f. 6: spp. nov. seas of Japan, Kuroda & Habe Jap. J. Malac. 15 5/8 1949.

CYCLOPHORACEA

Ampullaria notes on alimentation, figs., A. S. Alonso & Z. A. DE CASTELLANOS 19.

†Ampullela hewitti sp. nov. Eocene. California, Hanna & Hertlein J. Paleont. Menaska Wis. 23 4 1949 p. 393, pl. 77 f. 1, 4 text-fig. 2.

Chamalycaeus (Sigmacharex) itonis subgen. et sp. nov. Kami-iti-mura, Bittiyū, Okayama, Prefecture Japan, T. Kuroda Jap. J. Malac. 13 1-40 1943 pp. 8, 10 text-figs. 1-4; C. kurodai duplicatus subsp. nov. Reisui, Lenranandō, S. coast of Tyōsen (Korea), T. Kuroda & M. Miyanaga Venus Murkaisima 12 3/4 1943 pp. 130-136 text-fig. 4.

Cipangocharax subgen. nov. of Chamalycaeus subgenotype Alycaeus biexcisus Pilsbry, T. Kuroda Jap. J. Malac. 13 1-4 1943 pp. 9-11.

Cipamgopaludina miryagii sp. nov. figd. in Venus 9 (1) p. 47 text-fig. in ponds in Takao Prefecture, Southern Taiwan, T. Kuroda Venus 10 3/4 p. 129.

Cyclotus, umbraticus sp. nov. Maxwell's Hill, 700 ft. Malaya W. G. S. B. Jutting Bull. Rafles Mus. Singapore 19 1949 p. 54 pl. 1 f. 1.

Diplommatina (Benigoma) oyamai sp. nov. Mt. Amagi. Izu-peninsula, Sizuopaken Honsyū Japan, T. Habe (Venus) = Jap. J. Malac. 13 1-4 1943 pp. 77-78 f. 1; D. bicoronata sp. nov. E. v. Martens Sitz. Ber. Nateuf. Freunde Berlin 1884 p. 199; D. streptophora Kramat Pulai, Perak type in Brit. Mus. p. 205 fig. 2e; D. pentaeckma Gua Musang, Kelantan type in Brit. Mus. p. 207 fig. 3a-b; D. demorgani Kota Gehanggi, Pahang p. 207 fig. 3c; B. maduana Gera Madu, Kelantan p. 209 f. 3d; D.

attenuata Gua Bama, Pahang p. 210 f. 4c; D. parabates Senggong, Perak p. 211 f. 4b; D. acme Kaki Bukits, Perlis p. 212 f. 4b; D. tweediei Gua Musang Kelantan p. 213 f. 4e; spp. nov. types to be deposited in British Museum; D. superba brevior subsp. nov. Sungei Siput, Perak type in Brit. Mus. p. 210 f. 3e; Diplommatina of Malaya, F. F. LAIDLAW Bull. Raffles Mus. Singapore 19 1949; D. (Sinica) kyobuntoensis. Kyobun-to, Korean Archipelago, T. Kuroda & M. Miyanaga Venus Mukaivima 12 3-4 1943 pp. 123-127 text-fig. 3.

Fijiopoma gen. nov. genotype Ostodes liberatus Garrett, W. J. CLENCH Bull. Bishop. Mus. Honolulu 196 1949 p. 23 f. 11.

Hargravesia richardsi sp. nov. Solomon Ids. N. coast of Guadalcanal Is., W. J. Clench Bull. Bishop Mus. Honolulu 196 1949 p. 47 f. 27.

Kanapa gen. nov. Pupinidae genotype Registoma brazieri Crosse., W. J. Clench Bull. Bishop Mus. Honolulu 196 1949 pp. 41-42 f. 24a; K. manni sp. nov. Solomon Ids. Three Sisters Ids., W. J. Clench Bull. Bishop Mus. Honolulu 196 1949 p. 42 f. 23a-24b, c.

Margarya monodi Dantz & Fischer M. melanioides monodi D. & F.) considered a species p. 9 pl. 1 f. 7-8; M. elongata sp. nov. W. shores of Kunming Lake p. 11 pl. ii f. 13-14; M. e. yini var. nov. p. 12 pl. ii f. 15-16 Kunming Lake; M. yangtsunrghaie visis sp. nov. from the bottom of Yang-trunhai p. 16 pl. ii f. 19-23 text-fig. 4; M. mansuyi Dantz & Fischer (= M. melanioides mansuyi D. & F.) considered of specific rank p. 19 pl. iii f. 23-28 text-fig. 5; M. mansuyi bicostata var. nov. Fu-hsien Lake p. 22 pl. iii f. 29-32; TCHANG-SI & C-Y TSI Contr. Inst. zool. Peiping 5 1 1949.

Ostodes cookei sp. nov. Upolu Is. p. 10 f. 3a; O. savaii sp. nov. Savaii Is. Salailua p. 14 f. 56 Samoan Is., W. J. CLENCH Bull. Bishop Mus. Honolulu 196 1949.

Pila speciora (Phil.) distribution T. Pain 670.

Pomacea castelloi (Sowerby) p. 1 f. 1, 2. P. castelloi pertusa (Sowerby) pl. 1 f. 3,

Vol. 86

4; P. granulosa (Sowerby) pl. 2 f. 5, 6, these figures are of the types of the three shells, T. Pain 671; P. canaliculata chaquensis subsp. nov. Maorejón de Ingeniero Juárez. Chaco salteño Formosa, M. I. H. Scott Acta zool. Lillo Tucuman 6 1948 p. 242.

Pupina (Pupina) huntingtoni sp. nov. Solomon Ids. northern coast of Guadalcanal Ids. p. 33 f. 19, W. J. CLENCH, Bull. Bishop Honolulu 196 1949.

Pupinesia gen. nov. genotype Pupina adamsiana Crosse, W. J. CLENCH, Bull. Bishop Mus. Honolulu 196 1949 p. 39 f. 22.

Pupinoa gen. nov. Genotype Pupina aurea Hinds, W. J. CLENCH, Bull. Bishop Mus. Honolulu 196 1949 p. 37 f. 21a; P. louisiadensis sp. nov. Lousiade Ids., W. J. CLENCH Bull. Bishop Mus. Honolulu 196 1949 p. 38.

Rhiostoma tomlini sp. nov. Khao Sabap. Siam, A. E. Salisbury Proc. Malac. Soc. London 1949 23 1 p. 41 pl. 3 B f. 3, 4.

Sigmacharex subgen. nov. of Chamalycaeus subgenotype C. (S.) itonis sp. nov. Okayama Japan, T. Kuroda Jap. J. Malac. 13 1-4 1943 pp. 8-10 text-figs. 1-4.

Tylotoechus cookei sp. nov. Solomons, Malaita Is. Auki, W. J. Clench Bull. Bishop Mus. Honolulu 196 p. 44 f. 25.

Viviparus lapillus, V. heudei, V. histricus, V. aeruginosa, V. reevei figs., I. Taki 884; V. viviparus operculum formation figs., B. Hubendick 381; Viriparus radulae figs., B. Verdcourt 945, 946.

VALVATACEA

Valvata radulae figs., B. VERDCOURT 947;

† Valvata (Valvata) exotica, V. (Turrivalvata) sarmatica, 'n. spp.' [nomm. nud. here], A. Papp 673.

LITTORINACEA

Acme fusca near Doncaster, A. S. Cook 179.

Annularella holguinensis? alcaldei "spec. nov." [subsp. nov.] Cueva del Rio Libisa Mayari Oriente Cuba, C. G. AGUAYO & M. S. Roig Rev. Soc. Malac. Habana 7 1 1949 10 pl. 2 f. 3, 4. Cyclostoma Notes on palaearctic species, J. PICARD 702.

Dumasella Cossmann a superfluous name, J. Morrellet 633.

Echininus Clench & Abbott 1942 (Johnsonia 4: 3) nom. nov. for Nina J. E. Gray 1850 non Horsfield 1829, W. Wenz Handb. Paläozool. Gast. Bd. 1: 524 vide etiam A. ZILCH Arch. J. Mollusk. 78 1/3 1949: 101.

Gassiesea gen. nov. genotype Cyclostoma artense Montrouz New Caledonia, W. J. CLENCH Bull. Bishop Mus. Honolulu 196 1949 p. 5 f. 1.

†Hesperidina gen. nov. Purpurinidae [sole sp.] striolata sp. nov. Lias Bou-Dahar. Notes Mem. Serv. Mines Carte Geol. Maroc. 68 1948 p. 95 pl. vii f. 9, 10.

Kondorhaphe gen. nov. genotype Kondorhaphe kiyokoae sp. nov. Truk Ids., Dublon Id. Mt. Tolowan, W. J. CLENCH Bull. Bishop Mus. Honolulu 196 1949 p. 28 f. 16.

Littorina neritoides found chiefly in places exposed to waves at Blanes N.E. Spain, M. Duran & M. Massuti 226; L. obtusata geographical variation in the North Atlantic, J. Knudsen 461; L. pintado Wood, of Hawaii eggs and larval stages figs., J. M. Ostergaard 658.

Melarhaphe, vitality of, J. Kuroda 490.

Opisthosiphon (Bermudezsiphona) conicus sp. nov. El Peñón S.E. of Chambas Camagüey Cuba, C. G. Aguayo & M. S. Roig Rev. Soc. Malac. Habaria 7 1 1949 7 pl. 2 f. 1; O. sainzi insolutus Loma Leal, Los Haticos, Holquin, Cuba p. 89 f. 1; O. caroli augusti subsp. nov. Finea Flores cerea del Mix Holguins, Cuba, CLENCH & Aguayo Rev. Soc. Malac. Cuba 6 3 1949 6 p. 90 f. 1, 2.

Paramia gen. nov. genotype Cyclostoma incisa Hombron & Jacquinot, W. J. CLENCH Bull. Bishop Mus. Honolulu 196 1949 p. 25 f. 13; P. kondoi sp. nov. Moen Id., Nebokos, Caroline Ids., W. J. CLENCH Bull. Bishop Mus. Honolulu 196 1949 p. 27 f. 15a, 28b.

Pomatias radula fig., B. VERDCOURT 948.

†Purpurina rudis p. 92 pl. vii f. 1, 2; P. moghrabiensis p. 93 pl. vi f. 17, 18; P. berberica p. 94 pl. vii f. 6-8 spp. nov. Lias Djebel Bou-Dahar Morocco, G. DUBAR Notes et Mém. Serv. Mines Carte geol. Maroc. 68 1948.

Tectarius, vitality of, J. KURODA 490.

Trodiphora err pro Tropidophora, E. Fischer-Piette 258.

Tropidophora thesauri p. 13 nom. nov. for Cyclostoma desmoulinsii Sow, (non. Grat) = C. moulinsii Rve.; T. humberti p. 14 pl. 1 f. 1-3; T. chavani p. 15 pl. 1 f. 4-6; T. petite p. 26 pl. ii f. 17-19; T. filopura p. 30 pl. ii f. 23-27; T. denisi p. 34 pl. iii f. 34-36; T. reesi p. 39 pl. ii p. 29-31 spp. nov. Madagascar E. FISCHER-PIETTE J. de Conchyliol. Paris 89 1 1949; T. tricarinata subdygana p. 45 pl. iii f. 42-43; tricarinata secans p. 48 p. iii f. 44-45; tricarinata lesagei p. 53 pl. iv f. 55-57; tricarinata chenui p. 56 pl. v f. 60-61; tricarinata rocquignyi p. 57 pl. v f. 64-65; tricarinata leucotropis p. 58 pl. v f. 66-69; vars. nov. Madagascar, E. FISCHER-PIETTE Jour. de Conchyliol. Paris 99 2 1949; T. milloti p. 111 pl. v f. 70-72; T. bathiei p. 113 pl. v f. 73-75; T. morondavensis p. 114 pl. v f. 76-78; T. diegoensis p. 118 pl. v f. 79-81; T. besalampiensis p. 119 pl. vi f. 82-84; T. tulearensis p. 120 pl. vi f. 85-87; T. vignali p. 121 pl. vi f. 88-90; T. winckworthi p. 126 p. vii f. 100-102; T. bemaraensis p. 129 pl. vii f. 103-105; T. tomlini p. 131 pl. vii f. 106-108; spp. nov.; T. stumpfii sambiranoensis p. 124 var. nov. Tropidophora of Madagascar, E. FISCHER-PIETTE Jour. de Conchyliol. Paris 89 3 1949.

Tropidophora of Madagascar. Iconography and Classification of the species of this island, E. FISCHER-PIETTE & J. MILLOT 263.

Wrightudora (Aguaystudora) laevistria sp. nov. El Peñón S.E. of Chambas, Camagüey, Cuba, C. G. AGUAYO & M. S. Roig Rev. Soc. Malac. Habana 7 1 1949 8 pl. 2 f. 2...

RISSOACEA

†Alvania (Massotia) zizyphina Dollfus, A. (Alvania) curta Dujard., A. (A.) oceani Orb., A. (A.) cimicoides Forbes, A. (A.) reticulata Mont., A. (A.) venus Orb., A. (A.) punctura

Mont., A. (A.) cancellata da C., A. (Taramellia) zetlandica Mont. A. (Manzonia) costata Ad. in the Redonian France, P. CALAS 131. Alvania (Arsenia) spirialis sp. nov. Middle Miocene Loire basin (Dollfus & Dautz nom. nud. 1886 Rissoa (Alvania) spiralis), M. GLIBERT Mém. Mus. Hist. nat. Belge. (2) fasc. 30 1949 p. 107 pl. vi f. 4; A. (Massotia) lactanea (nom. nud. D. & Dautz 1886) sp. nov. Middle Miocene Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belge. (2) fasc. 30 1949 p. 108 pl. vii f. 10; A. (Arsenia) dautzenbergi sp. nov. Middle Miocene Loire basin, M. GLIBERT Mem. Mus. Hist. nat. Belge. (2) fasc. 30 1949 p. 105 pl. vi f. 9; A. (Alvania) venus robusta; A. (Taramellia) zetlandica pluricosta vars. nov. p. 168 Saint-Clément-de-la-Place, France, Redonian, P. Calas Bull. Mus. Hist. nat. Paris (2) 21 1 1947; A. herae-laciniae sp. nov. Pliocene Italy nom. nud., G. RUGGIERI 785.

Amnicola miyadii sp. nov. Kurile Island, T. Habe Venus Mukaisima 12 1-2 1942 p. 26 f. 1-2; Amnicola radula figs., B. Verdoourt 943.

Assiminea (Pseudomphala) latericea miyazakii subsp. nov. p. 97; A. (Assiminea) liaotungensis nom. var. for "A. latericea Habe Venus 12 1/2 1942 [not '43 as quoted] pp. 38-39 pl. 1 f.3, pl. 3 f. 4 non H. & A. Ad. misprinted latericera" p. 98, T. Habe (Venus) Jap. J. Malac. 13 1-4 1943.

Assimineidae Classification of Japanese species, T. Habe 330; A. a revised list of J. panese species with key, T. Habe 338; Assimineidae Notes and corrections on Japanese species, T. Habe 333.

Assiminopsis sect. nov. of Assiminea for hayasii sp. nov. Japan, T. Habe Venus Mukaisima 12 1-2 1942 p. 44 pl. 1 bis f. 9 pl. 2 f. 6 pl. 3 f. 8.

Bithynia radulae, figs., B. VERDCOURT 944; B. tentaculata operculum formation, figs., B. Hubendick 381; B. tentaculata parasites, W. Newham 643.

Bythinella from the Côte d'Or, C. R. BOETTGER 96; B. wiridis Poiret, B. abbreviata Michaud, B. pupoides Paladilhe in E. France, figs., C. R. BOETTGER 96.

†Caspia (Caspia) graciliformis, C. (C.) microtesta 'n. spp.' [nomm. nud. here], A. Papp 673

Cavernacmella subgen. nov. of Paludinella, kugwuensis Susaki, Tuizi, T. Habe Venus Mukaisima 12 1-2 1942 p. 28 f. 172.

†Cingula miocenica Pruvot in the Redonian Anjow and Britany, P. Calas 131; C. (Onoba) dautzenbergi sp. nov. Middle Miocene, Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belge (2) fasc. 30 1949 p. 101 pl. v f. 21; C. turoniensis sp. nov. Middle Miocene, Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 p. 98 pl. v f. 18.

Dublonia gen. nov. genotype Dublonia brazieri sp. nov. Truk Isds., Dublon Is., Carolines, halfway up Mt. Tolowan, W. J. CLENCH Bull. Bishop Mus. Honolulu 196 1949 pp. 7, 8 f. 2.

Gonatorhaphe lauensis sp. nov. near and S. of Marona, Mango, Lan, Fijian Ids., W. J. CLENCH Bull. Bishop Mus. Honolulu 196 1949 p. 23 f. 10.

Hydrobia radula, figs., B. VERDCOURT 941; H. (Potamopyrgus) jenkinsi Smith in Denmark, and variation, figs., P. BONDESEN & E. W. KAISER 106; H. (P.) jenkinsi Smith in Denmark and its ecology and Danish records, P. BONDESEN & E. W. KAISER 107.

Hydrobiidae—hermaphroditism, figs., J. JOHANSSEN 417.

Jokajia subgen. nov. of Thaanumella subgen. type T. (J.) cookei sp. nov. Caroline Ids., Ponape, base of Peipalap Peak, Jokaj Islet, W. J. CLENCH Occ. Pprs. B. P. Bish. Mus. Honolulu 18 13 1946 p. 204 text-fig. 4.

Katayama hupensis, fig., J. Taki 884.

Omalogyra, structural differences in winter and summer forms, V. M. FRETTER 277; O., seasonal variation, V. M. FRETTER 277.

Omphalotropis cookei sp. nov. Marpi Cliffs, Saipan Island, Marianas, R. J. Abbott Occ. Pprs. Bishop Mus. Honolulu 19 15 1949 p. 263 fig. 1 a—e; O. quadrasi Mlldff, cotype figured, R. T. Abbott 8.

Oncomelania quatrasi experiments on the control of Schistosomiasis, D. B. McMullen & J. W. Ingalls 565; O. nosophora and Schistosoma japonica, seasonal studies, D. P. McMullen & others 564; O. lii, fig., J. Taki 884.

Paludinella conica fig. of cotype, P. c. saipanensis subsp. nov. Grove 6.8 m. 358° from Kagwan Pt. and 85 from Maniagassa Id. N. end of Saipan, Marianas, R. T. Abbott Occ. Pprs. Bishop Mus. Honolulu 19 15 1949 p. 271; P. minima (Pils, MS.) sp. nov. Japan, T. Habe Venus Mukaisima 12 1–2 1942 p. 52 pl. 1 bis. f. 16 pl. 2 f. 11 pl. 3 f. 3.

Ponapella gen. nov. Thaanumellinac subtam. nov. (Diadema) genotype P. pihapika sp. nov. Caroline Islands, Ponape, Mr. Tolotona, W. J. CLENCH Occ. Papts. Beatrice P. Bishop Mus. Honolulu xviii 13 1946 pp. 199. 200 text-figs.

Rissoa (Rissostomia) paulae sp. nov. Lago di Sabaudia (Paola), G. BRUNELLI & G. CANNICCI Boll. Pesca Piscicolt Idrobiol. Roma 16 4 1940 p. 46.

Rissoidae—hermaphrodism, figs., J. Johansson 417.

Rissoina (Schwartziella) chesneli michaudi var. nov. p. 198 pl. ix f. 5; R. (S.) bouryi sp. nov. p. 199 pl. ix f. 8; R. (S.) fischeri sp. nov. p. 199 pl. ix f. 6; Cuba, M. DESJARDIN Jour. de Conchyliol. Paris 89 4 1949.

†Rissoina bruguierei Payr. in the Redonian, France, P. Calas 131.

Sioliella gen. nov. Hydrobiidae? genotype S. effusa sp. nov. Rio Tapajoz at Belterra, Pará, Brazil, F. Haas An. Inst. Biol. Mexico 1949 20 pp. 308-309 f. 1, 2.

Syncera nitida guamensis subsp. nov. Banks of Pago River, Guam Id., Marianas, on most logs, etc., not far from the ocean, R. T. Abbott Bishop Mus. Honolulu 19 15 1949 p. 273 f. 8 a-c, 9 a-c.

Thaanumella gen. nov. (= Diadema Pease 1868 (in part) non Diadema Schum. 1817; Garrettia 'Pease 'Peatal 1873 in part) type Diadema carolinarum Mildff. (=Omphalotropis angulosa Ancey), W. J. Clench Occ. Pprs. Bish. B. Mus. Honolulu 18 13 1946 p. 201 text-fig. 2; T. cookei ponapensis subsp. nov. Caroline Ids., Mt. Tolotoru south side of Ponape, W. J. Clench Occ. Pprs. B. P. Bish. Mus. Honolulu 18 13 1946 p. 205.

Tomlinella subgen, nov. of Truncatella s.-genotype Truncatella scalaris Michaud, W. J. CLENCH & R. D. TURNER Johnsonia 2 25 1948 p. 159 pls. 45 f. 2, 71 f. 1-6. Truncatella bilabiata bahamensis Little Inagua Island p. 155 pl. 67 1–5; T. scalaris piratica St. George's Causeway. Bermuda p. 161 pl. 65 f. 1 pl. 72 f. 1–4; subspp. nov., W. J. CLENCH & R. D. TURNER Johnsonia 2 25 1948; T. valida Pfr., T. kivsiuensis Pils, T. k. japonica Pils, Radulae, figs., T. Habe 328.

CERITHIACEA

†Aphanoptyxis cossmanni sp. nov. Lias Djebel, Bow-Dahar, Morocco, G. DUBAR Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948 p. 54 pl. iii f. 9 a, b text-fig. 4 (p. 42).

†Aptyxiella praevia p. 52 pl. iii f. 4; A. ? subgradata p. 54 pl. iii f. 7, 8 spp. nov. Lias Djebel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Cartes Geol. Maroc 68 1948.

†Architectonica rutteni sp. nov. Neogene Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 21 pl. 2 f. la. b.

Argyropeza izekiana sp. nov. off Toca, ca. 100 fms., Japan, T. Kuroda Jap. J. Malac. 15 5, 8 1949 pp. 76-78 fig. 1.

†Brachytrema? despujolsi sp. nov. Lias Djebel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948 p. 62 pl. iii f. 31-33.

†Campanilopa dilloni sp. nov. Eocene, California, Hanna & Hertlein J. Paleont. Menasha Wis. 23 4 1949 p. 393 pl. 77 f. 2, 4 text-fig. 1.

Cerithidea cingulatus (Gmel.) rate of growth, V. Sadasivan 792.

†Cerithidea (Cerithideopsilla) tokunagai sp. nov. Miocene, Tyūgoku, Japan. Y. Отака J. Fac. Sci. Jap. Univ. Tokyo Geol. 1938 5 1, 2 pp. 22 39 pl. iii f. 29.

†Cerithiello (Fibula) bekfayensis sp. nov. Mesozoic, Lebanon, G. Delpey Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 214 text-fig. 171; C. africana p. 1 1fig. 16-18; C. sarrazini pl. 1 f. 19-21 text-fig. 5 spp. nov. Lias, Bou-Dahar. Morocco, G. Debar Notes et Mém. Serv. Mines Carte Geol. Maroc 63 1948 p. 46.

†Cerithinella termieri p. 66 pl. iv. f. 3-7 text-fig. 15; C. gratiosa p. 69 pl. iv. f. 14, 15 text-fig. 17; C. baccata p. 70

pl. iv. f. 19-22 text-fig. 18; C. gemmifera p. 71 pl. iv f. 25-28 text-fig. 20; C. margaritata p. 72 pl. iv. f. 29-36 textfigs. 21-23; spp. nov. Lias Djebel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 68 II 1948.

†Cerithiopsis (Cerithiopsis) dautzenbergi sp. nov. Miocene, Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belge (2) fasc. 30 1949 p. 150 pl. x f. 2; C. (Metaxia) turoniensis sp. nov. Miocene, Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 p. 153 pl. x f. 6.

†Cerithium orfellense p. 114 f. 10; C. sofegginense p. 115 f. 11: spp. nov. Maestrichtian Basin of Sofeggin-Orfella, Lybia, C. BRICCHI Riv. ital. Paleont. Milano 55 3 1949; C. ingens sp. nov. Lias Djebel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 58 1948 p. 91 pl. vi f. 1 a, b; C. (Ptychocerithium?) eymardi (D. & D. MSS.) sp. nov. Miocene, Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belge. (2) fasc. 30 1949 p. 145 pl. ix f. 10.

Clava obeliscus (Brug.), of Hawaii eggs and larval stages, figs., J. M. OSTERGAARD 658.

†Clava (Proclava) reinhardi sp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 22 pl. 1 f. 7 a-c.

†Cryptaulax angulodentatum p. 77 pl. v f 8, 9; C. album p. 79 pl. v f. 1-7 text-fig. 32: spp. nov. Lias Djebel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 63 1948.

Diala vitrea Sow. used as a fertilizer, TANZI & KANAMARU 890.

†Exelissa pusilla sp. nov. p. 80 pl. v f. 19, 20; E. douxamii africana var. nov. p. 80 pl. v f. 21-25 text-fig. 11 (p. 64); E. spissa sp. nov. p. 81 pl. v f. 26-28; E. spissa capillata var. nov. pl. v f. 29-30; E. menchikoffi p. 82 pl. v f. 31-35 text-fig. 12 (p. 64); E. galenae p. 83 pl. v f. 38-40 text-fig. 13 (p. 64): spp. nov. Lias Djebel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948.

†Fibula afra p. 47 pl. ii f. 1-3; F. nicolai p. 48 pl. ii f. 4-8 text-fig. 6: spp. nov. Lias Djebel, Bou-Dahar, Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948.

Fibulella nom. nov. Fibula Piette 1859 non Leske 1778 type C [eritella (F.) undulosa Piette "[Fibula]" [sed vide L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Surv. Moll. Br. Great oolite ser. pt. 11 1950 p. 76], W. Wenz Handb. Paläozoologie 6 6 1 1940 p. 817.

†Glauconia mariae medensis p. 78 pl. 1 f. 32 text-fig. 3; G. m. bruni p. 79 pl. 1 f. 34, 35 text-fig.; G. m. repelini p. 79 pl. 1 f. 33 text-fig. 4; G. m. ruysseni p. 80 pl. 1 f 36 text-fig. 6: vars. nov. Upper Cretaceous, Provence, France; G. conoidea granosa var. nov. Upper Cretaceous, Provence, France, S. Fabre-Taxy Ann. Palëont. Paris 64 1948 p. 76 pl. 1 f. 28.

Iddingsella nom. nov. for Iddingsia Olsson 1929 non Walcott 1924, Olsson Bull. Amer. Paleont. 68 (111) 1944: 164 vide etiam W. Wenz Handb. Paläozool. Gastr. i 762 et A. Ziloh Arch. f. Mollusk. 78 1/3 1949 101.

Kiramodulus lacteus gen. et sp. nov. off Tosa, Shikoku, Japan, T. Kuroda Jap. J. Malac. 15 5/8 1949 pp. 73,-74 text-fig. 1.

†Lemintina maronoensis sp. nov. South of Murona (Hawaisidahe conglomerate beds), Neogene, Japan, Y. Otuka J. Fac. Sci. Jap. Univ. Tokyo Geol. 1938 5 1-2 p, 16 pl. ii f. 26, 12, 17.

Melanoides tuberculatus (Muller) on the brood pouch and nutrition of embryos, H. RAMAMURTHY 733; M. (Plotia) scabra, M. (Melanoides) tuberculatus, figs. and human schistosomes, V. SIVALINGHAM 849; M. reiniana in Lake Tyūzenzi, Japan, M. YAMAGUTI 1006.

†Melanoides (Tarebia) beetsi sp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abk. 66 (1948-9) 1948 No. 2 p. 23 pl. 1 f. 8 a-e; M. tigrinus raoi var. nov. p. 303 f. 1 a, b; M. prashadi sp. nov. p. 304 f. 2 a, b, Andamans, H. C. Ray Rec. Indian Mus. 45 4 1947.

† Melanopsis impressa pseudonarzolina 'n. esp.' [nom. nud. here]. A. Papp 673. Melanopsis libanensis sp. nov. Mesozoic, Lebanon, G. Delpey Notes Mem. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 93 text-fig. 66 pl. v f. 5.

†Nerinea dubertreti p. 170 text-fig. 130 pl. vi f. 1-3; N. diozoptygmatis p. 171 text-fig. 132 pl. ii f. 9; N. zumofeni p. 177 text-fig. 139 pl. iii f. 3-5; N. diffusa p. 179 text-fig. 141-142 pl. iii f. 6; N. multilamellosa p. 179 text-fig. 143 pl. vi f. 4; N. kenissensis p. 182 pl. v f. 3; N. prefleuriani p. 185 pl. iii f. 11-15; N. mutabilis p. 186 text-figs. 144-145: spp. nov. Mesozoic. Lebanon; N. blancheti marmorea var. nov. p. 183 pl. iii f. 8; N. blanckenhorni nom. nov. = requieniana Fraas non Orb. = uniplicata Blankenhorn non Quenstedt p. 189: N. gemmifera ghazirensis var. nov. p. 194 text-fig. 151 pl. vii f. 11-12: Mesozoic. Lebanon. G. Delpey Notes Mem. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940; N. coquandi Orb. coquandi sigunovi, vogti Mortil, vogti archimedi Orb, gigantea Hombre-Firmas, figs.. K. V. Petković 694; N. visurgis Röm. from the Torinosu Limestone. Japan, T. Sugiyama & S. Asao 873.

†Nerinella libanotica sp. nov. Mesozoic, Lebanon, G. Delpey Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 161 text-fig. 119-120 pl. 1 f. 19-20; N. marucchiensis p. 54 pl. iii f. 10-14 text-fig. 9 (p. 42); N. cayeuxi p. 57 pl. iii f. 18. 19; N. convoluta p. 58 pl. iii f. 21-25: spp. nov. Lias Djebel, Bou-Dahar. Morocco. G. Dabar Notes et Mém. Serv. Mines Carte Geol. Marco 68 1948.

Nerinoides nom. nov. Nerinella Sharpe 1850 non Nardo 1847 type Aptyxiella (N.) dupiniana (A. Orbigny) "[Nerinea]" [sed vide L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Surv. Moll. Br. Great Oolite Series pt. ii 1950 p. 77], W. Wenz Handb. Palāczoologie 6 6 1 1940 p. 824.

†Omphaloptycha aldrovandii Stopp.. O. sp. ind. Trias, Montenegro. Z. Bešić 78.

†Orthocketus? pauciornatus sp. nov. Mesozoic, Lebanon, G. DELLEY Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 147 fig. 104 pl. vi f. 15.

Potamides (Potamides) dujardini nom. nov. = Cerithium pulchellum Dujardin 1837 non J. de C. Sowerby 1832, M. GLIBERT Mem. Mus. Hist. nat. Belge. (2 fasc. 30 1840 p. 134 pl. ix f. 2 a, b.

†Potamides lamarchi Brong, Paleontological considerations, H. ALIMEN 16.

†Protoma quadriplicata turonicasis nov. forma = P. proto D. & D. 1886 non Basterot, Middle Miscene, Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belge. (2) fasc. 30 1949 p. 120 pl. vii f. 3.

*Pseudotritonium nom. nov. Paiaeotriton Kittl. 1894 91 non Fitzinger 1843. type P. remasium (Münster) "[Scallaria" "W. W. Exz. Handb. Palăezoologie 6 6 1 1940 p. 732.

Pyryulifera pichleri Hornes and sp. ind. of the Senonian. Cheko-Slovakia. figs., Z. Bešič 77.

†Semisolarium dubertreti sp. nov. Mesozoic. Lebanon, G. DELPEY Notes Mém, Haut-Comm, Républ, Franc. Syrie et Au Liban 3 1940 p. 32 text-fig. 7 pl. vi f. 10.

†Taxonia iesserata sp. nov. Pliocene, Otahuhu, Auckland, N.Z., J. MARWICK Palacont, Bull, N.Z., pp. 628 pl. 7 f. 1.

Torinia camrainei nom. nov. for Solarium affine Cantraine Bull. Acad. Roy. Sci. Brux. 9 pt. 2 p. 342 non D. de C. Sowerby Tr. Geöl. Soc. London (2) 5 pt. 1 p. 328 pl. 26 f. 5 1837, Ch. BAYER Zool. Verk. Leiden 4 1948 p. 9; T. gyrus (Muschen) = areola Gmelin. subsp. depressiuscula nom. nov. = T. variegata depressa Marshall Tryon Man. Conch. 9 p. 17 1887 (non depressum Grat. 1832); T. r. planulatum Paetei Catal. p. 287 1887 non Solarium planulatum Grat. 1832. Ch. BAYER Zool. eiden Verh. L 1948 p. 22.

†Turitella [sic (Haustator) surmatica 'n. sp.' [nom. nud. here], A. PAPP 673.

Turritella female organs of reproduction, figs., J. KOSTITZINE 472.

Turritella chiesai sp. nov. p. 37 f. 1; T. c. trilinenta var. nov. p. 38 f. 2; T. carolai sp. nov. p. 39 f. 3; T. rossii sp. nov. p. 40 f. 4: Maestrichtian, Lybia, C. Beicchi Riv. ital. Paleont. Milano 55 1 1949; T. (Torculoidella) praevaricosa sp. nov. Miocene, Austria, R. Siebee Anz. Akad. Wiss. Wien 1949 06 pp. 156, 158.

†Vermetus (Scrpulerbis) arenarius fasciatus forma nov. Loire basin, Missene, M. GLIBERT Mém. Mus. Hist. nat. Belge. (2) fasc. 30 1949 p. 127 pl. viii f. 1g.

†Zefallacia lawsi sp. nov. Pliocene, Otahuhu, Auckland, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1948 pp. 6 29 pl. 7 f. 2-4.

CALYPTRAEACEA

Capulus ungarious on Modiolus off the Isle of Man, N. S. Jones 423; C. ungarious feeding habits, J. H. Orton 955.

†Capulus vautrini sp. nov. Mesozoic, Lebanon, G. Delper Notes Mém. Haut-Comm. Républ. Franc. Syrie at Au Liban 3 1940 p. 29 text-fig. 4 pl. ii f. 10.

Crepidula fornicata (L.) in between Portland and Weymouth, T. E. BELCHER 66; C. nutrition and sexuality, W. R. Coe 166; C.—divergent methods of development in morphologically similar species. W. R. Coe 167; C. plana—sexuality, graphs, figs. and tables, W. R. Coe 168; C. fornicata L. in the N. Frisian Islands, B. Werner 975.

Galeropsidea nom. nov. for Galeropsis Kutassy 1937 Geol. Hung. Sēr. Pal. 13 56 non Hupé 1860, A. Zilch Archiv. f. Molluskenk. 78 1/3 1949 101.

STROMBACEA

Aporrhais pespelicani, J. Johansson 418.

†Chenopus dubertreti sp. nov. Mesozoic, Lebanon, G. Delpey Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 110 text-fig. 77.

Eustrombus subgen. nov. Strombus subgenotype S. (E.) gigas Linné, W. WENZ Handb. Paläozoologie 6 6-1 1940 p. 945. Lambis bryonia (Gmelin) as used as a horn, from the Seychelles, R. Winck-Worth 983.

Strombus chrysostomus sp. nov.=S. aurisdianae (ex parte) Reeve Conch. Icon pl. 15 f. 36a only pp. 3, 7 f. 7, 2; S. hirasei Okinawa Ids. sp. nov. pp. 5, 8 f. 3, 4, T. Kuroda Venus Mukaisima 12 1-2 1942; S. maculatus Nuttall off Hawai, eggs and larval stages. J. M. Ostergaard 658.

†Strombus (Labiostrombus) overbecki p. 26 pl. 2 f. 7 a-c; S. (L.) togopiensis p. 27 pl. 2 f. 10 a, b; S. (L.) denti p. 29 pl. 2 f. 4 a, b, 5: spp. nov.; S. (L.) labiosus teschi var. nov. p. 28 pl. 2 f. 8 a, b, Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 55 (1948-9) 1948 No. 2; S.? kelleri sp. nov. Mesozoic, Lebanon. G. Delpey Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 119 text-fig 84 pl. vi f. 13; S. antiochensis sp. nov., Franc. Syrie et Au Leban 3 1940 p. 369 pl. iii f. 5, 5a; S. silpinsensis sp. nov., J. Roman Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Leban 3 1940 p. 369 pl. iii f. 5, 5a; S. silpinsensis sp. nov., J. Roman Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 397 pl. v f. 1, la, 2.

†Strutholaria firthi sp. nov. Pliocene, Otahuhu, Auckland, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1948 pp. 6, 29 pl. 6 f. 2, 3.

†Tibia wenki sp. nov. Neogene, Dent Peninsula, British North Borneo, L. R Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 30 pl. 3 f. 1 a-b, 2; T. (2) morobica sp. nov. Mesozoic, Cretaceous, Kaindi M., Lamorphi Group, Snake River, 20 m. N. of Waw Morobe District, New Guinea, M. F. GLAESSNER Mem. Qd. Mus. Brisbane 12 4 1949 p. 174 pl. xv f. 11. 12 text-fig. 6.

†Xenophora jezleri sp. nov. Neogene, Dent Peninsula. British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 20 pl. 1 f. 11 a-c.

ATLANTIDACEA

Atlanta quoyana Soulevet radula, fig., A. Franc 274.

Carinaria cithara procumbens var. nov. (=† C. elata Sow. 1895) near the Seychelles, and in the Sulu Sea. J. J. TESCH Dana Rep. Copenhagen No. 34 1949 p. 29 pl. iii f. 4 c.

Firoloida desmaresti histological notes, A. Franc 271.

Pterotrachea mutica Lesueur radula figured, A. Franc.

NATICACEA

†Amauropsis zelandica sp. nov. W. Escaut near Ellewoutsdijk, Holocene, A. Bloklander Basteria Lisse 1949 13 1/3 p. 37 text-fig.

†Ampullaria faujasi gardonensis var. nov. Upper Cretaceous, Provence, France, S. FABRE-TAXY Ann. Paléont. Paris 34 1948 p. 80 pl. 1 f. 13.

†Euspira cantiana "n. sp." p. 15 f. 16-18=? Ampullina subdepressa Morris 1852 p. 267 Thanet Sands, near Herne Bay; E. bassae sp. nov. Thanet Sands, Bishopstone, near Herne Bay p. 15 f. 19, 20; E. regnorum sp. nov. London Clay, Bognor p. 16 f. 21; E. bartonensis Middle Barton Beds, Barton sp. nov. p. 17 f. 26; E. oligocenica "n. sp."=Natica nysti Dcsh. non Orb. p. 18 f. 27; E. headonensis sp. nov.= part of Natica labellata var. Edwards, MS., Middle Headon beds, Colwell Bay; E. vectensis "n. sp."=Natica labellata Morris in Forbes 1856 p. 146 pl. 1 f. 6 non Lamarck p. 10 f. 30. A. WRIGLEY Proc. Malac. Soc. London 1949 28 1.

†Globularia (Cernina) nakamurai sp. nov. Miocene, Tyūgoku, Japan, Y. Otuka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 pp. 22 37 pl. iii f. 19-21.

Natica (Neverita) josephinia Risso variation in growth of the shell, graphs and tables, E. Marchasini 574; N egg capsules, figs., G. Thorson 909.

†Natica (s. l.) thanetensis sp. nov. Thanet Sands, Bishopstone, near Herne Bay, A. Wrigley Proc. Malac. Soc. London 1949 28 1 p. 23 f. 43; N. argillacea London Clay, Bognor figs. 5, 6; N. burtoni=N. caillati R. B. Newton non Desh. [nom. nov.], Middle Barton beds, figs. 8-12 'spp. nov.', A. Wrigley Proc. Malac. Soc. London 1949 28 1 p. 13; N. raropunctata sulcooperculata var. nov. Pliocene, Italy, G. Ruggieri Giorn. geol. Bologna 3 20 1948 p. 78 pl. if. 1; N. catena sarmatica 'n. ssp.' [nom. nud. here], A. Pape 673.

Naticidae of the English Eocene and Oligocene, A. WRIGLEY 998.

Polynices (Mammilla) kurodai nom. nov. for Natica macrostoma Philippi 1852 Syst. Conch-Cab. Bd. 2 Abt. 1 p. 55 pl. 9 f. 1 loc. unknown, not F. A. Roemer Verst. Nord-deutsch. oolith (3) 1836 p. 157, I. Taki (Venus)—Jap. J. Malac. 13 1-4 1943 p. 111 figs. 1-2.

†Polinices stanleyi sp. nov. Pliocene, Otahuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6, 30 pl. 6 f. 7, 9, 12; P. bognorensis sp. nov. London Clay, Bognor, A. Wrigley Proc. Malac. Soc. London 1949 28 1 p. 19 f. 33.

Tectonatica janthostomoides nom. nov. [sp. nov.] Japan, T. Kuroda & T. Habe Jap. J. Malac. 15 5/8 1949 p. 71.

†Tectonatica davisi sp. nov. London Clay, Newnham, Hants, A. WRIGLEY Proc. Malac. Soc. London 1949 28 lp. 14 f. 13.

Tella nom. nov. for Natella Palmer 1937 non Watson 1934, Palmer J Paleont. 16 (5) 1942: 674 vide etiam, W. Wenz Handb. Paläozool. Gastr. i. 1040, Arch. f. Moll. 78 1/3 1949 101.

LAMELLARIACEA

Caledoniella a commensal species in Japanese Seas, T. Kuroda 495.

Eratoidae of the Indian Ocean, H. C. Ray 751.

Pediculariidae of the Indian Ocean, H. C. RAY 751.

Triviidae of the Indian Ocean, H. C. RAY 751.

CYPRAEACEA

†Cribraria quilonensis sp. nov. Quilon bed, Padappakaro, Travancore State, S. India, A. H. DEY abstract in Proc. Indian Sci. Congr. 1947 33rd 3 p. 104. [List only.]

Cypraea (Vulgusella) tigris fuscoapicata; C. (Lyncina) lynx nigroguttata Indian Ocean; C. (L.) t.
javana Java; C. (L.) vitellus gibbosa
Guam; C. (L.) careola [sic] pretiosa
Banadin; C. (L.) carneola aurea
Australia; vars. nov., G. S. Coen
Hist. Nat. Roma 3 1 1949 p. 13; C.
carneola L., C. isabella L., C. caputserpentis L., C. mauritiana L., C.
poraria L., of Hawaii Eggs and larval
stages, J. M. Ostergaard 658; C.
carneola barbadensis subsp. nov. Barbados, A. H. Verrell Mollusca Tayares

2 3 1948 p. 70; C. carneola in the West Indies, A. H. VERRILL 950.

Cypraeidae Classification of some allied Japanese species, T. KURODA 504.

Blasicrura cylindrica emaculata Australia var. nov., G. S. Coen Hist. nat. Roma 3 1 1949 p. 17.

Erronea errones fusca Cochin China; E. e. immaculata Benadir; E. caurica multidentata Red Sea; E. c. niterns Isle Maurice; E. c. caledonica New Caledonia; E. psudarabicula Somalia; vars. nov. G. S. COEN Hist. nat. Roma 3 1 1949 p. 17.

Erosaria erosa marginata Red Sea; E. e. pulchella Australia vars. nov. E. diaphana spl. nov. Australia; p. 14; E. lamarcki inocellata Benadir; E. ocellata fasciomaculata Red Sea; E. acticularis nitidiuscula Antilles; E. helvola immaculata Somalia; E. spurca peculiaris Libya. Sicily; E. s. inflata Taormina E. (Rivitrona) caputserpentis albosignata; E. (R.) caputdraconis punctatissima vars. nov. G. S. COEN Hist. nat. Roma 3 1 1949 p. 15.

†Erosaria sabahensis p. 32 pl. 3 f. 7 a-b; E. (Adusta) cowiei p. 33 pl. 3 f. 4 a-c; E. (Adusta) poscurizi p. 34 pl. 3 f. 3 a-c; spp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1945-49) 1948 No. 2.

Guttacypraea pulicaria candida var. nov. West Australia; var. nov. G. S. Coen Hist. nat. Roma 3 1 1949 p. 16.

Jenneria pustulata bimaculata Panama; J. p. pumilio Panama vars. nov. G. S. Coen Hist. nat. Roma 3 1 1949 p. 18.

Luponia fuscodentata alba var. nov. C. of Good Hope, G. S. Coen Hist. nat. Roma 3 1 1949 p. 16.

Luria lurida onycina, Palermo, Tunisia; L. l. incrassata Tirreno; L. l. badia Sicily; L. l. liburnica Coen 1937; L. (Basilitrona) isabella cylindroides Viti Ids. vars. nov. G. S. Coen Hist. nat. Roma 3 1 1949 p. 14.

Mauritia (Arabica) arabica dilatata Mar della Cina p. 13; M. (A.) a. gibba Mar della Cina; M. (A.) eglantina aurea Indian Ocean; M. (A.) e. rufa Indian Ocean; M. (A.) histrio duploreticulata vars. nov. p. 14 G. S. COEN Hist. nat. Roma 3 l 1949. Monetaria moneta annulifera var. nov. Indian Ocean G. S. Coen Hist. nat. Roma 3 1 1949 p. 14.

Notocypraea angustata lentiginosa var. nov. Tasmania, G. S. COEN Hist. nat. Roma 3 1 1949 p. 16.

Nuclearia nucleus cerea Madagascar: var. nov. G. S. Coen Hist. nat. Roma 3 1 1949 p. 16.

Palmadusta asellus fusca Red Sea; P. diluculum magnifica Zanzibar; P. d. epunctata Philippines; P. (Purpuradusta) fimbriata nitida; vars. nov. G. S. COEN Hist. nat. Roma 3 I 1949 p. 17.

Primovula carnea gibbosa Trapani; P. c. dorsolirata Capri; P. c. major Ancona; Lesina; vars. nov. G. S. COEN Hist. nat. Roma 3 1 1949 p. 18.

†Pseudozonaria simonnei sp. nov. Quilon bed. Padappakara, Travancore State, S. India, A. K. Dey abstract in Proc. Indian Sci. Conge. 1947 33rd 3 p. 104 [list only].

Pustularia circercula purissima var. nov. Is. Maurice, G. S. COEN Hist. nat. Roma 3 1 1949 p. 16.

Simnia (Neosimnia) spelta brevis Palermo; S. (N.) s. liyrica Dalmatis vars. nov. G. S. Coen Hist, nat. Roma 3 1 1949 p. 18.

Siphocypraea mus suta var. nov. Antilles, G. S. Coen Hist. nat. Roma 3 1 1949 p. 17.

Staphylaea staphylaea fortis Polynesia; S. s. nitida Australia; S. s. consobrina lactea Batavia; S. s. c. grisea Polynesia; S. limacina ebur Hawaii; S. l. nitens Oceania; vars. nov. G. S. COEN Hist. nat. Roma 3 I 1949 p. 15.

Zoila rosselli sp. nov. Freemantle, W. Australia from a beach near North Wharf "just beyond the wall where all sorts of rubbish comes ashore," B. C. COTTON Trans. roy. Soc. S. Aust. 1948 72 1 p. 30 pl. i f. 1-6.

†Zoila schilderi sp. nov. Quilon bed Padappakara, Travancore State, S. India, A. K. Dev abstract in Proc. Indian Sci. Congr. 1947 33rd 3 p. 104 flist only]. Zonaria pyrum elongata Naples; Z. p. cruenta Naples; Z. p. piperitoides Naples; Z. p. compressa Tirreno; Z. p. nivosa Linosa, Lampedusa; Z. p. aurantia Mediterranean vars. nov. Z. p. minima Viareggio, G. S. Coen, G. H. Coen Hist. nat. Roma 3 1 1949.

†Zonarina travuncorica sp. nov. Quilon bed. Padappakara, Travancore State, S. India, A. K. Day abstract in Proc. Indian Sci. Congr. 1947 33rd 3 p. 104 [list only].

TONNACEA

Bursidae synonymy, nomenclature and ranges of species, MAXWELL SMITH **852.**

Cassididae synonymy, nomenclature and range of species, MAXWELL SMITH 852.

Cassis rufa (L:) as used as a horn, from the Seychelles fig., R. Winckworth 988.

Charonia lampas (L.) in the lower littoral zone, B. S. Kisch 457; C. lampas (L.) further observations on occurrence, B. S. Kisch 458; C. tritonis (L.) as used as a horn from the Seychelles fig., R. WINCKWORTH 988.

Cymatiidae synonymy, nomenclature and range of species, MAXWELL SMITH 852.

†Cymatium (Lampusia) pileare borneana var. nov. Neogene Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948–9) 1948 No. 2 p. 39 pl. 4 f. 1 a-b.

Dissentoma, the embryonic stage of Cymatium martinianum (Orb.) H. A. PLISBRY Nautilus Philad. 1949 62 4 p. 142.

Dolium egg capsules, fig., G. Thorson 909.

Eudolium a review of the genus, figs., R. D. TURNER 924.

Fusitriton algoensis Tomlin a synonym of murrayi E. A. Smith, fig. of radula, K. H. BARNARD 56.

Galeodea Link 1807 (=Cassidaria Lk. 1812) "Dieser Name ist nicht durch Galeodes Olivier 1791 präokkupiert," W. Wenz Handb, Paläozool. Gastr. 1 1047, A. ZILOH Arch. Mallusk 78 1/3 1949 p. 101.

Goniodiscus ruderatus study in, J. ROYER 780.

Malea pomum (L.) in Hawaiian waters smallest of the Hawaiian Tuk shells, S. Fischer 916.

Occorys, a review of the genus, figs.. R. D. TURNER 924; O. schepmani nom. nov. for O. elongata Schepman 1909 Siboga Exped. non O. sulcata elongata Locard 1897, R. D. TURNER Johnsonia 2 26 1948 p. 190.

†Phalium (Semicassis) dalrymplei sp. nov. Neogane Dent Peninsula, British North Borneo L. R. Cox Schweiz. Palaeont. Abh. 66 (1948–9) 1948 No. 2 p. 37 pl. 1 f. 10 a–b.

Tonna perdix L. of Hawai eggs and larval stages, figs., J. M. OSTERGAARD 658; T. sp. egg-mass from Krusadai Island, N. K. Panikkar & P. R. S. Tampi 672; T. maculosa Dillwyn specimen no. 113091 Simms, Long Island, Bahamas, designated as 'neoholotype,' R. D. Turker Johnsonia 2 26 p. 170 pl. 76 f. 1 [a poor photographic reproduction]; T. canaliculata (L.), T. dolium (L.), T. perdix (L.), from Hawaii, figs., S. Tinker 916; T. melanostoma Jay, second in abundance to T. perdis in Hawaiian waters, S. Tinker 916.

PTENOGLOSSA

EPITONIACEA

Epitonium (Cirsotrema) pilsbryi—a correction, T. L. McGinty Nautilus Philad. 1949 62 4 p. 142.

Habea gen. nov. Epitoniidae, sole sp. [genotype] inazwai Kamakura Japan, T. Kuroda 'Venus' Jap. J. Malac. Mukaisima 13 1-4 1943 p. 12 text-fig.

Janthina exigna Lamarck in Cornwall, T. G. W. Fowler 268.

Opalia montereyensis (Dall) is a very imature stage of O. pluricostata "Carpenter" Dall 1917 recorded from numerous localities as Opalia evicta (pluricostata) and O. wroblewskii; montereyensis is the oldest unpreoccupied name and therefore stands, S. S. Berry 75; O. (Pliciscala) soror (de Boury 1909 in coll.) nov. sp. Miocene Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 p. 161 pl. x f. 15 a-b.

†Opalia (Dentiscala) fratercula (de Boury 1909 in coll.) nov. sp. Miocene Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 p. 159 pl. x f. 8.

Scala (Parviscala) rugata (de Boury 1909 in coll.) nov. sp. Miocene Loire basin, M. Glibert Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 p. 170 pl. xi f. 4.

†Scala (Acrilla) pseudogallica sp. nov. Miocene Loire basin, M. GLIBERT Mém. Mus. Hist. nat. Belg. (2) fasc. 30 1949 p. 167 pl. x f. 22.

PYRAMIDELLACEA

Brachystomia rissoides (Hanl.) eggs and larvae, figs., E. RASMUSSEN 740.

Cambodgita nom, nov. for Cambodgia Mansuy 1914 non Guenée 1857 STRAND Arch. Naturg. 92A (8): 40 vide etiam W. WENZ Handb. Paläozool. Gastr. 1 p. 371, et A. Zilch Archiv. f. Mollusk. 78 1/3 1949 p. 101.

†Coelostylina (Omphaloptycha) rigida; C. (Cosmostylina subgen. nov. q.v.) darestei p. 104 pl. viii f. 7-11 text-figs. 36 (p. 115); C. (Cosmostylina) lima p. 105 pl. viii f. 12 a-b; spp. nov. Lias Djebel Bon-Dahar Morocco, G. Dubar Notes et Mém. Serv. mines Carte. Geol. Maroc 68 1948.

†Cosmostylina subgen. nov. of Coelostylina, subgenotype darestei sp. nov. Lias Djebel Bou-Dahar Morocco, G. DUBAR Notes et Mem. Serv. Mines Carte Geol. Maroc 68 1945 p. 103-104 pl. viii f. 7-11 text-fig. 36 (p. 115).

 $\begin{array}{ccc} \textit{Eulinella nitidissima} & \text{(Mont.)} & \text{eggs} \\ \text{and larvae, figs., E. Rasmussen 740.} \end{array}$

Fusoidella Wenz 1938 = Fusoidella Kutassy 1937 (Geol. Hung. Ser. Pal. 13), W. WENZ Handb. Palaozool. Gastr. Bd. 1 p. 373 vide etiam, A. ZILCH Archiv. f. Mollusk. 78 1/3 1949 p. 101.

†Gardetia subgen. nov. of Pseudomelania for Turritella (Trypanostylus?) chouberti Gardet. Domerian Djebel Bou-Dahar Morocco, G. DUBAR Notes et Mém. Serv. Mines Carte Geol. Maroc. 63 1948 p. 116 pl. vii f. 18-20 & 21?

Iolina nom. nov. for Iolaea A. Adams 1860 non Iolea Pascoe 1858 Bally Nautilus 61 (3) 1948:107 "Apo-Monotypus" is Iole scitula Adams Zilco-Arch. f. mollusk. 78 1/3 1949:101 et W. Wenz Hanbb. Paläogool. Gastr. i p. 851.

†Loxonema australis (Chapman) (=L. sinuosa Sow. var. australis) in the Devonian, Victoria, Australia, figs., E. D. Gill 300.

Melanella comatulicola (Graff.) parasitic upon Antedon, G. Bacci 44.

†Microschiza (Cloughtonia) marounensis p. 72 f. 46; M. (Coronatica) heybroeki p. 76 f. 51 spp. nov. Mesozoic Lebanon, G. Delpey Notes et Mém. Haut.-Comm. Républ. Franc. Syrie et Au Liban 3 1940.

Mucronalia augulata sp. nov. parasitic on Holothuria cinerascens Ile de Paques, G. Mandahl-Barth Jour. de Conchyliol. Paris 89 3 1949 p. 147 pl. viii.

Niso tetuakii sp. nov. off Tosa Shikoku 150 m. Japan, T. Habe Jap. J. Malac. 15 5 1949 pp. 81–82 f. 2.

Odostomia trifida Totten living commensally on the siphon ends of Myaarenaria L. Gulf of S. Lawrence, J. C. Medogf 595; O. (Chrysallida) sorenseni p. 87 pl. 11 f. 3; O. (Ividella) ulloana p. 88 pl. 11 f. 1; O. (Menestro) ciguatanis p. 89 pl. 12 f. 3: spp. nov. Gulf of California, A. M. Strong Bull. S. Calif. Acad. Sci. 48 2 1949; Odostomia parastic on Polychaetes and Lamellibranchs, V. M. Fretter 277; O. unidentata, O. plicata, O. lukisii structure and mode of life, figs., V. Fretter & A. Graham 278.

†Pseudomelania (Oonia?) marucchiensis p. 111 pl. ix f. 10-13; P. dealbata p. 112 pl. vi f. 3-7; P. (Rhabdoconcha?) tenuestriata p. 113 pl. vi f. 8-10 text-fig. 38-39 (p. 115); P.? chrysalis p. 114 pl. vi f. 11-13 text-fig. 40; spp. nov. Lias Djebel Bou-Dahar Morocco, G. DUBAR Notes et Mém. Serv. Mines Carte. Geol. Marco 68 1948.

Pyramidellidae systematic position, KURODA & HABE **514**.

†Rigauscia baculus sp. nov. Lias Djebel Bou-Dahar Morocco, G. Dubar Notes et Mém. Serv. Mines Carte Geol. Maroc 68 1948 p. 100 pl. ix f. 2-6 textfigs., 35 a-b (p. 115).

†Spharrodoma sp. nov. from the Tienksikfu Coalfield, Japan, M. Noda 648.

Stilifer (Ercolania) smaragdinus sp. nov. off Sajima, Sagami Bay, K. Baba Opisthobranchia of Sagami Bay. Tokyo 1949 pp. 32, 129 pl. vii f. 22 textigs. 18–19.

†Streptacis verbisti sp. nov. p. 7 pl. ii f. 8-9; S. kempenensis p. 8 pl. ii f. 7 spp. nov. Charbonnages Limbourg-Meuse, F. DEMANET Bull. Inst. R. Sci. nat. Belg. 1949 25 37.

Turbonilla (Chemnitzia) sinaloana p. 73 pl. 12 f. 2; T. (Strioturbonilla) asuncionis p. 76 pl. 12 f. 6; T. (Pyrgiscus) alarconi p. 79 pl. 12 f. 5; T. (P.) kaliwana p. 79 pl. 11 f. 6; T. (P.) guaicurana p. 80 pl. 12 f. 1; T. (P.) aripana p. 81 pl. 11 f. 5; T. (P.) cochimiana p. 82 pl. 12 f. 4; T. (P.) pericuana p. 82 pl. 12 f. 4; T. (P.) pericuana p. 82 pl. 11 f. 4 spp. nov. Gulf of California, A. M. Strong Bull. S. Calif. Acad. Sci. 48 2 1949; T. (Bartschella) bartschiana nom. nov. var.; T. (B.) bartschi S. & G. 1948 non T. (Carcliopsis) bartschi Aguayo & Rehder 1933, A. G. SMITH & M. GORDON Jur. Nautilus Philad. 1949 62 3 p. 105.

†Zyjopleura pectita p. 97 pl. viii f. 1-3; Z. menchikoffi p. 100 pl. viii f. 4-6 spp. nov. Lias Djebel Bou-Dakar Morocco, G. DUBAR Notes et Mém. Serv. Mines Carte Geol. Maroc. 68 1948.

STENOGLOSSA

(a) Rhachioglossa

MURICACEA

Chicoreus asianus nom. nov. p. 80 for Murex elongatus Lk. 1822, non Solander 1786 Murex sinensis Rve 1845 non Gmelin 1791; C. (Siratus) pliciferoides nom. nov. p. 81 for Murex pliciferus Sow. 1841 non Bivona 1832, T. Kuroda Venus Mukaisima 12 1–2 1942.

Morula dumosa (Conrad) of Hawaii eggs and larval stages, figs., J. M. OSTERGAARD 658.

Murex experiments on muscular reactions, M. Bacq 49. Murex trunculus brandaris on the purple extracts, V. Erspamer 237; M. t. purple gland extract, A. Jullian & J. Ripplinger 429; M. egg capsules, figs., G. Thorson 909.

†Murex (Chicoreus) altenai sp. nov. Neogene Dent. Peninsula British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 46 pl. 4 f. 2 a-c; M. torularius inermis var. nov. F. Roman Notes et Mén. Haut-Comm. Républ. Franc. Syria et Au Liban 3 1940 p. 365 pl. ii f. 5, 5a.

†Neothais lassa sp. nov. Pliocene Otahuhu Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6 32 pl. 7 f. 4.

†Otahua bartrumi gen. et sp. nov. Muricidae Pliocene Otahuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6 32 pl. 7 f. 5, 6, 12, 13.

Purpura female organs of reproduction, figs., J. KOSTITZINE 472; P. lapillus L. variation due to diet Mytilus fed specimens give brown and mauve colouring Balanus feeding giving white forms, W. J. Rees 754.

Rapana bulbosa egg capsules, fig., G. Thorson 909.

Timothia nom. nov. for Aldrichia Palmer 1938 non Coquillet nec Vaughan, PALMER Bull. Amer. Paleont. 24 1938 3 vide etiam W. Wenz Handb. Paleozool. Gast. I. 1130 et A. Zilch Archiv. J. Mollusk. 78 1/3 1949 101.

Tritonalia erinacea, on the purple extract, V. Erspamer 237.

Trophon clathratus (L.) and var. gunneri Lovén egg capsules and embryos figs., G. Thorson 910.

†Xymene coctor sp. nov. Pliocene Otahuhu, Auckland, N.Z., V. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 16 32 pl. 7 f. 8.

BUCCINACEA

Antemetula Rehder in the Indo-West Pacific area, C. O. v. R. ALTENA 21.

†Cominella (Coministra) altispira pp. 6 31 pl. 7 f. 7 16-17; C. (Acominia) dingleyi pp. 6 31 pl. 7 f. 9, 15 spp. nov. Pliocene Otahuku, Auckland, J. Marwick Palaeont, Bull. N.Z. 16 1948.

Buccinidae sexual dimorphism of certain species, R. Tiba 914.

Buccinum undatum pelagica Krieg a large example, P. Kaas 489.

Chrysodomus turtoni (Bean) egg capsules and embryos, figs., G. Thorson 910.

Fusinus spectrum (Ad. & Rve.) a new record for the Gulf of Mexico 25 m. off Tarpon Springs Fla., fig., J. G. Schwenger. 830.

Fusus acanthodes (Watson) figs. pls. ii, iii, A. Carcelles 135.

Kautskyella nom. nov. for Eurydike Kautsky 1925 (Abh. prenss. geol. Landescent N.E. 97: 127) non Eurydice Eschscholtz 1925, W. Wenz Handb. Paläozool. Gastr. i: 1265 etiam A. Zitch Arch. f. Mollusk. 78 1/3 1949: 101.

Nassa (Amycla) dertonensis italicistria var. nov. p. 86 pl. ii f. 5 a-b; N. (A.) dertonensis neogigas var. nov. p. 87 pl. ii f. 6 a-b: Pliocene, Italy; N. (A.) gigantula pergigantea var. nov. Pliocene Italy p. 86 pl. ii f. 4, G. Ruggieri Giorn. Geol. Bologna 3 20 1948.

†Nassa (Uzita) gattii sp. nov. Pliocene [nom. nud.], G. RUGGIERI 785.

Neptunea antiqua egg capsules, G. Thorson 909.

Sipho undulatus Friele egg capsules and embryos, figs., G. Thorson 910; S. islandicus egg capsules, fig., G. Thorson 909.

Troschelia berniciensis (King) egg capsules and embryos, fig., G. Thorson 910.

†Verconella gauli sp. nov. Pliocene, Otahuhu, Auckland, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 pp. 631 p. 31.

Volutopsis norvegica (Chem) egg capsules, figs., G. Thorson 910.

VOLUTACEA

Amoria neumanae sp. nov. North Western Australia, B. C. Cotton Rec. S. Aust. Mus. Adelaide 9 2 1949 p. 192 pl. 13.

†Aulica martini p. 49 pl. 5 f. 2 a, b; A. molengraaffi p. 50 pl. 5 f. 1 a-b: spp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palacont. Abh. 66 (1948-9) 1948 No. 2.

†Austrovoluta gen. nov. Volutidae, genotype Voluta antiscalaris McCoy 1874 Fyansford, Victoria, Upper Pliocene and Middle Miocene, B. C. COTTON Rec. S. Aust. Mus. Adelaide 9 2 1949 p. 185.

Bivetiella subgen. nov. (of Cancellaria) == Bivetia auctt. (not Bivetia Jousseaume 1887), type sp. Cancellaria similis Sow. recent, W. coast of Africa, J. G. Marks J. Paleont. Menasha Wis. 23 5 1949 p. 456.

†Cancellaria (Hertleinia) angosturana p. 463 pl. 78 f. 1, 2 Angostura Cave, Ecuador, Basal Miocene; C. casicalva p. 464 pl. 78 f. 3, 10 Middle Miocene, Central coastal Ecuador; C. sursalta p. 461 pl. 78 f. 4, Lower Miocene, Ecuador; C. (Bivetiella) frizzelli p. 462 pl. 78 f. 5, Mid Miocene, Ecuador; C. (B.) santiagensis p. 462 pl. 78 f. 6, Miocene, N. Ecuador: spp. nov., J. G. MARKS J. Paleont. Menasha Wis. 23 5 1949.

†Cryptospira pilzi sp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 52 pl. 5 f. 10 a, b.

Harpidae synonymy, nomenclature and range of species, MAXWELL SMITH 852.

Hertleinia subgen. nov. of Cancellaria type Cancellaria mitriformis Sow. 1832 recent W. coast of Africa, J. G. Marus J. Paleont. Menasha 23 5 1949 p. 457.

† Marginella clisia Pliocene p. 212 pl. xvii Victoria; M. physa p. 212 pl. xviii Adelaide Plains; M. regula p. 213 pl. xviii Aldinga; M. meta p. 213 pl. xviii Adelaide Plains; M. doma p. 213 pl. xviii Adelaide Plains; M. Clima p. 213 pl. xviii Adelaide Plains;

M. metula p. 214 pl. xviii Adelaide

Plains;

M. arena p. 214 pl. xviii

Adelaide Plains;

M. talla p. 214

pl. xviii Adelaide Plains;

M. pera p. 215 pl. xvii Victoria; M. palla p. 215 pl. xviii Adelaide Bore; M. mala p. 215 pl. xviii Aldinga; M. charma p. 215 pl. xviii Adelaide Plains; M. cassida p. 216 pl. xviii Adelaide Plains; M. sagma p. 216 pl. xviii Adelaide Plains; M. crista p. 216 pl. xviii Adelaide Plains; M. newmanae p. 199 pl. xx W. A. Esperance; M. baca p. 200 Cape Pillar, Tas., 100 fms.; M. sica p. 200 W. A. Eucla 200 fms.; M. patria p. 201 W. A. Hopetoun 35 fms.: spp. nov.; M. stiria nom. mut. p. 209 for M. rotunda Laseron 1948 non May 1922, B. C. COTTON Rec. S. Aust. Mus. Adelaide 9 2 949.

Mauira nom. nov. for Mauia Marwick 1926 non Blackburn 1885, Marwick Trans. Proc. roy. Soc. N.Z. 73 1943 (3): 192 vide etiam, W. Wenz Handb. Paläozool. Gastr. 1: 1341, et A. ZILGE Arch. f. Mollusk. 78 1/3 1949: 101. Mitra astricta, M. auriculoides Rve of Hawaii, eggs and larval stages, figs., J. M. OSTERGAARD 658; M. larrañagai sp. nov. lat. 34° 50′ long. 52° 20′, A. CARCELLES Comun. Zool. Mus. Hist. nat. Montevideo 2 40 1947 p. 9 figs. 4-5.

Nannamoria absidata sp. nov. Muddy Creek, Lower Beds, figured by Tate 1889 as "N. lirata" Johnston from a specimen in the Tate Museum, B. C. Corron Rec. S. Aust. Mus. Adelaide 9 2 1949 p. 192 pl. 14.

†Oliva (Anazola) hattoni sp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 53 pl. 5 f. 6 a, b.

Provocator corderoi sp. nov. Argentina, A. CARCELLES Comun. zool. Mus. Hist. nat. Montevideo 2 40 1947 p. 5 pl. 1.

Ptychatractus sasamorii sp. nov. Etorohus, Fisima, Kuriles, T. Kuroda Jap. J. Malac. 13 1/4 1943 pp. 2, 7 text-fig. 1.

†Pyropsis desioi sp. nov. Maestrichtian Basin of Sofeggin-Orfella, Lybia, C. Bricchi Riv. ital. Paleont. Milano 55 3 1949 p. 116 text-figs.

Saotomea subgen. nov. of Fulgoraria for F. (S.) delicata (Fulton)—Volutidae, T. Habe (Venus)—Jap. J. Malac. 13 1-4 1943 p. 73 radula figured pl. 3 f. 16.

†Scaphella vignyensis sp. nov. Cretaceous, Vigny, France, A. CHAVAN C.R. Séances Soc. géol. Fr. Paris 6 1949 p. 105 f. 7.

Unitas nom. nov. for Uxia Jousseaume 1887 non Walker 1866, PALMER Vgl. J. de Conch. 87 1947: 141, footnote vide etiam W. WENZ Handb. Paläozool. Gastr. 1: 1367; et A. ZILCH Arch. f. Mollusk. 78 1/3 1949: 101.

†Vexillum schürmanni sp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Paläeont. Abh. 66 (1948-9) 1948 No. 2 p. 48 pl. 5 f. 4 a, b.

Xancus pyrum (L.) description of the veliger larvae, K. Chidambaram & M. M. Unny 154.

STENOGLOSSA

(B) Toxoglossa

CONACEA

†Benoitia [? Benoistia] pisolithica sp. nov. Cretaceous, Vigny, France, A. Chavan C.R. Séances Soc. géol. Fr. Paris 6 1949 p. 105 f. 6.

†Borsonia sanchezi sp. nov. Middle Miocene, Cessanias de la Ciudad. Baracoa, Oriente, Cuba, C. G. AGUAYO Rev. Soc. Malac. Habana 7 1 1949: 12 text-fig. 6.

†Clavus (Clathrodrillia) oostinghi sp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948–9) 1948 No. 2 p. 56 pl. 5 f. 11 a, b.

Conus egg capsules, fig., G. Thorson 909; C. gloria-maris, figs., A. F. Brun 122; C. gloria-maris Chem. in collections, W. S. S. v. d. Feen v. B. Jutting 244; C. tahitensis ratius Hwass, C. omaria Hwass, C. catus Hwass, C. hebraeus L., C. sumatrensis Hwass, S. abbreveatus Nuttall, of Hawaii. eggs and larval stages, figs., J. M. Ostergaard 658.

†Conus durhami sp. nov. p. 306 pl. 5 f. 16; C. bramkampi sp. nov. p. 314 pl. 8 f. 14 Pliocene, S. side of Carrizo Mountain, Imperial County, California; C. b.=C. regularis "Sow." Hanna P. Calif. Ac. Sci. (4) 14 1946 No. 18 p. 447 pl. 21 f. 8, Hanna & Strong Proc. Calif. Acad. Sci. (4) 36 9 1949; C. vlerki p. 59 pl. 6 f. 3 a-d; C. stigandi p. 60 pl. 6 f. 6 a, b: spp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2.

Drillia roseobasis (=Plurotoma testudinis P. & V.) and Pleurotoma albicostata (Sowerby) requires further collecting to confirm or disprove identity, H. A. PILSBRY 712.

Monilispira ochsneri nom. nov. for Pleurotoma bicolor Sow. 1833 non Risso 1826, L. G. Hertlein & A. M. Strong Nautilus Philad. 1949 62 3 p. 103.

Pleurotoma albicostata Sow. 1833 conspecific? with Drillia roseobasis Pils. & Van 1902=-P. roseotincta Dall. 1918-P. testudinis Pils. & Van. 1923, L. G. HERTLEIN & A. M. STRONG 354.

Terebra micans at Lagos ecological notes, F. J. HARPER 349.

Terebrellina Wenz 1943= Mirula Palmer 1942 J. Paleont. 16 (5): 674, W. WENZ Handb. Paläozool. Gastr. 1 1486 et A. Zilch Arch. f. Mollusk. 78 1/3 1949: 101.

Opisthobranehiata BULLACEA

Acteocina lajonkaireana ventricosa and maxima subspp. nov., A. heraclitica sp. nov. Tertiary, Wiener Beckens, W. Berger Anz. Akad. Wiss. Wien. 1949 86 pp. 81, 83.

Acteon kirai sp. nov. off Tosa, Skikoku 70 m. Japan, T. Habe Jap. J. Malac. 15 5/8 1949 p. 81, 8B fig. 1; A. ozawai pp. 22, 43 pl. iii f. 27; A.? ogurai pp. 22, 43 pl. iii f. 26 : spp. nov. Miocene, Tyūgoku, Japan, Y. Ottka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5

†Actaeonella zumoffeni p. 231 pl. v f. 11, 11a; A. ghazirensis p. 233 textfigs. 183-184 pl. xi f. 11-12; A. dubertreti p. 235 pl. x f. 9: spp. nov. Mesozoic, Lebanon, G. DELPEY Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940.

†Actaeonina radius sp. nov. Lias, Bou-Dahar, Marocco, G. DUBAR Notes et Mém. Serv. Mines Carte Geol. Maroc. 68 1948 p. 40 pl. 1 f. 4-5 text-fig. 1.

Aglaia [Aglaja] orientalis sp. nov. off Kursadi, Sagami Bay, K. BABA Opisthobranchia of Sagami Bay 1949 pp. 21, 123 pl. 1 f. 3.

Atys semistriatus Pease, Hawaii eggs and larval stages, figs., J. M. OSTER-GAARD 658.

†Atys (Alicula) lapugyensis sp. nov. Tertiary, Weiner Beckens, W. BERGEN An. Akad. Wiss. Wien 1949 86 pp. 80, 82.

†Boehmia speciosa p. 43 pl. 1 f. 10, 11, 12 text-fig. 2; B. costata p. 44 pl. 1 f. 13-15 text-fig. 3 Lias Djebel, Bou-Dahar, Morocco, G. DUBAR Notes et Mém. Serv. Mines Carte Geol. Maroc. 63 1948.

Bullina scabra solida Pilsbry from Hawaii, eggs and larval stages, J. M. OSTERGAARD 658.

Chelidonura inornata sp. nov. Hayama, Sagami Bay, occurring also in Bonin Is., K. BABA Opisthobranchia of Sagami Bay 1949 pp. 22, 124 pl. ii f. 5.

†Cosmophiline marinellii gen. et sp. nov. Philinidae Tertiary, Wiener Beckens, W. Berger Anz. Akad. Wiss. Wien 1949 86 pp. 81, 83.

†Cylichna subbacillus 'n. sp.', W. BERGER 70.

†Cylindrites sigillam sp. nov. Lias, Bou-Dahar, Marocco, G. DUBAR Notes et Mém. Serv. Mines Carte Geol. Maroc. 68 1948 p. 41 pl. 1 f. 6 a-b.

Haminoea crocata Pease from Hawaii, eggs and larval stages, figs., J. M. OSTERGAARD 658.

Hydatina amplustre (L.), H. physis (L.) from Hawaii, eggs and larval stages, figs., J. M. OSTERGAARD 658.

Notarchus striatus Q. & G. from Hawaii eggs and larval stages, figs., J. M. OSTERGAARD 658.

Philine argentina sp. nov. 37° 35′ 3″ S., Long. 54° 53′ 3″ W. type No. 25175 Mus. Argent. Sci. Nat., A. CARCELLES Comun. zool. Mus. Hist. Nat. Montevideo 2 40 1947 p. 2 f. 1-3.

†Philine catena eoponderosa var. nov. Pliocene, Italy, G. RUGGIERI Giorn. geol. Bologna 3 20 1948 p. 61 f. 3.

Retusa truncatula (Brug.) eggs and larvae, figs., E. RASMUSSEN 740.

†Retusa truncatula grundensis, t. sarmatica, t. jekelii subspp. nov., R. vindobonensis sp. nov., R. (Acrostemma) edlaueri, R. (A.) kühnelti spp. nov., R. mammillata voeslauensis subsp. nov., R. (Conoretusa) elongata sulcata subsp. nov., R. (C.) leuchsi sp. nov., R. (Pyrunculus) austriaca, R. (P.) postneglecta spp. nov. Tertiary, Wiener Beckens, W. BERGER Anz. Akad. Wiss. Wien 1949 86 pp. 80-83.

Roxania (Sabatia) callifera helvetica subsp. nov. Tertiary, Wiener Beckens, W. Berger Anz. Akad. Wiss. Wien 1949 86 pp. 81, 83.

Volvulus perversus Oken designated as genotype of Volvulus Oken 1815, A. E. Ellis J. Conch. London 1949 23 2 p. 51.

APLYSIACEA

Aplysia sagamiana sp. nov. Kamekishô, Sagami Bay, K. Baba Opisthobranchia of Sagami Bay, Tokyo 1949 pp. 26, 126, pl. iv, f. 15, 16 text-fig. 8; A. limacina L. experimental, A. Pel-TRERA 688.

Dolabrifera olivacea Pease from Hawaii, eggs and larval stages, figs., J. M. OSTERGAARD 658.

Tethys (=Aplysia) grandis (Pease), T. (=A.) bipes (Pease), T. (=A.) elongata (Pease) of Hawaii, eggs and larval stages, figs., J. M. OSTERGAARD 658. Tethys, note on the name, A. PRUYOT-FOL 725.

Umbraculum sinicum (Gmelin) Hawaii, eggs and larval stages, figs., J. M. Ostergaard 658.

PTEROPODA

†Cho vrazi sp. nov. Tortonian, Moravia, M. Vašíčεκ Veštník Stet. Geol. Úst. Československi Rep. 24 1949 pp. 32, 35 pl. 1 f. 2 a, b.

Nudibranchiata PLEUROBRANCHACEA

Pleurobranchus (Susania) atlanticus Soldier Key, Biscayne Bay, Florida sp. nov., R. T. Abbott Nautilus Philad. 1949 62 3 p. 73 pl. 5 f. 1-10; P.—Hawaii, eggs and larval stages, figs., J. M. Ostergaard 658.

ELYSIACEA

Alderia modesta found in Bromborough Pool, Cheshire, N. F. McMillan 567.

Elysia (Elysia) trisinuata off Nishinozaki pp. 132 pl. ix f. 30, 31 text-fig. 27; E. (E.) splendens off Nishinozaki pp. 132 pl. x f. 32 text-fig. 28: spp. nov. Sagami Bay, K. Baba Opisthobranchia of Sagami Bay, Tokyo 1949; E. of Hawaii, eggs and larval stages, figs. J. M. OSTERGAARD 658.

Hermaeina (Hermaeina) orientalis Kamekishô pp. 32, 130 p. viii f. 23 text-fig. 20-21, H. (H.) nigra off Nishinozaki pp. 33, 130 pl. viii f. 24 text-fig. 22, 23 spp. nov. Sagami Bay. K. Baba Opisthobranchia of Sagami Bay, Tokyo 1949.

Limapontia depressa in Bromborough Pool, Cheshire, N. F. McMillan 567; L. depressa Ald. & Hane, in Suffolk and Glamorgan, H. E Quick 730.

Oxynoe new to Japanese waters, T. Habe 340.

DORIDACEA

Ceratosoma bicolor sp. nov. Kamekishô, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 56, 146 pl. xx f. 74 text-fig. 66.

Crimora lutea sp. nov. off Kurosaki. Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay, Tokyo 1949 pp. 39, 133 pl. x f. 38 text-fig. 33. Cryptodoris of Hawaii, eggs and development, fig., J. M. OSTERGAARD 658.

Drepanoconcha nom. nov. for Drepania Gregorio 1930 (Ann. Géol. Paléont. Palermo 53) non Huebner 1816 nec Lafont 1874, W. Wenz Handb Paläozool. Gastr. Bd. 1: 203 et A. Zilch Archiv. f. Mollusk. 78 1/3 1949: 101

Glossodoris maritima Hayama pp. 52, 142 pl. xviii, f. 64 text-fig. 57; G. placida Hayama pp. 52, 142 pl. xviii f. 65 text-fig. 58; G. sagamiensis Nishinozaki pp. 53, 143 pl. xviii f. 66 text-fig. 59; G. florens Hayama pp. 53, 143 pl. xix f. 67 text-fig. 60: spp. nov. K. Baba Opisthobranchia of Sagami Bay, Tokio 1949.

Goniodoris felis sp. nov. Hayama, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 47, 139 pl. xvi f. 55 text-fig. 48.

Gymnodoris subflava sp. nov. Hayama, Sagami Bay, K. Baba 'Opisthobranchis of Sagami Bay,' Tokyo 1949 pp. 41, 135 pl. xii f. 44 text-fig. 38.

Halgerda rubicunda sp. nov. Akiya. Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 67, 153 pl. xxv f. 94-95 text-fig. 82.

Hexabranchus of Hawaii, eggs and larval stages, figs., J. M. OSTERGAARD 658.

Hopkinsia rosacea rose-pink colour due to Hopkinsiaxanthin content, H. H. STRAIN 867.

Noumea parva pp. 54, 144 pl. xix f. 69 text-fig. 62; N. purpurea pp. 55, 144 pl. xix f. 70 text-fig 63: spp. nov. Hayama, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949.

Okenia (Okenia) japonica pp. 45, 138 pl. xv f. 52 text-fig. 45; O. (O.) echinata pp. 46, 138 pl. xv f. 53 text-fig. 46, spp. nov. off Sajuma, Sagami Bay, K. Bara 'Opisthobranchia of Sagami Bay,' Tokyo 1949.

Paratritonia gen. nov. Duvauceliidae, type P. latea sp. nov. Amadaiba, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 18, 84, 166 pl. xxxiv f. 123 text-figs. 104-106.

Polycera japonica sp. nov. Hayama, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 39. 134 pl. xi f. 36 text-fig. 34.

Tritoniopsilla alba sp. nov. off Sajima, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 84, 165 pl. xxxiv f. 122 text-fig. 103.

AEOLIDIACEA

Aeolidia of Hawaii, eggs and larval stages, figs., J. M. OSTERGAARD 658.

Armina (Armina) major Kamekishô pp. 79, 162 pl. xxxi f. 117 text-fig. 94–95; A. (A.) appendiculata off Sagima pp. 80, 163 pl. xxxii f. 118 text fig. 96–97: spp. nov. Sagami Bay, K. Baba Opisthobranchia of Sagami Bay, Tokyo 1949.

Baeolidia fusiformis sp. nov. off Kurosaki, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 20, 184 pl. 1 f. 169 text-figs. 158–159.

Bornella japonica sp. nov. Kemekishó, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 88. 168 pl. xxxv f. 129 text-fig. 111.

Cratena venusta Nishinozaki p. 174 pl. xli f. 143–144 text-fig. 125; C. anulata Kurosaki p. 175 pl. xli f. 145 text-fig. 126–127; C. pinnifera Hayama p. 175 pl. xlii f. 146 text-fig. 128–129; spp. nov. Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949.

Dendronotus gracilis sp. nov. Amadaiba, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 87, 167 pl. xxxv f. 127 text-fig. 109.

Dermatobranchus (Dermatobranchus) vubstriatus Hayama pp. 73, 158 textfig. 84; D. (D.) striatellus Hayama pp. 74, 158 pl. xxx f. 110 text-figs. 85–86; D. (D.) semistriatus off Nishinozaki pp. 75, 159 pl. xxx f. 111 text-fig. 87; D. (D.) nigropunctatus Okinose pp. 77, 160 pl. xxx f. 113, 114 text-fig. 89; D. (D.) sagamianus Okinose pp. 77, 161 pl. xxxi f. 115 text-fig. 90–91; D. (D.) multidentatus off Nishinozaki pp. 78, 161 text-fig. 92: spp. nov. K. Baba 'Opisthobranchia of Sagami Bay.' Tokyo 1949.

Doto (Doto) rosacea Hayama pp. 172 pl. xxxix f. 139 text-fig. 119; D. (D.) purpurea off Sajima pp. 172 pl. xl f. 140 text-fig. 120; D. (Gellina) pacifica off Sagami pp. 173 pl. xl f. 141: spp. nov., K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949.

Embletonia pallida (Ald. & Hanc.) eggs and larvae, figs., E. RASMUSSEN 740.

Eubranchopsis gen. nov. Eubranchidae, type Eubranchopsis virginalis sp. nov. Hayama, Sagami Bay, K. BaBa Opisthobranchia of Sagami Bay, Tokyo 1949 pp. 19, 173 pl. xl f. 142 text-fig. 121-122.

Facelinella gen. nov. Facelinidae, genotype Hervia quadrilineata Baba, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 20, 181 pl. xlviii f. 162-163 text-figs. 147-148; F. anulifera sp. nov. off Sajima, Sagami Bay, K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949 pp. 20, 182 pl. xlviii f. 164 text-fig. 149-150.

Favorinus japonicus Hayama pp. 20, 177 pl. xliii f. 150 text-fig. 133–134; F. perfoliatus Kamekisho pp. 20, 177 pl. xliii f. 151 text-fig. 135–136: spp. nov. Sagami Bay, Japan, K. Baba Opisthobranchia of Sagami Bay.' Tokyo 1949.

Flabellisia moelleri (Uhlic) Basch, fig., E. Koechlin **466**.

Hervia serrata Hayama pp. 20, 179 pl. xlvi f. 156, 157 text-fig. 142, 143; H. affinis Hayama pp. 20, 179 pl. xlvi f. 158 text-fig. 144: spp. nov. Sagami Bay, K. Babi 'Opisthobranchia of Sagami Bay,' Tokyo 1949.

Herviella gen. nov. Facelinidae, genotype Cratena yatsui Baba, K. Baba Opisthobranchia of Sagami Bay,' Tokyo 1949 p. 20, 180 pl. xlvii f. 159– 161 text-figs. 145–146.

Madrella gloriosa off Nishinozaki pp. 87, 164 pl. xxxii f. 119 text-fig. 99; M. granularis off Sajima pp. 87, 165 pl. xxxiii f. 121 text-fig. 101-102: spp. nov., K. Baba 'Opisthobranchia of Sagami Bay,' Tokyo 1949.

Subcuthona gen. nov. Tergipedidae, genotype Subcuthona pallida sp. nov. Hayama, Sagami Bay, K. Baba (Opisthobranchia of Sagami Bay, Tokyo 1949 pp. 20, 176 pl. xlii f. 147-148 text-fig. 130.

84

Pulmonata

Freshwater Pulmonata Gastropods—morphological-biological analysis of egg capsules, figs., P. Bondesen 104.

ELLOBIACEA

Leucophytia nom. nov. for Leuconia Gray 1947 non Grant 1833=Leucopeplu Peile 1926 non Kirkaldy 1907, R. Winckworth J. Conch. London 1949 23 2 p. 38.

Phytia myosotis in Bromborough Pool, Cheshire, N. F. McMillan 567.

SIPHONARIACEA

Siphonaria (Siphonaria) pisangensis sp. nov. Isle of Pisang, New Guinea. col. 18/3/1929 and referred to 'S. funiculata' by Adam & Leloup Result Sci. Voy. Ind. Orient. Néerland. 11, 20 Brux. 1939, B. Hubendick Bull. Mus. Hist. Nat. Belg. 23 19 1947 p. 2 f. 1, 2; S. normalis Gould belongs to Siphonaria s.s., S. nuttalli is only a form of normalis, B. Hubendick 382; S. normalis omara Reeve Hawaii, eggs and larval stages, figs., J. M. Ostergaard 658,

Siphonariidae, the Epiphallus gland, B, HUBENDICK 382.

LYMNAEACEA

Agriolimax columbianus (Gould) feeding on the California Bay Fruit, figs.. W. M. INGRAM & C. HAND 397.

Ancylus philippianus p. 234 fig. 11; A. patagonicus p. 235 f. 12: spp. nov. Concka Prov., Chile, W. A. Biese Bol. Mus. nac. Chile 1949 24 pp. 218, 220; A. gayanus maximum p. 230 f. 8; A. g. rudolfii vars. nov. p. 232 f. 9 vars. nov. Concha prov., Chile, W. A. Biese Bol. mus. nac. Chile 1949 24; A. fluviatilis Müll. morphological-biological analysis of egg capsules, figs., P. Bondersen 104; A. fluviatilis Müll. occurrence in stagnant water, B. Verdcourt 940.

Anisus (Anisus) leucostoma Millet abnormalities, figs., C. R. Boettger 93.

Australorbis glabratus and effect of some potential molluscicides, T. V. Brand, B. Mehlman & M. O. Nolan 111; A. glabratus respiration, T. Von Brand, M. O. Nolan & E. R. Mann 959.

Biomphalaria smithi Preston ecology, J. Schwetz 832.

Bulinus truncatus experiments as to best method of packing infected specimens for transport, AZIM & WATSON 37; B. strigosus Marts variation, figs., E. FISCHER-PIETTE 262; B. morphology, Distribution, Nomenclature and Systematics, fig. and tables, B. HUBENDICK 380; B. Phylogenetic position anatomical examination of 25 spp., figs., B. HUBENDICK 380; B. truncatus breeding and maintenance under laboratory conditions, O. D. STANDEN 858.

Carinulorbis nom. nov. for Carinorbis Yen 1946 non Conrad 1862, T-C. YEN J. Paleont. Menasha Wis. 23 5 1949 p. 573.

Indoplanorbis exustus figs. and human schistosomes, V. Sivalingham 849.

Ferrissia Germany, C. R. BOETTGER 100.

Gyraulus albus (Müll.) morphologicalbiological analysis of egg capsules, figs.. P. Bondesen 104.

Limnaea = Lymnaeus stagnalis L. cytology of salivary gland, M. GABE & M. PRENANT 287; L. stagnalis-Cytoplasmic inclusions in the Spermatocyte, J. B. GATENBY & A. A. MOUSSA 298; L. stagnalis, C. P. RAVEN 743; L. stagnalis L., the influence of an electric field on the eggs. C. P. RAVEN 744; L. stagnalis experiments on the eggs, C. P. RAVEN & J. R. ROBORGH 748; L. (Peplimnaea) lessoni of Eastern Australia introduced into the Murray district, A. Robinson 766; L. stagnalis nuclear evolution, figs., L. ARVY 31; L. auricularia, figs., P. Bondesen 104; L. natalensis Krauss not associated with human diseases, F. G. Cawston 141: L. stagnalis L. on the influence of various chlorides on maturation and cleavage of the eggs, M. S. GRASVELD 310; L. stagnalis abnormal embryos produced by the action of Lithium on eggs, figs., C. P. RAVEN 742; L. stagnalis maturation in the egg of, C. P. RAVEN 745; L. stagnalis—experiments on egg cleavage and effects of Lithium chloride solutions, C. P. RAVEN & J. R. ROBORGH 747: L. stagnalis influence of Lithium Chloride on the eggs, C. P. RAVEN & S. D. DE WIT 749.

Myxas ylutinosus (Müll.) morphological-biological analysis of egg capsules, figs., P. Bondesen 104.

Physa nodulosa sp. nov. p. 237 f. 13; P. n. albina forma. nov. p. 239 Concha Prov., Chile, W. A. Biese Bol. mus. nac. Chile 1949 24 p. 237 fig. 13; P. fontinalis (L.) morphological-biological analysis of egg capsules, figs., P. Bondesen 104.

Planorbis boissyi experiments to find the best method of transport of infected snails, Azim & Watson 37; P. corneus (L.) and the action of copper and its salts and vegetable toxic extracts, S. G. Cowper 186; P. corneus L. in Neuchatelle and examples at Cudrefice, A. Monard 628; P. corneus L. on non vegetable material in the alimentary region, A. Pacaud 663; P. smithi Pr. on Vallisneria spiralis in Lake Edward, figs., J. Schwetz 832; P. boissyi breeding and maintenance under laboratory conditions, O. D. Standen 858.

†Planorbis kennardi nom. nov. for P. praecursor Kennard & Woodward, A. E. Ellis J. Conch. London 1949 23 2 p. 51.

†Spiralis holubi sp. nov. Tortonian. Moravia, M. Vašíček Vestnik. Stet. Geol. Úst. Československi Rep. 24 1949 pp. 32, 35 pl. 1 f. 1 a-d.

ONCIDIACEA

Oncidium verraculatum Cuv. Anatomy, Embryology and Bionomics, figs., P. R. AWATI & K. R. KARAN-DIKAR 36.

Peronia eggs and larval stages, figs., J. M. OSTERGAARD 658.

SUCCINEACEA

Oxyloma nuttalliana chasmodes Pilsbry, W. M. Ingram & C. Lotz 398.

Quickella rehderi Pilsbry pl. 3 f. 11, 12 = 'Succinea oregonensis Lea' of many collectors, not of Lea (fide Pilsbry), W. M. INGRAM & C. LOTZ 398.

Succinia avara (Say) pl. 3 f. 7, 8, W. M. INGRAM & C. LOTZ 398; S. elegans Quick new to Danish fauna, N. H. ODHNER 650; S. putris L., L. A. W. C. VENMANS 936.

VERTIGINACEA

Agardhia truncatella Pfr. Biological and historical problems, J. Petrbok 700.

Azeca (Hypnophila) remyi sp. nov. Corsica, C. A. Boettger p. 167 figs. 1-2.

Chondrina tatrica sp. nov. S. of Leptovsky, Czecoslovakia, V. Lozek Vest. ceskosl, zool. Spolner. Praze 12 1948 p. 83 text-figs.

Cionella lubrica (Müller) Alameda, Grizzle Peak, Mills College, W. M. INGRAM & C. LOTZ 398.

Clausilia bernardi notes on the species and its allies [in Japanese], T. KURODA 498; C. rolphii Leach, in Bedfordshire at Whipsnade, B. VERDCOURT 938.

Clausiliidae of Asia and S. America, figs., A. ZILCH 1023.

Cylindronenia subgen. nov. of Nenia subgenotype Clausilia maranhovensis Albers, P. Ehrmann Nautilus Philad. 1949 62 3 p. 104.

Edouardia mayumbensis sp. nov. among stones in gorge of the Mavuma, Tchimpanga-Nombe Forest lower river associated with other shells, E. Darte-velle Rev. zool. Bot. afr. 41 2/3 1948 p. 126 text-figs.

Ehrmanniella subgen. nov. of Andinia subgenotype Clausilia quadrata O. Boettger, A. Zhich Arch. f. Moll, 1949 78 1/3 p. 97.

Ena montana (Drep.) A new locality, L. W. Grensted 313; E. cantori, fig., I. Taki 884.

Gastrocopta crucifera sp. nov. Sierra de Velazco La Rioja N.W. Argentina p. 245 f. 1; G. pulvinata Urundel, Salta p. 246 f. 2–3 spp. nov. N.W. Argentina, M. I. H. Scott Acta zool. Lillo Tucuman 6 1948; G. spp. figs., I. C. ROBERT-SON 764.

Gylictrachela transitans venusta subsp. nov. Gunong Pondok, Perak p. 28 f. 16; G. t. helioscopia subsp. nov. Kota Tongkat, Pahang p. 29 f. 17; G. modesta sp. nov. Gua Musang Kelantan p. 31 f. 18; G. luctans sp. nov. Gunong Pondok, Perak p. 33 f. 19; G. emergens sp. nov. Bukit Chuping, Perlis p. 34 f. 20; G. troglodytes sp. nov. Gua Bama, Pahang p. 35 f. 21, W. S. S. & B. JUTTING Bull. Raffles Mus. Singapore 1950 21; G. concreta sp. nov. genus hitherto unknown in Celebes from limestone hill along main road from Makalé to Kalossi S. Celebes, W. S. S. v. B. JUTTING Basteria Lissé 1949 13 4

pp. 64-65 text-figs.; G. depressispira sp. nov. Buket Chintamani, Pahang, W. S. S. v. B. Jutting Bull. Raffles Mus. Singapore 19 1949 p. 60 pl. 3.

Hemicena subgen. nov. of Nenia, subgenotype N. polinskiana sp. nov. Tapacocha, Rio Fortaleza at 3,000–3,500 m. on the Western slopes of the Andes, H. A. PILSBRY Proc. Acad. nat. sci. Philad. 101 1949 p. 229 pl. 20 f. 1–16.

Hemiphaedusa matusimai pp. 80-84 f. 1, 8, Sirabutakayu, Minamikara Mura, Minamioitama Gun, Yamagata Prefecture near city of Yonezawa; H. natiensis pp. 82, 85 f. 2, 9. Mt. Nati, Higasimuro Gun, Wakayama Prefecture spp. nov. Japan, T. Habe Venus 10 2 1940; H. (Hemiphaedusa) attrita keizii subsp. nov. Siwonomisaki. Nisimuro-gun, Wakayama-ken, Honsyū, T. Habe (Venus) = Jap. J. Malac. 13 1-4 1943 pp. 77-79 text-figs. 2-4; H. cambojensis Pfr. internal shell structure figs., F. E. Loosjes 549.

Incaglaia subgen. nov. of Nenia subgenotype N. olssoni sp. nov. between Anco and Huanta valley of Rio Montaro on the road from Majorada on Jurassic Limestone, H. A. PILSBRY Proc. Acad. nat. Sci. Philad. 101 1949 p. 215 pl. 17 f. 3-3e.

Megalophaedusa dorcas Pils. a dextral specimen, T. KURODA 501.

Nenia (Columbinia) obesa sp. nov. Cerro Azul ou Rio Ucayali Depmt. of Loreto Peru, F. Haas Fieldiana zool. Chicago 31 28 1949 p. 241 f. 53-54; N. (s.g.?) callistoglypta sp. nov. p. 216 pl. 17 f. 2-2c, Mejorada near Huancavo: N. (Columbinia) atracta p. 217 pl. 18 f. 2-2c Carro Azul, Dep. Loreto near Cantamana; N. (C.) gracilis p. 218 pl. 18 f. 4-4b Divisoria Codillera Azul 1,500 m. N.E. of Tingo Maria; N. binkiae p. 219 pl. 18 f. 1-1b Machu Piechu on the Sacred Hill; N. (Neniatracta) huanucensis p. 228 pl. 21 f. 4-5 Huanuco; N. (Hemicena) polinskiana p. 229 pl. 20 f. 1-16 Tapacocha Rio Fortaleza; N. (Gracilinenia) huallagana p. 231 pl. 22 f. 4-4 f. Tingo Maria spp. nov. Peru, H. A. Pilsbry Pr. Acad. N.S. Philad. 101 1949; N. (Neniops) karsteniana (Dohrn); (Neniops) bogotensis (Boettger); N. (?) raimondii (Philippi) figures; N. maranbonensis (Albers), A. Zick 1023; N. (?) anoecia sp. nov. Ehrmann hab. ? in, A. Zilch Archiv f. Molluskenk. Frankfurt a/M. 1949 78 1/3 p. 88 pi. 5 f. 15-16.

Paraphaedusa subpolita E. A. Smith; P. celebensis E. A. Smith; P. usitata (Smith), P. doherty (Boettger), P. bonthainensis (P. & F. Sarasin), P. minahassae (P. & F. Sarasin), P. makassarensis (Sykes), figures, A. ZILCH 1023; P. usitata tjambensis, Ehrmann subsp. nov. S. Celebes; in. A. ZILCH Archiv. f. Molluskenk, Frankfurt a/M. 78 1/3 1949 p. 74 pl. 4 f. 4.

Peruinia rosenbergi (Preston) fig., A. Zhich 1023.

Phaedusa (Euphaedusa) hukudai sp. nov. [nom. nov.] = P. (E.) gottschei Kuroda Venus 6 (3) 174 not of Moel-lendorff, Kuroda & Miyanaga Venus Mukaisima 12 3-4 1943 pp. 131-137; P. (Phaedusa) phongthoensis sp. nov. Phong-Tho Tonkin, F. E. & A. C. W. Loosjes Basteria Lisse 1949 13 1/3 p. 31 pl. iv text-figs. 1-3; P. paviei and an allied new species, F. E. & B. A. C. W. Loosjes 551; P. p. Morlet internal shell structure figs., F. E. Loosjes **549**; P. p. Morlet variations, F. E. & A. C. W. Loosjes 550; P. (Euphaedusa) kurodai sp. nov. Formosa, T. Habe (Venus) = Jap. J.Malac. 13 1-4 1943 pp. 84-86 f. 1; P. (E.) aculus (Benson) Formosa = Clausilia aculus Benson Ann. Mag. Nat. Hist. 9 1842 p. 487; P. (E.) cetivora Heude = Clausilia cetivora Heude Moll. Faune Bleu p. 62 pl. 18 f. 3=Ph. (E.) tau (Boettger) (Hirase 1908), T. HABE 335; P. aculus? fig., J. TAKI 884.

Reinia (Proreinia) masaoi sp. nov. Mt. Yokokura, Takaoka Gun, Koti Prefecture, Japan, T. Habe Venus 10 2 1940 pp. 82–85 f. 4, 5, 10.

Steeriana huarangoensis sp. nov. p. 94 pl. 6 f. 24 Peru, A. Zilich Arch. Moll. 78 1949 1/3.

Temesa a review of the Permian spp. with T. bicolor sp. nov. p. 4 f. 1. 8, 8a Tarmatambo near Tarma 3,400 m.; T. peruviana rhadina subsp. nov. p. 4 f. 5, 6, 6a, 7, 6a Pampamarca, H. A. Pilsbry Notulae Haturae Philad. 214 1949.

Vallonia pulchella (Müller) in the San Francisco Bay Counties, W. M. INGRAM & H. LOTZ 398. Vertigo rowelli (Newcomb) 1860 Ann. N.Y. Lyc. N.H. 12: 146; V. california (Rowell) pl. 3 f. 3-4 in San Francisco Bay Counties, W. M. INGRAM & C. LOTZ 398; V. spp. figs., J. C. ROBERTSON 764; V. substriata, U. STEINSTOFF; V. alpestris Ald. new for Mark, H. SCHMIERER 821.

Zaptyx Northern limit in its distribution. [In Japanese.] T. Kuroda Venus Tokyo 10 3/4 1941 p. 182.

ACHATINACEA

Allan 17; A. f. sugar cane buds destroyed in Java, J. W. Hes 363; A. f. as a pest of tobacco, J. C. v. d. Meer Mohr 597; A. f. reproduction capacity, J. C. v. d. Meer Mohr 598; A. distribution, R. Merle 605; A. fulica as a minor pest of Tobacco, J. C. v. d. Mohr 625; A. f. Fér. biology, P. B. v. Weel 968; A. f. Fér. on biology and means of destruction, P. B. v. Well 969; A. f. Fér. Rhythmical production of enzymes in the glandula media intestine, P. B. v. Weel 970; A. f. fig., C. B. Wartz 1000; A. f. (Fér.) intercepted in hold of s.s. "Julia Luckenback" with cargo of copra, sugar, war surplus material and general cargo—8 eggs found among tractors, P. Zuk 1028.

ZONITACEA

Arion empiricorum, R. Albonico, 15; A. (s.s.) in Germany, C. R. Boettger, 99; A. rufus empiricorum Fér, in Denmark, H. Schlesch 816; A. r. white var. in Palm Wood, Luton, Beds., B. Verdcourt 938.

Drapanostomella tucma sp. nov. Yerba Burma, Alrededores de Tucuman. M. I. H. Scott Acta zool. Lillo Tucuman 6 1948 p. 264 f. 11; D. circumscripta sp. nov. Urundel, Salta N.W. Argentina, M. I. H. Scott Acta zool. Lillo Tucuman 6 1948 p. 262 f. 10.410a.

Gonyodiscus (Discus) rudcratus (Studer) new for Mark, Th. Schmierer 821.

Havaiia miniscula introduced from N. America, C. B. Wartz 1000.

Milax (Tandonia) sowerbii (Fér) in the Netherlands, A. R. Schouten 826; M. sowerbii (Fér.) gagates (Drap.) rusticus (Miller), map of distribution in British Isles and western Europe

sowerbii anatomy figs., A. R. Schouten 826; M. rusticus Millet ranges in W. Germany, C. R. Boettger 95.

Oxychilus villae (Mortill) Grotto Spipola, C. Bianchi & others 83.

Philomycus carolinianus (Bose) ecological observations, W. M. INGRAM 395.

Pironaea polystyla v. slavonica (Hélber) Kuhn & P. p. (Pirona) Meneghini in Eastern Serbia, D. Pejovic, 685.

Polygyridae of Northern Arkansas, some notes on species, L. Hubricht 383

Rudiodiscus katiae sp. nov. Jujuy rio Chico, N.W. Argentina, M. I. H. SCOTT Acta zool. Lillo Tucuman 6 1948 p. 233 f. 5.

Stephanoda jujuyensis sp. nov. Jujuy R. Chico, N.W. Argentina, M. I. H. Scott Acta zool. Lillo, Tucuman 6 1948 250 f. 4.

Vitrina (Vitrinobrachium) brevis, W. R. Schlickum 818.

†Zonites gorjanovići f. 1, a, b, c; Z. gorensis f. 4 a-b spp. nov. Gore, F. ŠUKLJE Prirod. Istraz mat. prir. Razred. 4 1914 p. 39 pl. ii.

ARIOPHANTIDAE

Guppya lilloana p. 267 f. 12 Palmar de San Pedro, Jujuy; G. aenea p. 270 f. 13 Urendel, Salta spp. nov. N.W. Argentina, M. I. H. Scott Acta zool. Lillo Tucuman 6 1948.

Helicarionidae a new genus vide Taiwanosiphona, T. HABE 337.

Taiwanosiphona gen. nov. Helicarionidae genotype Lamprocystis spadix Schmacker & Boettger T. Habe (Venus) = Jap. J. Malac. 13 1-4 1943 pp. 93-95 text-figs. 4-5; T. cinctus (Pils.) f. 1-3 T. Habe 337.

ACAVACEA

Strophocheilus (Megalobulimus) oblongus formica-corsii subsp. nov. Cuchillas de Melo, Dept. of Cerra Largo, Uruguay, L. P. Barattini & O. A. Ledón Rev. Soc. Malac. Habana 7 1 1949: 1 text-figs. 1-2; S. (Megalobulimus) leucostoma weyrauchi subsp. nov. Lima, Peru, J. C. Bequaret Nautilus Philad. 1949 62 4 p. 113 pl. 7 f. 1-4.

BULIMULACEA

Buliminus (Peronaeus) subelatus sp. nov. from Ambo near Huánuco Dept. of Huanuco, Peru, F. Haas Fieldiana zool. Chicago 31 23 1948 p. 189 f. 38.

Bulimulus (Protoglyptus) subcostatus sp. nov. Jaen Depmt. of Cajamarca, Peru, F. Haas Fieldiana, 2001. Chicago 31 23 p. 190 f. 39; B. in Texas—taxonomic status, C. Hall & L. Pittman 344; B. sporudicus gracilis sp. nov. Colorado, M. I. H. Scott Acta 2001. Lillo Tucuman 6 1948 p. 238 pl. ii f. 3.

Cyclodontina (Spixia) dubia sp. nov. Colorado p. 235 pl. 1 f. 9-10; C. (Plagiodontes) crassus sp. nov. Colorado p. 236 pl. ii f. 1-2, M. I. H. Scott Acta zool. Lillo Tucuman 6 1948; C. charpentieri (Grateloup) in Uruguay, J. J. Parodiz 678; C. (Spixia) pyriformis Pilsbry Anatomy and radula. figs., M. I. H. Scott.

Drymaeus (Drymaeus) fairchildi sp. nov. Republic of Panama, J. C. Bequaert Nautilus Philad. 1949 62 4 p. 114 pl. 7 f. 7; D. lynchi sp. nov. p. 1 pl. 1 f. 1-3. Pozo de Vargas, Bolivia, J. J. Parodiz Comun. zool. Mus. Hist. nat. Montivideo 2 27 1946.

Neopetraeus steizmeri apertus subsp. nov. Colorado, M. I. H. Scott Acta zool. Lillo Tucuman 6 1948 p. 238 pl. ii f. 4-5.

Partula maps of racial distribution in Moorea and Tahiti, B. LUNDMAN 556; P. populations of the Pacific Islands, H. E. CRAMPTON 189.

Peronaeus izozoensis sp. nov. Llanos de Izwzo Bolivia p. 3 f. 1; P. (Lissoacme) reedi sp. nov. La Cueva prov. Mendoza, Argentina p. 10 f. 6; P. (Lissoacme) puntanus sp. nov. Cerro del Morro province of San Luis, Argentina p. 13 f. 8; P. (L.) torallyi corrugatus var. nov. Villa Nougués province of Tucuman, Argentina p. 19 f. 9; P. (L.) torallyi nigrumbilicatus var. nov. province of Embarcación Salta, Argentina p. 20 f. 10, J. J. Parodiz Comun. zool. Mus. Hist. nat. Montevideo 2 38 1947; P. (L.) birabeni sp. nov. Embarcación, Salta, N.W. Argentina, M. I. H. Scott Acta zool. Lillo Tucuman 6 1948 p. 272 f. 4-10.

Placostylus falcicula (Gassies) figured, T. Pain 669.

Protoglyptus deletungi sp. nov. p. 3

pl. 1 f. 4 text-fig. 1. Embarcación, province of Salta, Argentina; *P. punctustriatus* sp. nov. p. 5 pl. 1 f. 5-6 text-fig. 2. Puesto Viejo province of Jujuy, Argentina, J. J. PARODIZ Comun. zool. Mus. Hist. nat. Montivideo 2 27 1946.

Thaumastus (Scholvienia) argentinus sp. nov. Hacienda Ducous 15 kilom. N. of Pique, Depmt. Saavedra, Prov. Buenos Aires, Argentina, J. C. Be-QUAEET Nautilus Philad. 1949 62 4 pl. 114 pl. 7 f. 6.

HELICACEA

Acusta ravida fig. I. TAKI 884.

Bradybaena sanboensis montana subsp. nov. suburb of Siroiwa, Korea, T. KURODA & M. MIYANAGA Venus, Mukaisima 12 3-4 1943 pp. 132-138 text-figs. 5-7.

Buliminopsis buliminoides fig., I. Taki 884.

Cathaica fasciola, fig., I. TAKI 884.

Cepaea nemoralis breeding experiments, M. Lamotte 523; C. n. (L.) in Neuchatelle in lower altitudes only, A. Monard 628; C. n. large specimens in the Locard collection, A. Comfort 175; C. the variation of the banding, table and graph, F. A. Schilder 811.

Chilostoma ichthyomma (Held), K. BÜTTNER 128.

†Chilostoma ichthyomma (Held), K. Büttner 128.

Cochlicella acuta, rentricosa genitalia figs., W. Adam 11.

Cylindrus obtusus (Drap.), C. R. BOETTGER 97.

Dolicheulota on its systematic position, figs., S. Emura 236.

Fruticicola (Acusta) sieboldiana daily rhythmic activity, K. MATUTANI & S. MORI 588.

Helicella virgata, profuga, cespitum, ericetorum Conchometry and Anatomy, tables and figs., W. Adam, 11.

Helicogena pomatia L., J. Petrbok, 699.

Helix pomatia L., E. Frömming 280; H. aspersa Müll. histo-chemical notes, M. Gabe & M. Prenant 289; H. pomatia experiments on heart action. A. Jullien & J. Ripplinger 430; H. p. experiment on liberation of acetylcholine, A. Jullien & J. Ripplinger & J. R

PLINGER 431; H. ridens Sardinia p. 197; H. sardonia Sardinia p. 197, E. v. Martens Sitz-Ber. Naturf. Freunds Berlin 1884; H. pomatia on alimentary anatomy, B. Rosen 773; H. pisana spread in Rottnest Island, D. L. Serventy 840; H. pomatia L. anatomy, fig., E. v. Skramlik 850; H. p. L. ascorbic acid content, K. Wenig & K. Halacka 973.

Helminthoglypta traskii phlyctaena (Bartsch) aestivation, W. M. Ingram 396.

Euhadra quaesita Jay. expelling dart, fig. [S. Hirase]. 365.

Levantina spiriplana budrunensis Budrun pl. 3 f. 41; L. spiriplana kanaanensis Canaan near Safed pl. 6 f. 67: vars. nov. K. L. Pfeiffer Archiv. f. Molleskenk. Frankfurt a/M. 1949 77 1/6; L. s. continentalis var. nov. K. L. Pfeiffer Archiv. f. Molluskenk. 1949 77 1/6 p. 13.

Mandarina, on its systematic position fig., S. EMURA 236.

Monacha rubiginosa, A. Steinstoff 860.

Nesiohelix gen. nov. Helicidae (name only) Emura in Kuroda Catal. Moll. Taiwan (Mem. Fac. Sci. Agr. Taihoku Imp. Univ. 22 (4) 147 1941 and Venus 12 3-4 1943 125-129 Kuroda and Miyanaga) genotype Helix swinhoei Pfeiffer P.Z.S. 1865 829 pl. 46 f. 6 Taiwan., T. Kuroda & S. Emura (Venus) Jap. J. Malac. 13 1-4 1943 pp. 18, 29 text-figs. 1-2; N. solida sp. nov. pp. 20, 27, 33 text-figs. 12-14. Senkaku-rettō, one of the Yaeyama group; N. bipyramidalis sp. nov. pp. 20, 26, 32 text-figs 6-9. Minami-daitō-zima [South Borodino]; N. omphalina prosimata subsp. nov. pp. 31 text-figs. 10-11. Minami-daitō-zima. New Japanese pulmonates, T. Kuroda & S. Emura (Venus) Jap. J. Malac. Mukaisima 13 1-4 1943.

Oreohelix (Radiocentrum) almoloya sp. nov. Rocky cacti and bush covered hillside in the steep foothills of the Sierra de Almoloya within a 5-mile radius N.W. of Cueva Diablo, Mexico, R. J. DRAKE Nautilus Philad. 1949 62 4 p. 110 pl. 8.

Pseudotrichia nov. sub. gen. China and Premorskiland, Russia, I. M. LIKHAREV C. R. Acad. Sci. Moscow N.S. 1949 64 3 p. 417. Isomeria anestia Peru? p. 99, pl. 6, f. 4-4b: Isomeria anodonta Chaupo 6,000 ft. province of Jaen Depmt. of Cajamarca p. 100 pl. 6 f. 3-3a spp. nov. H. A. Pilsbry Nautilus Philad. 1949 623.

Tricheulota (Pseudotrichia) shadini spec. nov. Suputinsk game reserve and Yakovlevka river Daubikhe, Russia, I. M. Likharev C. R. Acad. Sci. Moscow N.S. 1949 64 3 p. 417 figs.

Trishoplita optima (Pilsbry) Naut. 15 116 1902 Anatomy, figs., T. Habe 336.

STREPTAXACEA

Ennea porrecta Bery Radjang Klewang, S.E. Borneo sp. nov. E. v. Martens Sitz.-Ber. Naturf. Freund. Berlin 1884 p. 198.

Gonaxis sp. and Edentulina sp. as enemies of Achatina, P. Zuk 1028.

Hoplotrema of the San Francisco Bay Counties, W. M. INGRAM & C. LOTZ 398.

Rhytida greenwoodi webbi subsp. nov. p. 361 pl. 65 f. 16-17; R. hadfieldi sp. nov. p. 362 pl. 65 f. 18-19: from New Zealand, A. W. B. POWELL Rec. Auckland Inst. Mus. 1949 3 6.

Schizo; lossa worthyae sp. nov. p. 366 pl. 65 f. 15 text-figs. 1-3, 3a; S. novosee! andica barrierensis var. nov. p. 367 pl. 65 f. 14 text-figs. 9, 10, 10a: New Zealand, A. W. B. POWELL Rec. Auckland Inst. Mus. 1949 3 6.

Paryphanta lignaria lusca p. 350 pl. 66 f. 2; P. l. ruforadiata p. 353 pl. 64 f. 1-2; P. rossiana patrickensis p. 358 pl. 65 f. 10-12; P. traversi latizona p. 359 pl. 64 f. 6-8; subspp. nov. New Zealand, A. W. B. POWELL Rec. Auckland Inst. Mus. 1949 3 6.

SCAPHOPODA

Cadulus longilobatus swarms towards 15 fm, line during Feb. and March at Trivandrum Travancore, C. V. Kurian 488.

Dentalium entale Desk. Parasitic castration, L. Arvy 32; D. cancellatum, D. paucicontrotum from Bottom fauna on Travancore Coast and D. quadrapicale, this last previously recorded 406 fm. (Siboga Exped.), C. V. Kurian 488; D. (Antalis) raymondi (Young) (Prodentalium r. Young 1942), J. Paleont. 16 p. 120-121 pl. 20 f. 36, 8, 12

reported from the Pennsylvanian of Texas, A. K. MILLER 612.

Scaphopoda of Iceland, J. Knudsen 463.

Pelecypoda or Lamellibranchia

Lamellibranchiata, the stomach, A. Graham 309; L., mathematical formulae regarding the valve growth of shells, L. Lison 541.

PRIONODESMACEA

Solemya (Acharax) tibai p. 29 text-figs. 1-3; S. (Petrasma) pervernicosa p. 32 text-figs. 4, 5: spp. nov. Japan, T. Kuroda Jap. J. Malac. 15 1/4 1948.

NUCULACEA

Nuculana confusa (Hanley) variation p. 38 pls. 1, 2; N. confusa semataensis subsp. nov.=N. confusa Brauns (non Hanley) pp. 54, 61, K. Suzuki & K. ISIZUKA (Venus), Jap. J. Malac. 13 1/4 1943.

†Nuculoidea opima (Hall) hinge characters, figs., H. E. Vokes 958.

Solemya (Acharax) tibai p. 29 f. 1-3 off Erimo S. of Hokkaido, Japan; S. (Petrasma) pervinicosa p. 32 f. 4, 5: spp. nov. T. KURODA Jap. J. Malac. Mukaisima 15 1-4 1948.

†Solenomya hoahuynhensis sp. nov. Upper Trias, Hoa-Huynh, S. Annam, E. Saurin Bull. Surv. Geol. Indochine 26 3 1941 p. 13 pl. ii f. 23-31.

†Palaeonucula terminalis sp. nov. Lower Permian, Peru, B. J. Chronic in Newell, Chronic & Roberts 'Upper Paleozoic of Peru' 1949 p. 159 pl. 33 f. 4a-7.

ARCACEA

Arca granosa Ca CO₃ content, K. P. PILLAI **709**.

†Arca jauberti " Matheron nom. nud. 1879 "= A. J. Matheron Rech. Paleont. 1879 pl. B-8 f. 7 Burbatia jauberti Gillet, Lamell. néoc. 1924 p. 15, A. P. CHARLES Mém. Soc. d'Etudes Paleont. Palethnogr. Provence 1 1 1948 p. 19.

†Arca (Plagiarca) oblonga sp. nov. p. 64 fig. 3; A. dalmatica p. 64 f. 4; spp. nov. Monte Promina Dalmatia Eccene, O. Kühn Jahrb. geo. Bundes Arst. Wien 91 1-2 1948.

†Arca rossii sp nov. Maestrichtian. Gola-Gola et Guttar (Libia), V. VIOLA Riv. ital. Paleont. Milano 55 2 1949 p. 80 text-fig.

†Barbatia wenki sp. nov. Neogene, Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 62 pl. 6 f. 7 a-c.

†Cucullaea (? Macrodon) khanhuensis sp. nov. Upper Trias, Hoa-Huynh, S. Annam, E. Surin Bull. Surv. Geol. Indochine 26 3 1941 p. 10 pl. ii f. 22, 23.

†Cucullaea (Ashcroftia) distorta sp. nov. Mesozoic (Cretaceous), Kaindi Metamorphic Group, Snake R. 20 m. N. of Wau, Morobe District, New Guinea. M. F. GLAESSNER Mem. Qd. Mus. Brisbane 12 4 1949 p. 170 pl. xiv f. 1-4 text-fig. 3.

†Idonearca stephensoni sp. nov. Lower Cretaceous, S.-E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949 p. 63 pl. 8 f. 9-12 pl. 9 f. 1.

†Macrodon minutus p. 8 pl. ii f. 11-14; M. intermedius p. 9 pl. ii f. 6-7; M. (? Macrodontella) brevis p. 9 pl. ii f. 8-10; Cucullaea (? Macrodon) khanhuensis p. 10 pl. ii f. 22, 23: spp. nov. Upper Trias, E. Saurin Bull. Surv Geol. Indochine 26 3 1941.

MYTILACEA

†Gervillia angelini Lundgren in the Rhaetic at Scania, Sweden, fig., G. Troedsson 920.

Modiola modiolus L. experiments as to toxicity and effects of cooking, J. C. MEDCOF & others 594.

† Modiola adrarae p. 76; Modiola gronensis p. 76 spp. nov. Rhaetic, Italy, F. Anelle Riv. ital. Paleont. Milano 55 2 1949.

Musculus lebourae sp. nov. from the test of the Ascidian Herdmania pallida common in the Indian Ocean, K. M. White Proc. Malac. Soc. London 1949 28 1 pp. 46-49 text-figs. and pl. 3 A.

Mytilus polymorphus Pallas generic names, C. R. BOETTGER 94; M. poisoning, C. von Bonda 103; M. edulis and parasitic ciliates, Z. Raabe 732; M. edulis an almost untapped source of food supply in New England, R. L. Carson 138; M. edulis L. rate of feeding in different kinds of suspension, C. B. Jorgensen 424; M. edulis rate

of feeding, C. B. Jørgensen 425; M. edulis L. experiments as to toxicity and effect of cooking, J. C. Medcof & others 594.

† Mytilus hoffmanni Nilsson; M. minutus Goldf. in the Rhaetic at Scania, Sweden, figs., G. TROEDSSON 920.

Mytilidonta paulae sp. nov. Lago di Sabautia (Paola), G. Brunelli & G. Gannicci Boll. Pesca Piscicolt Idrobiol. Roma 16 4 1940 p. 47.

Sollea nom. nov. for Tylophora Dahmer 1936 non Pavesi 1880 (Arachnidae), G. Dahmer Archiv. f. Molluskenk. Frankfurt-a-M. 1949 78 1/3 p. 100.

PTERIACEA

†Avicula annamitica p. 2 pl. 1 f. 1-6; A. angusta p. 2 pl. 1 f. 7-13; A. carinata p. 3 pl. 1 f. 14, 15 text-fig. 1: spp. nov. Upper Trias, Hoa-Huynh, South Annam, E. Saurin Bull. Surv. Geol. Indochine 26 3 1941.

†Aviculopecten crassispinosus sp. nov. Lower Permian, Peru, B. J. Chronic in Newell, Chronic & Roberts 'Upper Paleozoic of Peru' 1949 p. 163 pl. 33 f. 10–13b.

Aviculopectinidae evolution, H. & G. Termier 902.

†Cassianella minuta sp. nov. Upper Trias, Hoa-Huynh, S. Annam, E. SAURIN Bull. Surv. Geol. Indochine 26 3 1941 p. 4 pl. 1 f. 21.

†Conocardium pomachacanum sp. nov. Middle Pennsylvanian, Peru, B. J. Chronic in Newell, Chronic & Roberts 'Upper Paleozoic of Peru' 1949 p. 161 pl. 30 f. 8 a—c.

†Dipterophora girardi sp. nov. Devonian, Brest-Laval Syncline, A. Renaud Mem. Soc. Géol. Min. Bretagne 7 2 1942 p. 204 pl. x f. 8.

†Entomotis kurosawai sp. nov. Upper Trias, Kitakami mountain land, Japan, G. Sekaguti Jubilee Publ. Comm. Pref. H. Yabe 1 1939 p. 229 pl. 15 f. 1-6.

†Inoceramus costellatus Wood (Cretaceous), figs., B. Zahálka 1020.

†Gervillia heinemani p. 64 pl. 9 f. 6-7; G. cholla p. 64 pl. 10 f. 1; G. rasori p. 65 pl. 10 f. 2, 3: spp. nov. Lower Cretaceous S.E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949.

Margaritifera margaritifera falcato (Gould) in California, Oregon and Washington, W. M. INGRAM 393.

†Myalima (Plethomytilus) nov. sp. Lower Devonian, Coblentz, G. DAHMER Senckenbergiana 29 1-6 1949 p. 123 f. 4.

Pinctada martensi (Dkr.) and rhythmic activity as regard pearl formation, S. Mori 634; P. martensi (Dkr.) respiration, G. Mori 635; P. hinge, fig.. H. & G. TERMIER 902.

Pinna nobilis L. fig. and notes on etymology and use of the term byssus, P. J. v. d. Feen 243; P. bicolor and "parasitic" Pearl oysters, J. Hornell 376; P. marina anatomy, figs., E. v. Skramlik 850.

†Pinnigena a supposed new species from Mexico, F. K. G. MULLERRIED 639.

Posidonomya becheri discussion on the species and allied forms, figs., M. FEIO 246.

†Pteria peregrina sp. nov. Lower Cretaceous, S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949 p. 65 pl. 9 f. 5.

Pseudomonotis hinge, fig., H. & G. Termier 902.

PECTINACEA

Amusium concentricum cornutum subsp. nov. Carboniferous, Bohrang Strzyzów, M. Schwarzbach Palaeontographica Stuttgart A47 1-3 p. 57 text-figs. 50, 51.

†Amusium (Pseudentolium) borneunum sp. nov. Neogene, Dent Peninsula. British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 64 pl. 6 f. 10 a-b.

Chlamys hinge, fig., H. & G. TERMIER 902.

Dimyodon nilssoni Hagenow, fig., F. Schmid 819.

Hinnites corallinus Sow., II. giganteus Gray, H. sinuosus Gmel. in Bonin Is.. H. Oyama 666.

†Lima (Mantellum) tadinii sp. nov. Rhaetic, Lombardy, C. Chiesa Riv.ital. Paleont. Milan 55 1 1949 p. 29 pl. iii f. 2.

†Lima espinal p. 92 pl. 9 f. 8; L. cholla p. 93 pl. 9 f. 3-4; L. muralensis

p. 93 pl. 9 f. 2: spp. nov. Lower Cretaceous, S. E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949.

†Lima konnoi sp. nov. Siroyama sandstone, Kanbara town, Sizuoka Prefecture, Japan, Neogene, Y. Otuka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 p. 10 pf. 1 f. 8.

†Lima subrigida Roem., figs., K. В. Реткоvig 692.

†Lima astartoides sp. nov. Upper Trias. Hoa-Huynh, S. Annam, E. SAKRIN Bull. Surv. Geol. Indochine 26 3 1941 p. 6 pl. 1 f. 32–37.

Limatula falklandica A. Ad. 1863 a synonym of Lima (Limatula) pygmaea Philippi 1845, fig., A. CARCELLES 136.

†Limipecten araneosus sp. nov. Middle Pennsylvanian, Peru, B. J. Chronic in Newell, Chronic & Roberts 'Upper Paleozoic of Peru' 1949 p. 164 pl. 31 f. 1a-2.

†Neithea vicinalis sp. nov. Lower Cretaceous, S.E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949 p. 91 pl. 11 f. 6-7.

Pachypteria geoini hinge, figs., H. & G. TERMIER 902.

†Patinopecten kanbaraensis sp. nov. Neogene Japan, Y. Otuka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 p. 8 pl. 1 f. 3.

Pecten irradians and P. magellanicus as source of food in New England, R. L. CARSON 138; P. grandis Solander experiments as to toxicity and effect of cooking, J. C. MEDICOF & others 594; P. fertilization, F. G. V. MEDEN 596.

†Pecten (Chlamys) thompsoni sp. nov. Lower Cretaceous, S.E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949 p. 90 pl. 16 f. 5-8 pl. 17 f. 1.

Pectinidae—the Pliocene and Quaternary species of Syria, J. ROGER 768.

Plicatula spondyloidea (Meuchen), figured, A. CARCELLES 136.

†Propeamussium felsineum puncticillatum var. nov. Pliocene [nom. nud.], G. RUGGIERI 785.

†Pseudamussium condrustine orientale subsp. nov. Carboniferous, Bohrung, Strzyzow, M. Schwarzbach Palaeontographica Stuttgart A97 1-3 1949 p. 58 pl. iii 10 text-fig. 52. Spondylus hinge, fig., H. & G. Termer 902.

†Spondylus subserratus pluricostatu var. nov. Cretaceous, Migiur Cinia, East Africa, G. Tavani Palaeontogr. ital. Pisa 46 (N.S. 16) 1949 p. 3 pl. 1 f. 1.

†Syncyclonema sowerbyi infossa subsp. nov. Upper Carboniferous, Bohrung. Strzyzów, M. Schwarzbach Palaeontographica Stuttgart A97 1–3 p. 56 pl. iii f. 8–9.

ANOMIACEA

†Prismatro subgen. nov. of Patro [sub]genotype Anomia undata Hutton Pliocene, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1948 pp. 6, 18 pl. 1 f. 1, 2, 5, 10. 581.

OSTREACEA

Exogyra virgula new observations, D. Aubert 35.

†Exogyra lancha sp. nov. Lower Cretaceous, S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949 p. 66 pl. 10 f. 4-6; E. coquandi sp. nov Hauterivian Massif d'Allauch, R. P Charles Mem. Soc. d'Etudes Paleont. Paletanogr. Provence 1 1 1948 p. 14 pl. 1.

Gryphaea angulata Lk. the type of the genus, G. Ranson 736; G. margaritacea (Lmk.) Cape of Good Hope [Mus. N.H. Paris], G. Ranson 737; G. angulata Lk. biological notes, G. Ranson 739.

†Liogryphaea depressa Phill., cymbium Lk., arcuata Lk., pictaviensis Heb., Notes, R. P. Charles 147.

Ostrea virginica and effect of reduced salinity, P. A. BUTLER 126; O. shell opened by Starfish, fig., R. L. CARSON 138; O. virginica digestive enzymes, A. F. CHESTNUT 152; O. decline of populations and causes, H. A. Cole 171; O. virginica Gmel. population statistics, H. E. CORBEIL 181; O. lurida cultivation of larvae, H. C. Davis 200; O. ecological and physiological effects of sulphate pulp mill wastes, P. S. Galtsoff, W. A. Chipman, J. B. Engle & H. W. CALDERWOOD 296; O. genera, G. GUNTER 318; O. production in Louisiana, G. Gunter 319; O. determination of condition, A. E. HOPKINS 373; O. virginiana (the Indian edible oyster) = O. gryphoides v. cuitackensis, O. madrasensis Preston; O. crenulifera fig., O. crista-galli—the three oysters

of India, J. HORNELL 376: O.—a study of oyster condition, R. M. INGLE 391; O. madrasensis Preston diatoms as a major portion of food, P. K. JACOB & M. Nellayandar 405; O. madrasensis Preston growth and development, P. K. Jacob & M. Nellayandar 406; O. virginica gonad development, V. L. LOOSANOFF 543; O. virginica survival, feeding and growth in low salinities, V. L. LOOSANOFF 544; O. effect of changes in salinity on the crystalline style, V. L. LOOSANOFF 545; O. virginica effect of different concentra-V. L. Loosanoff & J. B. Engle 546; O. virginica growth during different months, V. L. Loosanoff & C. A. Nomejko 547; O. rhizophorae its biology and occurrence in Puerto Rico, map, figs. & graphs, N. J. MATTOX 585: O. lurida effects of sulphur liquor, graphs, T. O. Odlang 651; O. biology and oyster culture, J. H. ORTON 656; O. dolabriformis Philippi (Martens)= O. deformis Lamk. 1819 (non Lamarck 1806), G. RANSON 737; O. vesicularis Lk. note, fig., F. SCHMID 819.

†Ostrea (Cubitostrea) dubertreti sp. nov. F. Roman Notes Mém. Haut-Comm. Republ. Franc. Syrie et Au Liban 3 1940 p. 394 text-fig. 6 pl. v f. 3-10; O. edwilsoni sp. nov. Lower Cretaceous, S.E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949 p. 66 pl. 11 f. 1-3; O. gajensis Chatterjee [sp. nov.?] from limestone bed near bank of Burabalang R. near Baripada, S. C. Chatteljee Proc. Indian Sci. Congr. 1946 32nd 3 p. 55; O. bellovacensis in the Lower Eocene, Dieppe, L. Fergueur 247.

Ostreidae, A classification with regard to their larval prodissoconches, G. Ranson 735.

Pycnodonta numisma (Lmk.) in the Indian and Pacific Oceans except the American coasts, it does not occur in the Atlantic, G. Ranson 737; P. notes on the genus, G. Ranson 738.

Saxostrea commercialis adenosenetriphosphatases, G. F. Humphrey 385.

UNIONACEA

Anodonta cygnea distribution having regard to differences in sex and gill-structure, H. H. BLOOMER 92; A. cygnea L. experiments on Osmorégulation, M. FLORKIN & G. DUCHATEAU

265; A. of California, Oregon and Washington, W. M. INGRAM 393.

†Arconaia hosonoi sp. nov. Coal-bearing Tertiary, Mie-ken, Japan, K. Suzuki & K. Oyama Jap. J. Malac. 15 1/4 1948 pp. 38, 42 text-figs. 3-5.

†Cristaria sasai sp. nov. Isikari group, Japan, K. Suzuki Jap. J. Malac. 15 1/4 1948 p. 45 text-figs. 878; C. kuboi sp. nov. coal-bearing Tertiary, Japan, K. Suzuki & K. Oyama Jap. J. Malac. 15 1/4 1948 pp. 38, 41 text-figs. 1, 2; C. plicata fig., J. Taki 884.

Gonidea angulata (Lea) in California, Oregon and Washington, figs., W. M. INGRAM 393.

†Hefteria subgen. nov. of Myophoria [sub]genotype Cardinia carinata Roemer 1855, other spp. included are peregrina Beush. and circumcincta Fuchs, G. Dahmer Senckenb. Frankfurt 29 1-6 1949 p. 125.

Hyriopsis cumingi fig., I. Taki 884.

Lamellidens marginalis mature in just over two years, fishes as the hosts of Glochidia; breeding and parasitism, R. V. SESHAIYA 841. Lamellidens marginalis contains an enzyme destructive to Vitamin BI, K. K. REDDI, K. V. GIRI & R. DAS 777.

Lanceolaria grayana, fig., I. Taki 884.

Obovaria depygis (Conrad) notes on lost type, R. I. Johnson 419.

Quadrula (Quincuncina) guadalupensis sp. nov. Guadalupe River above Seguin between Routes 123 and 90, Guadalupe Co., Texas, type Acad. N. Sci. Philad.. C. B. Wurtz Natulae Naturae. Philad. 1950 224 p. 2 figs. 1–5.

Unionidae of the Upper Mackinaw River, Illinois, G. A. Braun & G. I. Dykastra 112; U. of French West Africa, A. Franc 273; U.—a natural system of classification, H. Modell 624.

TRIGONIACEA

†Myophoria annamitica sp. nov. Upper Trias, Hoa-Huynh, South Annam, E. Sauren Bull. Surv. Geol. Indochine 26 3 1941 p. 10 pl. ii f. 16–20; M. goldfussi Alb. Middle Keuper of Lorraine, P. L. Maubeuge 591.

†Schizodus obscurus Sow., fig., K. Gross 315.

†Trigonia (Acanthotrigonia) phyllitica sp. nov. Mesozoic Cretaceous, Kaindi Metamorphic group, Snake R., 20 m. N. of Waw, Morobe District, New Guinea, M. F. GLAESSNEA Mem. Qd. Mus. Brisbane 12 4 1949 p. 172 pl. xv f. 7, 8; T. maloneana nom. nov. for T. vyschetzkii Cragin (part) 1905 p. 74; T. quildi p. 75 pl. 12 f. 1-2; T. resoluta p. 76 pl. 12 f. 3; T. suavedra p. 78 pl. 13 f. 5; T. mearnsi p. 78 pl. 12 f. 5, 6 ol. 13 f. 1-4; T. cragini p. 80 pl. 13 f. 6–10 pl. 14 f. 3; T. kitchini p. 82 pl. 14 f. 4-10; T. reesidei p. 83 pl. 14 f. 11-14 pl. 15 f. 1-3; T. weaveri p. 87 pl. 15 f. 4-8: spp. nov. Lower Cretaceous, S.E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949.

ASTARTACEA

†Astarte adkinsi sp. nov. Lower Cretaceous, S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949 p. 93 pl. 15 f. 12-14.

†Astartella ? cavernata sp. nov. Lower Permian, Peru, B. T. Cronic in Newell, Cronic & Roberts 'Upper Paleozoic of Peru '1949 p. 170 pl. 34 f. 5a-7.

†Astartidae, Plio-Pleistocene of "Zeeuwse Stranden," A. N. CH. TEN BROCK 116.

†Crassatella dainellii sp. nov. Monte Promina, Dalmatia, Eocene, O. KÜRN Jahrb. Geol. Bundes-Arst. Wien 91 1-2 1948 p. 67 pl. 1 f. 6.

CARDITACEA

†Cardita smanensis sp. nov., F. Roman Notes Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 358 pl. 1 f. 10, 10a.

SPHAERIACEA

†Batissa muratai sp. nov. Palaeogene, Isikari coalfield, Hokkaido, T. Nagao & H. Otatume J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943 p. 1; B. nisikawai sp. nov. Tertiary, Upper course of Tan-un-naisawa, Tesio Province, Hokkaido, K. Otatume J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943 pp. 15, 17 text-fig. 1–3; B. sakakibarai sp. nov. Tertiary of Karakuto, K. Otatume J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943 pp. 21, 24 pl. iv f. 1–6.

Corbicula, Korean species of the genus, figs., K. Oyama 665; C., East Asia, K. Susuki & K. Oyama 880.

†Corbicula sunugawaensis sp. nov. Palaeogene, Isikari Coalfield, Hokkaido, T. Nagao & K. Ötatume, J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943 pp. 1, 9 pl. iii f. 10, 10a; C. fluminalis Müll. in the Pleistocene, Macedonia, S. Pavlović 684; C. hukayai sp. nov. Tertiary of Karahuto, H. Ötatume J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943 pp. 21, 26 pl. iv f. 10–17; C. elchaensis sp. nov. Miocene, Mendoza. C. Rusconi Rev. Mus. Hist. nat. Mendoza 1949 3 4 p. 238 figs.; C. shimiziu pp. 161, 166 pl. 7, pl. 8 f. 4, 7; C. sachalinensis pp. 163, 167 pl. 8 f. 1–3, 5, 6: spp. nov. Tertiary, Sachalin Id., K. Suzuki Venus Tokyo 12 3–4 1943.

†Cyrena cuneiformis in the Lower Eocene, Dieppe, L. FERGUEUR 247.

Pisidium clessini Neumayr 1875 (non Surbeck 1899) = P. astartoides, A. E. ELLIS 233; P. pseudosphaerium Favre and its occurrence in England, figures showing difference between P. p. and P. milium Held., J. G. J. Kutper 484.

†Polymesoda (Geloina) hokkaidoensis sp. nov. pp. 1, 2 pls. i, ii; P. (G.) h. bibaiensis var. nov. pp. 1, 4. pl. 1 f. 5; P. (G.) takuui sp. nov. pp. 1, 5. pl. ii, iii. Palaeogene, Isikari Coalfield, Hokkaido. T. Nagao & K. Ōtatume J. Fac. Sci. Hokkaido Univ. Geol. Min. 4 7 1 1943.

Sphaerium pallidum Gray=S. transversum Say, A. E. Ellis 233.

Venerupis philippinarum Ad. & Rve. a review, K. MURASE 641.

ISOCARDIACEA

†Isocardia superturgida sp. nov. Pliocene, S. Italy p. 188 pl. xvi f. 1, 2, I. buendinensis sp. nov. Upper Oligocene, Dusseldorf p. 191 pl. xvii f. 1, 2: C. C. Beringer Palaeontographica Stuttgart A97 4-6 1949.

CYPRINACEA

Akebiconcha [sole sp. genotype] kawanurai gen. et sp. nov. Arcticidae=Cyprinidae dredged off the coast of Odawara, Prov. Sagami, in 100 fms. (approx.) by Mr. Ryōsuke Kawamura. T. KURODA Venus Jap. J. Malac. Mukaisima 13 1-4 1943 p. 17 figs. 1-3.

Plesiocyprina phidias Orb. Basel. fig., E. Koecklin 466.

DREISSENACEA

Congeria praeornithopsis 'n. sp.' [nom. nud. here], A. PAPP 673.

†Mytilopsis allyneana sp. nov. p. 14 pl. 4 f. 5-8 Fiji Ids.; M. zeteki sp. nov. p. 15 pl. 4 f. 1-4 Conozoic, Panama area, Hertlein & Hanna Bull. S. Calif. Acad. Sci. 48 1 1949.

LUCINACEA

†Joannisiella takeyamai sp. nov. Miocene, Japan, Y. Отика J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1, 2 pp. 22, 29 pl. iv f. 32-34, 37.

†Dilora gen. nov. Lucinidae, genotype D. lorea sp. nov. Pliocene, Otahuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6, 19 pl. 1 f. 6, 7, 11.

Divaricella divaricata (L.) in Seilly, T. G. W. FOWLER 269.

ERYCINACEA

Devonia ohshimai sp. nov. commensal on Leptosymapta ooplax, Vagura, Isigaki Island, Yaéyama Group, Ryūkyū, Japan, T. Kawahara Venus Mukaisima 11 4 p. 153, 159 f. 1, 2 pl. 3 f. 1-7.

CHAMACEA

†Arnaudia Bayle notes on the genus, O. KÜHN 481.

†Bournonia hardagica sp. nov. Cretaceous, Migiurtinia, E. Africa, G. Tavani Palaeontogr. ital. Pisa 46 (n.s. 16) 1949 p. 16 pl. ii f. 7; B. excavata Orb. notes on the paleobiology of the genus, C. Dechaseaux 202.

† Dechaseauxia gen. nov. Radiolitidae, genotype Dechaseauxia costata sp. nov. Cretaceous, Migiurtinia, E. Africa, G. TAVANI Palaeontogr. ital. Pisa 46 (n.s. 16) 1949 pl. ii f. 1, pl. iii f. 3.

† Durania niobrarensis sp. nov. Niobrara formation Upper Cretaceous, Colorado, M. O. Griffiths J. Paleont. Menasha Wis. 23 5 1949 p. 471 pl. 79; D. agriaeformis p. 18 pl. ii f. 4; D.(?) inornata p. 19 pl. i f. 6, pl. iv f. 12: spp. nov. Cretaceous, Migiurtinia, E. Africa, G. Tavani Palaeontogr. ital. Pisa 46 (n.s. 16) 1949.

†Hardaghia gen. nov. Radiolitidae, genotype Hardaghia quadrata sp. nov. Cretaceous, Migiurtinia, E. Africa, G. TAVANI Palaeontogr. ital. Pisa 46 (n.s. 16) 1949 p. 19 pl. iii f. l, 2.

†Hardaghia quadrata aplicata var. nov. Cretaceous, Migiurtinia, E. Africa, G. TAVANI Palacontogr. ital. Pisa 46 (n.s. 16) 1949 p. 21 pl. ii f. 6.

Hippurites structure and function, text-figs., B. MILOVANOVIC 616.

†Hippurites (Vaccinites) arenensis sp. nov. Vol d'Areu ar Beausset, O. Kühn N. Jahrb. Min. Geol. Paläont. Stuttgart 89 1–2 1945 p. 176; H. gaudryi Man-Chalmar is referred to a var. of H. (Vaccinites) cornavaccinum Brown p. 180, O. Kühn 477; H. inaequecostatus carpathica var. nov. p. 459 text-fig. 1; H. carinthiacus recivalis var. nov. p. 461 text-fig. 2 West Carpathians, O. Kühn & Andrusov N. Jahrb. Min. Geol. Paläont. Stuttgart 86 3 1942; H. (Hippuritella) somalicus sp. nov. Cretaceous, Migiurtinia, E. Africa, G. Tavani Palaeontogr. ital. Pisa 46 (n.s. 16) 1949 p. 14 pl. iv f. 6.

†Hippurites radiosus des Moulins a noticeable occurrence, C. Dechaseaux &. M. Casalis 203.

Toucasia 'siphonal bands,' C. Des-Chaseaux 208.

†Praeradiolites boucheroni strobilus var. nov. Cretaceous, Migiurtinia, E. Africa, G. TAVANI Palaeontogr. ital. Pisa 46 (n.s. 16) 1949 p. 15 pl. i f. 2, pl. ii f. 3, pl. iv f. 5.

†Pseudovaccinites aquili Sénesse 1947, P. Senesse 839.

†Radiolitella secunda sp. nov. West Carpathians, O. Köhn & D. Andrusov N. Jahrb. Min. Geol. Paläont Stuttgart 86 3 1942 p. 463 fig. 4. Radiolites, O. Kühn 476.

†Requienia—siphonal bands, C. Deschaseaux 208.

Rudistes of the Coniacian of Uchaux and Céze, G. Mennissier 603.

†Sauragesia somalica p. 17 pl. 1 f. 4, pl. iv f. 4; S. attenuata p. 17 pl. 1 f. 8, 9, pl. ii f. 2, pl. iv f. 11: spp. nov. Cretaceous Migiurtinia, E. Africa, G. Tavanı Palacontogr. ital. Pisa 46 (n.s. 16) 1949.

CARDIACEA

†Arcicardium primigenium [sp. nov.?] Pontic of Servia, EBERZIN & STEVANOVIĆ Bull. Mus. H.N. Serb. 2 1949 pp. 140, 156 pl. xviii f. 1-2; A.—as the oldest representative of the genus, A. G. EBERGIN & P. M. STEVANOVIĆ 230. Cardium edule—a general review of the species and its occurrence, L. Lam-BERT 522; C. muticum Rve., the Veligers and young shells, figs., H. YOSIDA 1016.

†Cardium (Cerastoderma) bengasiënsis antiqua Agheila (Syste) gleich sudlich Via Balbia p. 18; C. (C.) b. hatyi p. 19 pl. 1 f. 9-10, pl. 2 f. 11 Sebecka di Punta bei Bengasi (Cyrenaika); C. (C.) b. berkaensis Berka bei Bengasi p. 19 pl. 1 f. 5-8; C. (C.) coëfiensis cyrenaica Sebecka Ain es Selamic bei Bengasie (Cyrenaika) p. 21 pl. 2 f. 16; C. (C.) c. heilmeiri Sebecka n. Str. Bengasi-Benina (Cyrenaika) p. 21 pl. 2 f. 17; subspp. nov. C. (Cerastodernia) agheilensis sp. nov. 22 Km. W. Agheila (Syrte), S. der Via Balbia, N.E. Africa, H. KALTENBACH Arch, f. Malak 78 1/3 1949 78 1/3; C. (Bucardium) ogurai sp. nov. Miocene, Tyūgoku, Japan, Y. OTUKA J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 pp. 22, 28 pl. 1 f. 1 I. 8; C. martellii subtruncata var. nov. Maestrichtian Gara Scetseel, Uadi Maestrichtian Gara Scetseel, Uadi Sofeggin, Lybia, V. VIOLA Riv. ital. Paleont. Milano 55 2 1949 p. 83 textfig.; C. latisulcum nexingense 'n. sp.'; C. gleichenbergense 'n. sp.'; C. vindobonanse jekeliusi 'n. sp.'; C. fischeriformis 'n. sp.'; C. janoscheki 'n. sp.'; C. downiki mentormis 'n. sp.'; C. downiki me C. donginki praeformis 'n. sp.' [all nomm. nud. here], A. PAPP 673.

Hippopus shell and pearl structure, A. REYNE 762.

†Replidacna similifitoni 'n. sp.'; R. pseudopoiitioanci 'n. sp.'; R. planaecarinata 'n. sp.'; R. jekeliusi 'n. sp.'; R. pseudodeserta 'n. sp.'; nomm. nud. here] Maestricktian, Sarmat, A. Papp 673.

Tridacna shell and pearl structure, A. REYNE 762.

VENERACEA

† Bassina katherinae sp. nov. Pliocene, Otahuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. 16 1948 pp. 2, 24 pl. 4 f. 5, 6, 8.

Chione (Chione) guatulcoensis sp. nov. off Port Guatulco, Mexico, Eastern Pacific Expedition, New York Zool. Soc., L. G. Hertlein & A. M. Strong Zoologica N.Y. 33 4 1948 p. 182 pl. 1 f. 2, 4, 6, 10, pl. ii f. 1, 8, 12, 13.

†Chione (Austrovenus) tamakiensis sp., nov. Pliocene, Otahuku, Auckland, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1948 pp. 6 24 pl. 4 f. 1-4; C. (C.) californiensis peabodyi var. nov. Pleistocene, Santa Barbara Co., Pliocene and Pleistocene, Gulf Calif. and Galapagos Ids. p. 581 pl. 90 f. 1, 5, 11; C. (Anomalocardia) hannai ex Bramwamp MSS. Lower Pliocene p. 585 pl. 92 f. 14, P. PARKER J. Paleont. Menasha Wis. 23 6 1949: C. (C.) californiensis gealeyi var. nov. p. 580 pl. 89 f. 13 pl. 90 f. 7-10. Pt. Conception to Guaymas, G. of California; C. (C.) c. durhami var. nov. San Pedro, Calif. to Panama. occurs in Pliocene and Pleistocene. also p. 581 pl. 90 f. 3; C. (C.) undatella tabari var. nov. G. of California p. 581 pl. 90 f. 2, 4, 9, P. PARKER J. Paleont. Menasha Wis. 23 6 1949.

Clementia nakamurai sp. nov. p. 14 pl. i f. 7, 11; С. n. kuretiensis subsp. nov. p. 15 pl. ii f. 4. Neogene Japan, Y. Отика J. Fac. Sci. Imp. Univ. Tokyo Geol. 1948 5 1—2.

†Dosinia matumotoi sp. nov. Neogene Japan, Y. Otuka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 I 1-2 p. 11 pl. i f. 10; D. suketoensis sp. nov. Miocene Tyūgoku Japan, Y. Otuka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 p. 22 31 pl. i f. 6, 7, 9; D. (Raina) powelli sp. nov. Pliocene Otahuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6, 24 pl. 4 f. 7, 10.

†Eumarcia (Opimarcia) healyis subgen. et sp. nov. Pliocene Otahuhu, Auckland, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1948 pp. 16, 26 pl. 5 f. 1, 2, 4.

†Gouldia pryeri sp. nov. Neogene Dent Peninsula, British North Borneo, L. R. Cox Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 2 p. 66 pl. 6 f. 12 a-b.

Gnidiella subgen. nov. of Chione subgenotype Venus gnidea Brod. and Sow. subgenus includes Venus amathusia Philippi 1844 Abb. Besch. Conchyl. I. p. 139 f. 4; Venus pulicaria Brod. P.Z.S. 1835 p. 44; †Chione richthofeni H. & S. 1927 Lower Miocene; †C. semiplicata Nomland 1917 Miocene; †Venus (C.) temblorensis Anderson 1905 Miocene, P. PARKER J. Paleont. Menasha Wis. 23 6 1949.

†Katelysia (Nipponomaria) nakamuria subgen. et sp. nov. vide Nipponomaria, N. IKEBE Venus Mukaisima 11 2/3 1941 p. 50.

†Meretrix arugai sp. nov. Miocene Tyūgoku, Japan, Y. Otuka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 pp. 22 30 pl. ii f. 11-12.

Mysia undata (Pennant) note on the hinge dentition, J. E. G. RAYMONT 752.

Nioche subgen. nov. of Chione subgenotype Venus asperrima Sowerby Thes. Conch. 2. 1853 p. 714 pl. 155 f. 57-58 Eastern Pacific Expedition New York Zool. Soc., L. G. HERTLEIN & A. M. STRONG Zoologica N.Y. 33 4 1948 p. 186.

†Nipponomarcia subgen. nov. of Katelysia subgenotype Nipponomarcia nakamurai sp. nov. Miocene Japan, N. IKEBE Venus Mukaisima 11 2-3 1941 p. 50.

†Opimarcia subgen. nov. of Eumarcia subgenotype E. (O.) healyi Pliocene N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1048 pp. 16 26 pl. 5 f. 1, 2, 4.

Paphia hirabayasii sp. nov. Siroyama sandstone Kaubara town Siyuoka Prefecture, Japan, Neogene, Y. Otuka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 p. 12 pl. 1 f. 9, pl. ii f. 16, 19; P. pulla tra (Montagu) movements in process of digging, D. B. QUAYLE 729; P. vide etiam Tapes, E. F. GALIANO 293.

Pitar (Pitarella) mexicanus sp. nov. 4 m. S.S.W. of Maldanado Point, Mexico p. 171 pl. 1 f. 3, 8; P. (Hyphantosoma) aletes sp. nov. Arena Bank, G. of California p. 172 pl. 1 f. 9, 11, 12, 13; P. (Lamelliconcha) frizzel i Arena Bank p. 176 pl. 1 f. 1, 5, 7, pl. ii f. 11, L. G. Hertlein & A. M. Strong Zoologica New York 33 4 1948.

†Securella gen. nov. Veneridae p. 587 genotype Venus securis Shumard 1858 Pliocene, P. PARKER J. Paleont. Menasha Wis. 23 6 1949 pp. 587-593 pl. 94 f. 8, 12, 19, pl. 95 f. 6.

Tapes decussatus L. bifurcated siphon, H. Bouxin 109; T. d. L. Muscular system and adductor mussels and anatomy, figs., E. F. Gallano 293.

†Tawena duobrunnea sp. nov. Pliocene Otakuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6 25 pl. 2 f. 2, 3, 5, 6.

Veneridae, Provitamin D in Clams, H. R. ROSENBERG 775.

Venerupis philippinarum experiments on air temperatures and effects, H. KURASIGE 486; V. p. lethal air temperatures in exposure, H. KURASIGE 487; V. p. Ad. & Rve. variation in colour pattern and bilateral asymmetry, I. Taki 887.

Venus mercenaria spawning behaviour, H. H. HASKIN 350; V. m. action of Choline and related compounds on the heart, J. H. Welsh & R. Taub 972.

MACTRACEA

†Crassula subgen. nov. of Mactra [sub]genotype Mactra aequilateralis Deshayes, J. Marwick Palaeont. Bull. N.Z. 16 1948 p. 23.

Mactra solida the host of a new parasite Proboscidosaccus enigmaticus figs., L. GALLIEN 295; M. solidissima Diwn. experiments as to toxicity and effects of cooking, J. G. MEDCOF & others 594; M. s. Fertilizin from eggs, E. D. METZ & J. E. DONOVAN 608; M. s. Dilwn. Amino acids content, J. L. NOLAND 649.

†Mactra solida f. typica at Varberg fig., R. Hägg 342; M. (Cyclomactra) williamsi pp. 6 42 pl. 3 f. 6-8; M. (Mactrula) mula pp. 6 22 pl. 3 f. 1-2 spp. nov. Pliocene Otahuha, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948.

†Mactrula subgen. nov. of Mactra subgenotype M. (M.) mula sp. nov. Pliocene Otahuhu, Auckland, N.Z. J. Marwick Paleont. Bull. N.Z. 16 1948 pp. 6 22 pl. 3 f. 1-2.

Notochione subgen. of Chione subgenotype Venus columbiensis Sowerby (Conch. Icon. 14 Venus 1863 sp. 61 pl. 15 f. 61 a-b type locality Santa Elena. Ecuador, at low water in coarse sand range Mazatlan, Mexico to Pacasmayo, Peru, Eastern Pacific Expedition New York Zool. Soc., W. G. HERTLEIN & A. M. STRONG Zoologica N.Y. 33 4 1948 p. 188.

Paphomotia subgen. nov. of Irus subgenotype Petricola elliptica Sowerby 1834 Eastern Pacific Expedition New York Zool. Soc., L. G. Hertiein & A. M. Strong Zoologica N.Y. 33 4 1948 p. 192.

Petricola (Petricola) lucasana sp. nov. Cape San Lucas, Lower California, Eastern Pacific Epedition New York Zool. Soc., L. G. HERTLEIN & A. M. STRONG Zoologica New York 33 4 1948 p. 194 pl. ii f. 4, 9.

†Spisula (Spisulona) coutt'i subgen. et sp. nov. Pliocene Otahuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6 23 pl. 3 f. 3-5, 9-10.

†Spisulona [non Spisulina P. Fischer] subgen. nov. of Spisula [sub]genotype Mactra crassitesta Finlay Pliceene N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6 22.

†Zeratia flemingi sp. nov. Pliocene Otahuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 pp. 6, 23 pl. 2 f. 1, 4, 12.

TELLINACEA

Abra abra general structure, habits and adaptations, figs., C. M. Yonge 1015.

†Burtinella libyca sp. nov. and B. l. ornata var. nov. lower Maestrichtian Uadi Sofeggin Tripolitania, A. M. MACCAGNO Boll. uff. geol. Ital. 69 1946 pp. 151-157 plate.

Donax vittatus general structures, habits, and adaptations figs., C. M. YONGE 1015.

Gari tellinella, G. fervensis general structure, habits and adaptations, figs., C. M. YONGE 1015.

†Gari aucklandica sp. nov. Pliocene Otahuhu, Auckland, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1948 pp. 6, 26 pl. 1 f. 8, 9, 12.

Macoma (Psammacoma) panamensis spectri subsp. nov. Holotype a left valve, Paratype a right valve, Santa Inez Bay, G. of California, L. G. HERTLEIN & A. M. STRONG Zoologica, New York 34 2, 9 1949 pp. 63 91 pl. 1 f. 9, 10, 16; M. balthica general structure, habits and adaptations, figs., C. M. Yonge 1015.

Phyllodella subgen. nov. of Tellina sole sp. T. (P.) insculpta Hanley, L. G. HERTLEIN & A. M. STRONG Zoologica New York 34 2, 9 1949 pp. 63, 87.

†Paammobia labordei sarmatica 'n. ssp.' [nom. nud. here] A. PAPP 673.

Scrobicularia plana general structures, habits, and adaptations, figs., C. M. YONGE 1015.

Semele craneana sp. nov. Holotype a left valve dredged in the Gulf of California, L. G. HERTLEIN & A. M. STRONG Zoologica New York 34 4, 19 1949 pp. 239 241.

Solecuris chamasolen (antiquatus), S. scopula (candidus) general structure, habits and adaptations, figs., C. M. Yonge 1015.

†Soletellina waitemata sp. nov. Pliocene Otahuhu, Auckland, N.Z., J. Marwick Palaeont. Bull. N.Z. 16 1948 6 26 pl. 1 f. 3-4.

Tellina (Tellinella) zacae pp. 63, 65 pl. 1 f. 12, 13, 17 Arena Bank, Gulf of California; T. (Moerella) arenica pp. 63, 68 pl. 1 f. 5, 11 = T. carpenteri Dall 1918 (non Dall 1903) Arena Bank; T. (Moerella) recurvata pp. 63, 71 pl. 1 f. 2-4, 8 = recurva Dall 1900 (non Desh. 1855) San Luis, Gonzaz i Bay, G. of California; T. (Merisca) proclivis pp. 63, 83 pl. 1 f. 6, 7, 14 = declivis Sow. 1868 (non Conrad 1-34) Magdalena Bay, Lower California; T. (Scissula) nico-yana pp. 63, 85 pl. 1 f. 23–26 Ballena Bay, G. of Nicoya, Costa Rica spp. nov. L. G. HERTLEIN and A. M. STRONG Zoologica New York 34 2, 9 1949; T. tenuis ligament figs. graphs., E. R. TRUEMAN 922; T. magna recorded from Orkney, F. T. Walker 962; T. tenuis general structure, habits and adaptations, figs., C. M. YONGE 1015.

Tellinacea structure and adaptations figs., C. M. Yonge 1015.

Tellinidella subgen. nov. of Tellina type Tellinides purpureus Broderip and Sowerby, L. G. HERTLEIN & A. M. STRONG Zoologica New York 34 2, 9 1949 pp. 63, 79.

†Zozia uetanii sp. nov. Pliocene Tyūgoku, Japan, Y. Otuka J. Fac. Sci. Imp. Univ. Tokyo Geol. 1938 5 1-2 pp. 22, 34 pl. ii f. 16.

SOLENACEA

Ensis directus Conrad experiments as to toxicity and effect of cooking, J. C. Medoof & others 594.

Solen fertilization, F. G. v. MEDEM 596.

SAXICAVACEA

Hiatella gallicana (Lk.) H. arctica (L.) Boring habits, W. R. Hunter 386.

MYACEA

Mya arenaria L. Population statistics. H.-É. Corbell 181; M. a. L. experiments as to toxicity and effect of cooking, J. C. Medoof & others 594; M. a. L. and its commensal Odostomia trefida Totter in the Gulf of S. Lawrence, J. C. Medoof 595.

Pleuromya (?) concentrica sp. nov. Upper Trias Hoa-Haynh, South Annam, E. Saurin Bull. Surv. Geol. Indochine 21 3 1941 p. 14 pl. ii f. 32-37.

GASTROCHAENACEA

Gastrochaena grandis (Deshayes) in Inland Sea of Japan, notes and figures, I. Taki 889.

ADESMACEA

Bankia setacea Tryon, wood boring in Canada, E. C. Black & G. R. Elsey 85.

Teredo norvegica control, E. FAURÉ-FREMONT & J. THAUREAUX 242; T. and temperature effect, G. Dons 214; T. n. meyotara borings and damage caused, figs., larvae. figs., P. L. KRAMP 473; T. review of species figs., F. Moll 627.

†Teredo Miocene central Europe, A. F. Tauber 892.

PANDORACEA

Asthenotharus duboisi Fulton Pr. Malac. Soc. London xix p. 17 pl. 3 f. 5 30 a synonym of A. rushi (Pilsbry) Pr. Acad. Nat. Sci. Philad. p. 292 pl. 7 f. 30 1897 type from Maldonado Repub. orient. Uruguay, A. CARCELLES 136.

†Laternula synthetica sp. nov. Pliocene Otahuhu, Auckland, N.Z., J. MARWICK Palaeont. Bull. N.Z. 16 1948 pl. 6 f. 13-15.

†Pholadomya desioi sp. nov. Rhaetic Lombardy, C. Chiasa Riv. ital. Paleont. Milan 55 I 1949 p. 30 pl. iii f. 7-9.

POROMYACEA

Cuspidaria hirasei p. 10 pl. 1 f. 3 off Tosa; C. hawamurai p. 11 pl. 1 f. 4 off Tosa; C. japoniea p. 14 pl. 1 f. 2 off Tosa; C. teramachii p. 14 pl. 1 f. 7 off Tosa; C. (Cardiomya) tosaensis p. 18 pl. 2 f. 14 off Tosa; C. (Cardiomya) reticulata p. 19 pl. 2 f. 17 off Tosa; C. (Cardiomya?) fortisculpta p. 30 pl. 2 f. 16 a-b off Tosa; C. (Plectodon?) semipellucida p. 24 pl. 2 f. 10-10a Sagami Bay; C. (Pseudoneaera) iridella p. 25 pl. 2 f. 9 off Tosa: spp. nov. Japan T. KURODA Jap. J. Malac. Mukaisima 15 l-4 1948.

†Cuspidaria latecuspidata sp. nov. Upper Trias Hoa-Huynh, South Annam, E. Saurin Bull. Surv. Geol. Indochine 26 3 1941 p. 15 pl. ii f. 38–47.

Myoncra fluctuosa sp. nov. off Tosa, Japan, T. Kuroda Jap. J. Malac. Mukaisima 15 1-4 1948 p. 25 pl. 2 f. 20.

Cephalopoda

TETRABRANCHIATA

Cephalopoda comparative studies in the behaviour of. B. B. BOYCOTT & J. Z. YOUNG 110.

Cephalopoda pathological observations, A. Jullien & R. Jacquemain 428.

†Cephalopoda fossil Dwarfed forms discussed relative to their environmental significance, B. Kummel 485.

Cephalopoda - Embryonic studies, G. F. SACARRAO 790.

Cephalopoda of the coasts of the Korean Peninsula, T. YAMAMOTO 1007.

NAUTILACEA

†Acila (Truncacila) schencki sp. nov. Lower Cretaceous S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949 p. 61 pl. 8 f. 1-8.

Ascoceratidae Lebensweise, figs., H. Tobien 918.

†Aturia sp. sp. nov. Phosphate nodule deposit in the Clifton beds forming the base of the Heytesbury formation near Princetown S. coast Western Australia, C. TEICHERT J. Min. Geol. Dept. Mines Victoria 3 2 1947 p. 50 fig. 6; A. clarkei attenuata subsp. nov. cliff face S. end of Christie's Beach. G. St. Vincent, about ½ m. N. of Port Noarlunga, S. Australia, Tertiary, C. TEICHERT & B. C. COTTON Rec. S. Aust. Mus. Adelaide 3 2 1949 p. 255 pl. xxi.

†Aturoidea distans Teichert in the Eocene of Victoria figs. 1-2, C. TEICHERT 897.

†Brittsoceras gen. nov. Nautilacea p. 603 genotype B. ornatissemum sp. nov. Lower Mississippian Chouteau, Lime-

stone Missouri p. 604 pl. 97 f. 1-3, MILLER & others J. Paleont. Menasha Wis, 23 6 1949.

†Deltoidonautilus bakeri sp. nov. Phosphate nodule deposit in the Clifton beds forming the base of the Heytesbury formation, near Princetown, S. coast of Western Victoria, C. TEICHERT J. Min. Geol. Dept. Mines Victoria 3 2 1947 p. 48 figs. 1-3.

†Discoceras? sp. from the Lower Ordovician of Victoria = Monographus sp. R. A. Keble Mem. Nat. Mus. Melbourne 10 1936 p. 121-122 pl. xviii, D. E. Thomas & C. Teichert J. Min. Geol. Dept. Mines Victoria 3 1 1947 p. 50 text-figs.

†Domatoceratidae fam. nov. for Domatoceras, Pselioceras, Stearoceras, Stearoceras, and Titanoceras (all of Hyatt), MILLER & YOUNGQUIST Mem. Geol. Soc. Amer. 44 1949 p. 41.

†Endolobus renfroae sp. nov. Permian Texas, Miller & Youngquist Mem. Geol. Soc. Amer. 41 1949 p. 40 pl. 46 f. 1–2. E. occidens sp. nov. White Pine Shales, Snakes Range, Nevada. W. Youngquist J. Paleont. Menasha Wis. 23 3 1949 p. 287 pl. 57 f. 13–14.

†Endostokesoceras subgen. nov. p. 509 of Endodiscosorus genotype Endodiscosorus (Endostokesoceras) eiftiensis sp. nov. p. 510 Devonian, Germany, O. H. Schindewolf Jahrb. Reichs. Bodenforsch. Berlin 62 1944 figs. on pl. 34-42.

†Ephippioceratidae fam. nov. for Ephippioceras and Megaglossoceras, MILLER & YOUNGQUIST Mem. Geol. Soc. Amer. 41 1949 p. 128.

† Eutrephoceras victorianum (Teichert) in the Eocene of Victoria figs. 5–7, C. Teichert 897.

†Foordiceras ornatissimum sp. nov. Permian Texas, MILLER & YOUNG-QUIST Mem. Geol. Soc. Amer. 41 1949 p. 102 pl. 46 f. 3-5.

†Knightoceras hempae sp. nov. Permian Texas, MILLER & YOUNGOUIST Mem. Geol. Soc. Amer. 41 1949 p. 38 pl. 16 f. 1, pl. 55 f. 1, pl. 58 f. 1–2.

†Liroceratidae nom. nov. for Coloceratidae Hyatt—Coloceras Hyatt—? Lioceras Teichert, MILLER & YOUNG-QUIST Mem. Geol. Soc. Amer. 41 1949 p. 119,

†Metacoceras baylorense p. 105 pl. 43 f. 1-2, pl. 44 f. 1; M. bituberculatum p. 106 pl. 49 f. 3-4, spp. nov. Texas; M. unklesbayi nom. nov. for biseriatum Miller & Unklesbay 1942 not of Miller & Owen 1934 = a Pennsylvanian sp. p. 114 pl. 19 f. 1: spp. nov. Permian America, MILLER & YOUNGQUIST Mem. Geol. Soc. Amer. 41 1949.

Nautilacea—Nautiloids appeared late in the Cambrian, evolved rapidly in the Ordovician and climaxed in the Middle Silurian, A. K. MILLER 611.

Nautilus pompilius; the chambers are filled with a nitrogenous gas, J. HORNELL 376.

†Nautilus calvimontensis sp. nov. Lutetian environs of Paris, P. Bédé Bull, Soc. géol. Fr. 5 18 4/5 1948 p. 220 pl. IXa text-fig. 1.

†Neodiscosorus subgen. nov. of Discosorus subgenotype Discosorus (Neodiscosorus) robustus sp. nov. Devonian, Germany, O. H. Schindewolf Jahrb. Reich. Bodenforsch. Berlin 62 1944 p. 521 text-fig. 14 pl. 35 f. 11, pl. 42 f. 3.

†Paracymatoceras milleri sp. nov. La Peña formation, Mexico, W. E. Hum-Phrey Bull. Geol. Soc. Amer. 60 1 1949 p. 119 pl. 4 f. 1, pl. 5 f. 1-2.

Pseudactinoceras promiscuum gen. et sp. nov. Lower Silesia, O. H. Schindewolf Jahrb. Reichs. Bodenforsch, Berlin 62 1944 p. 233 pl. 11 f. 1 a-c text-fig. 13.

†Solenochilus kempaesp. nov. Permian Wyoming, MILLER & YOUNGQUIST Mem. Geol. Soc. Amer. 41 1949 p. 133 pl. 28 f 3

†Stearoceras hesperium sp. nov. Permian Texas, MILLER & YOUNGQUIST Mem. Geol. Soc. Amer. 41 1949 p. 53 pl. 20 f. 1-2.

†Stenopoceras whitei sp. nov. Permian Texas, Miller & Youngquist Mem. Geol. Soc. Amer. 41 1949 p. 76 pl. 5 f. 2. pl. 27 f. 1-7, pl. 28 f. 1-2 text-fig. 22.

†Tainoceras unklesbayi sp. nov. Permian Arizona, Miller & Youngquist Mem. Geol. Soc. Amer. 41 1949 p. 91 pl. 33 f. 1-2.

†Temnocheilus inaequilaterale sp. nov. Permian Texas, MILLER & YOUNGQUIST Mem. Geol. Soc. Amer. 41 1949 p. 94 pl. 36 f. 1-4. †Tribasoceras keutuckiense near Farmers, Rowan, Co. Kentucky, Mississippian, MILLER, Downs & Youngquist J. Paleont. Manasha Wis. 23 6 1949 p. 600 pl. 97 f. 4.

†Tungkuanoceras p. 21 unicum p. 22 gen, et sp. nov. Permian Chêchiang. China, I. HAYASAKI Acta. Geol. Taiwanica 1 1 1947 pp. 16, 21,23 pl. 1 f. 3.

SEPIACEA

Heteroteuthis dispar 'white body' structure and function, figs., A. Bolog-Nari 102.

Idiosepia paradoxus sexual dimorphism and mantle lengths, T. Yamamoro 1009.

S. officinalis, S. rondelettii 'white body' structure and function, figs., A. BOLOGNARI 102; S. officinatis filliouxi, fischeri, Mar Ligure (Gulf of Genova), S. Cozzi 192; S. o. L. eggs attached to Hippocampus, figs., H. Dathes 199; S. o. differentiation of gonad, observations on Naef's stages xii-xx, G. Montalenti & G. Vitagliano 629; S. spp. from Baroda, S. T. Moses 636.

Sepiola from Baroda, S. T. Moses 636.

Spirula spirula L. distribution, A. F. Bruun 122.

LOLIGINACEA

Histiothauma gen. nov. Decapod Cephalopoda type H. oceani sp. nov. Sta. 51 S.E. of Galapagos "Arcturus" Oceanographic Expedition 1923, G. C. Robson Zoologica New York 33 1948 p. 123 f. 7.

Loligo vulgaris 'white body' structure and function figs., A. Bolognari 102; L. opalescens effect of narcosis on nerve impulse, A. R. Moore & R. S. Turner 630; L. spp. from Baroda, S. T. Moses 636; L. pealei Lesueur, Amino acids content, J. L. Noland 649; L. p. Lesueur, the photosensitive pigment of the retina, R. C. C. St. George & G. Wald 793; L. p. glycogen content of nerve, W. Schallek 806; L. bleekeri sexual dimorphism and mantle lengths, T. Yamamoto 1009; L. vulgaris Lk. alimentation, G. Zolezzi 1026.

†Loliginites zetteli Lias Württemberg figs., F. KLINGHARDT 459.

Sepioteuthis occidentalis Robson (? subsp. nov.), Sta. 22 1,000 m. S. of Bermuda, "Arcturus," Oceanographic Expedition 1923, G. C. Robson Zoologica New York 33 1948 p. 116.

ARCHITEUTHACEA

Enoploteuthis sp. from Baroda, S. T. Moses 636.

Octopodoteuthis nielsent sp. nov. Sta 74'' "Arcturus" Oceanographic Expedition 1923, G. S. ROBSON Zoologica New York 33 1948 text-fig. 2-4.

Onychoteuthis banksi a note on its occurrence and captures with records in the British Museum and other collections, W. J. Rees 756.

Stigmatoteuthis arcturi sp. nov. Sta. 7 "Arcturus" Oceanographic Expedition 1923 (26° 54′, N. 51° 15′, W.), G. C. Robson Zoologica New York 33 1948 p. 122 text-figs. 5–6.

Taonidium pacificum sp. nov. Sta. 66 "Arcturus" Oceanographic Expedition 1923 N. of Cocos Id., G. C. Robson Zoologica New York 33 1948 p. 130 f. 14.

VAMPYROTEUTHACEA

Vampyromorpha a new order of Dibranchiate Cephalopods, G. E. Pick-FORD 707.

Vampyroteuthis infernalis Chun, G. E. PICKFORD 704; V. i. Chun, distribution of eggs, G. E. PICKFORD 705; V. i. Chun, distribution of the eggs, G. E. PICKFORD 706.

BOLITAENACEA

Dorsopsis gen. nov. of Bolitaenidae genotype Dorsopsis taningi sp. nov. 2,000 m. approx. Atlantic sta. 4,005 I., S. Thore Dana Rep. No. 33 1949 p. 36 figs. 26-29.

OCTOPODACEA

Eledone moschata (Lmk.) Sepietta neglecta (Naef.), Sepia elegans (Arb.), Alloteuthis media (L.), Octopodoteuthis sicula (Rüppell) from local waters of Istanbul, R. Digby 212.

Octopus bimaculoides sp. nov. Devil's Slide, La Jolla, California, G. E. Pickford & B. H. Connaughey, Bull. Bingham Oceanogr. Coll. New Haven 12 1949 p. 14, 16 figs. 8-21; O. mutilans p. 71 f. 3-4 sp. nov. O. sasakie p. 75 f. 5

nom. nov. for O. globosus Sasaki 1929 non Appellöf 1886. Inland Sea of Japan, I. Taki Venus Mukaisima 12 1-2 1943; O. vulgaris 'white body' structure and function, A. BOLOGNARI 102; O. v. Lk. The absence of a sex hormone controlling regeneration of the hectocotylus, H. G. CALLAN 133; O. endocrine glands, P. CAZAL & D. BOGORAZO 143; O. spp. from Baroda, S. T. MOSES 636; O. vulgaris and O. macropus, experiments, M. G. ROMANINI 772; O. v. anatomy, figs., E. v. SKRAMLIK 850; O. hummelincki Adam. Notes on a variation from Florida Keys. figs., G. L. Voss 961; O. variabilis typicus (Sasaki) breeding habits, T. YAMAMOTO 1008.

Paroctopus a discussion on the status of the genus, G. E. Pickford & B. H. Connaughey 708.

BELEMNITACEA

†Bellemnella lanceolata sumensis mut. nov. Srumy. gebeit, Stadt Srumy, J. A. JELETZKY N. Jahrb. Mim. Geol. Palaont. Stuttgart B9 1949 p. 269 text-figs.

†Belemnitella propingua (Moberg) its taxonomic position and phylogenetic relations, morphology and synonymy, figs., J. Jeletzky 412.

"Belemnites" sp.? found in field of Oflag, M. FISCHER 253; B. s.l., list of genera, E. Schwegler 831; B. of the Jyrsmi and Cretaceous, W. Zoch 1025.

AMMONITACEA

Ammonites, probable positions at rest, figs., W. J. Arkell 29; A. notes on structure of some S. African species, E. C. N. v. Hoepen 368; A. on some Liasic generic names and their validity, O. Vecchia 935.

Acanthoceras meridionale multicostata var. nov. p. 446 pl. vi f. 2 a-b; A. hajoulense sp. nov. p. 447 pl. vi f. 1 a-b Cretaceous Syria, É. BASSE Notes et Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940.

†Acanthoplites potreritensis p. 139 p. 12 f. 11-12; A.? adkinsi p. 139 pl. 13 f. 2-3; A.? sandidgei p. 140 pl. 13 f. 1-4; spp. nov. La Peña formation Aptian Mexico, W. E. HUMPHREY Bull. Geol. Soc. Amer. 60 1 1949. Acantho-hoplites schucherti p. 109 p. 19 f. 1-13; A. berkeyi p. 111 pl. 19 f. 14-16; A. impetrabilis p. 112 pl. 19 f. 17-20; A. erraticus p. 113 pl. 19 f. 21-23; A. teres p. 114 pl. 20 f. 7; A. hesper p. 115 pl. 20 f. 1-6; spp. nov. Lower Cretaceous S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949.

†Acanthohoplitinae subfam. nov., A. Stoyanow Mem. Geol. Soc. Amer. 38 1949 pp. 95. 108.

†Acompsoceras spathi sp. nov. Cretaceous Syria, É. BASSE Notes et Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940 p. 452 pl. viii f. 5 a-b.

†Alpinoceras subgen. nov. Proarietites subgenotype Arietites haueri (Gümbel) Neumayr 1879, W. LANGE Palaeontographica Stuttgart A93 1-6 1941 p. 47.

†Anthracoceras? humphreyi sp. nov. Mississippian 5 m. W.S.W. of Mount Hamilton, Nevada, MILLER, Downs & Youngquist J. Paleont Menasha Wis. 23 6 1949 p. 610 pl. 99 f. 5-6. 614.

†Ataxioceras (Perisphinctes?) saxicolum p. 5 pl. i f. 1; A. (P.?) rupi-philum p. 6 pl. i f. 2; A. (P.?) litorale p. 6 pl. i f. 3; A. semistratum p. 7 pl. i f. 9-11; A. scitulum p. 8 pl. i f. 13; A. satellum p. 8 pl. ii f. 1; A. semi-Guntheri p. 9 pl. ii f. 2; A. homalinum p. 13 pl. v f. 1-2; A. coitinum p. 13 pl. v f 3.; A. didymum p. 15 pl. v f. 6, 7, 9; A. percinctum p. 16 pl. v f. 12; A. didymoides p. 16 pl. v f. 10; A. connatum p. 17 pl. v f. 8; A. eudiscinum p. 18 pl. iv f. 1-2; A. discoidale p. 19 pl. iv f. 3-6; A. complanatum p. 20 pl. vi f. 1-2; A. prominens p. 21 pl. ii f. 5-6; A. patruele p. 21 pl. viii f. 1-2; A. striatellum p. 22 pl. vii f. 4; A. (Perisphinctes?) clanculum p. 23 pl. vi f. 3-6; A. (Perisphinctes?) illibatum p. 24 pl. vii f. 1-3; A. (Perisphinctes?) catenatum p. 26 pl. viii f. 3; A. (Decipia?) indigenum p. 26 pl. viii f. 4; A. (Decipia?) lautum p. 27 pl. viii f. 5-7; A. maternum p. 28 pl. ii f. 3; A. multisetum p. 29 pl. ii f. 4; A. (Perisphinctes?) dolomiticum p. 29 pl. vii f. 6; A. (Perisphinctes?) exortericum p. 30 pl. vii f. 5; A. tentaculatum pp. 31, 33 pl. xii f. 2-4; A. trichodactylum p. 32 pl. xi f. 1.; A. excellens p. 32 pl. xi f. 2-3; A. arcanum p. 34 pl. xii f. 5-6; A. latitans p. 35 pl. xi f. 9, xii f. 1; A. validum p. 36 pl. xi f. 4-6; A. pulchellum p. 37 pl. xi f. 7-8; A. barbatum p. 37 pl. x f. 1-2; A. suberinoides p. 40 pl. ix f. 5-6; A. decumanum p. 41 pl. x f. 4-7; A. zonulatum p. 42 pl. xii f. 7-8 spp. nov. T. Schneid Palaeontographica Stuttgart A96 1-3 1944.

†Bactrites longceameratus spec. nov. upper Carbon Actyoubinsk, Ayderalash River, Russia, V. N. SHIMANSKI C.R. Acad. Sci. Moscow N.S. 1949 66 5 p. 930 fig.; B. nevadense sp. nov. White Pine shale, Snake Range, Nevada, W. YOUNGQUIST J. Paleont. Menasha Wis. 23 3 1949 p. 289 pl. 56 fig. 12–15.

†Beloitoceras grafense sp. nov. Elgin member of the Maquoketa shale [Ordovician] ¼ mile S.W. of Graf, Iowa, A. K. Miller & W. Youngquist J. Paleont. Menasha Wis. 23 2 1949 p. 202 pl. 41 f. 1-4.

†Beudanticeras victoris sp. nov. Lower Cretaceous S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949 p. 127 pl. 18 f. 18-21.

†Beyrichites praematurus sp. nov. p. 61 pl. 7 f. 5-5a; B. laurae sp. nov. p. 62 pl. 8 f. 1-16: Lower Trias J. of Chios, C. & O. Wenz Schweiz. Palaeont. Abh. 16 (1948-9) 1948 No. 1.

†Burckhardtites gen. nov. p. 130 Parahoplitidae, Neocomites nazaensis Burckhardt genotype, Upper Aptian, Rio Nazas, Durango, Mexico, W. E. HUMPHREY Bull. Geol. Soc. Amer. 60 1 1949.

†Burckharditites kellumi p. 131 pl. 10 f. 7-9; B. gregoriensis p. 132 pl. 11 f. 3-4; B. imlayi p. 134 pl. 11 f. 10-11; B. palumbes p. 135 pl. 11 f. 1, 9, pl. 12 f. 1-3; B. ehlersi p. 136 pl. 12 f. 4-6: spp. nov. Aptian La Peña formation, Mexico, W. E. Humphrey Bull Geol. Soc. Amer. 60 1 1949.

†Calycoceras alaouitense p. 449 pl. viii f. 1-4; C. paralaouitense p. 449 pl. vii f. 4 pl. viii f. 2-3 pl. ix f. 3: spp. nov. Cretaceous Syrie, É. Basse Notes et Mem. Haut-Comm. Republ. Franc. Syrie et Au Liban 3 1940.

†Cheloniceras fossae p. 143 pl. 14 f. 1, 5, 6; C. sanlucasensis p. 144 pl. 15 f. 4, 5, 7; C. sellardsi p. 145 pl. 13 f. 5-6; C. coahuilensis p. 146 pl. 14 f. 2-4; C. inconstans p. 147 pl. 15 f. 1-2: spp.

nov. La Peña formation, Aptian, Mexico, W. E. Humphrey Bull Geol. Soc. Amer. 60 1 1949.

Chioceras gen. nov. genotype; C. mitzopouloi sp. nov. Lower Trias, Island of Chios p. 36, pl. 12 f. 6-6a, 13 f. 3-3b. 9-9a; C. m. meridionalis var. nov. p. 38 pl. 12 f. 8-8b; C. nodosum sp. nov. p. 38 pl. 12 f. 7-7c, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1.

†Chiotites subgen. nov. of Prosphingites subgenotype P. (C.) globularis sp. nov. Lower Trias, I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1 p. 40 pl. 15 f. 9-9c.

†Clioniceras? schlaudti sp. nov. Lower ('retaceous, S.E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949 p. 130 pl. 24 f. 4-5.

Clymenia s.l. Notes on the Group and Phylogeny, O. Schindewolf 815.

†Colombiceras? brumale sp. nov. Lower Cretaceous, S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949 p. 122 pl. 21 f. 8-10.

†Columbites europaeus-perrini-smithi nom. nov. = C. perrini-smithi Arth. & C. europaeus Arth. p. 20 pl. 11 f. 1-26; C. dianae sp. nov. p. 21 pl. 10 f. 6-6b Holotype and 7-7b var.; C. spencei chiotica var. nov. p. 22 pl. 3 f. 7-7b; C. malayanus crassa var. nov. p. 26 pl. 9 f. 4-4b; C. bubalinae sp. nov. p. 26 pl. 9 f. 7-7a, pl. 10 f. 1-1b holotype; graeco-americanus sp. nov. p. 27 pl. 10 f. 4-4b; C. levantinus sp. var. p. 27 pl. 10 f. 2-2b; C. aithaliae sp. nov. p. 23 pl. 10 f. 3-3b & 5-5b holotype; C. hellenecus p. 28 f. 11 f. 9-9c: Lower Trias, I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1.

†Cravenoceras merriami sp. nov. White Pine Shale, Snake Range. Nevada, W. YOUNGQUIST J. Paleont. Menasha Wis. 23 3 1949 p. 291 pl. 61 f. 4-7, pl. 63 f. 9-12.

†Colombiceras spathi sp. nov. La Peña formation, Aptian, Mexico, W. E. Humphrey Bull. Geol. Soc. Amer. 60 I 1949 p. 151 pl. 18 f. 7-8.

†Dagnoceras nopesanum involuta var. nov. Lower Trias, I. of Chios, C. & O. RENZ Schweiz. Palaeont. Abh. 66 (1948-9) 1948 p. 52 pl. 1 f. 5-5a. †Daradiceras, genotype gignouxi gen. et sp. nov. Engonoceratidae, Maestrichtian, Senegal, J. SORNAY & F. TESSIER Bull. Soc. Géol. Fr. 5 19 1-3 1949 pp. 246-247 pl. vii f. 1-4 text-figs. 1 (1-2).

† Deshayesites? temerarius p. 126 pl. 24 f. 1-3; D.? bulleri p. 126 pl. 25 f. 1-3: spp. nov. Lower Cretaceous, S.E. Arzona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949.

†Deshayesitinae subfam. nov. for Deshayesites Kazansky 1914 and Dufrenoya, Burckhardt 1915, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949 pp. 95 123.

†Diaziceras spathi p. 107; D. guillantoni p. 108 f. 15; D. menabense p. 109 f. 16-17; spp. nov. V. Hourco Ann. Paléont. Paris 35 1949.

† Dictyoconites nipponicus sp. nov. Upper Triassic, Japan, S. Shimizu Jubilee Publ. Com. Prof. H. Yabe 2 1940–1 p. 923 pl. 48–49.

†Dimorphoceras humphreyi sp. nov. White Pine Shale near Green Springs 8 m. S. of Mt. Hamilton, White Pine Co. Nevada [Mississippian] W. Youngquist J. Paleont. Menasha Wis. 23 6 1949 p. 614 pl. 100 f. 8–11.

†Dinarites liatsikasi sp. nov. p. 49 pl. 1 f. 3-3c: Lower Trias I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 p. 49 pl. 1 f. 3-3c.

† Discohoplites simplex p. 478 pl. xxviii f. 3 a-b; D. arkelli p. 479 pl. xxviii f. 9 a-c; D. daedallus p. 480 pl. xxviii f. 5 a-b, 8 a-c, 10 a-c spp. nov.; D. valbonnensis dorsetensis subsp. nov. p. 480 pl. xxviii f. 4 a-c White Notte, Dorset (Cretaceous), C. W. & E. V. White Quart. J. Geol. Soc. London 104 4 1949.

†Dombarocanites chancharensis gen. nov. sp. nov. from Aktubinsk, Russia, V. E. RUSHENTZEV C.R. Acad. Sci. Moscow N.S. 67 4 1949 pp. 737-740.

Douvilleiceras? muralense sp. nov. Lower Cretaceous S.E. Arizona. A. STOYANOW Mem. Geol. Soc. Amer. 38 1949 p. 130 pl. 26 f. 1-2.

†Dufrenoya stenzeli p. 125 pl. 8 f. 9-11; D. bösei p. 126 pl. 9 f. 1-2; D. durangensis p. 127 pl. 9 f. 3-4; D. mulatoensis p. 127 pl. 9 f. 11-12; B. scotti p. 128 pl. 9 f. 5-6: spp. nov. La Petra formation, Mexico, W. E.

HUMPHREY Bull. Geol. Soc. Amer. 60 1 1949; D. joserita p. 125 pl. 23 f. 4-6; D.? compitalis p. 125 pl. 22 f. 1-8 pl. 23 f. 1-3 spp. nov. Lower Cretaceous S.E. Arozona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949.

†Dunveganoceras pondi sp. nov. 6 m. E. and 7 m. N. of Greybull, Wyoming, Cretaceous, A. HAAS Bull. Amer. Mus. nat. Hist. 93 1 1949 pp. 5 22 pl. 8 f. 1-5, 8, pl. 9 f. 1, 3, 4, pl. 10-14 text-figs. 11-13, 16, 17.

† Enzonhoplitoides khenchelaense p. 442 pl. iv fig. 6 text-fig. 12; E. zumoffeni p. 443 pl. v f. 1 a-b; E. ricorpense p. 443 pl. v f. 2 a-b, 3: spp. nov. Cretaceous Syria, É. BASSE Notes et Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940.

† Engonoceras jezzinense p. 437 pl. in f. 4 a-b text-fig. 7; E. jullieni p. 439 pl. iv f. 4 a-b: spp. nov. Cretaceous. Syria, E. BASSE Notes et Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban 3 1940.

†Epistomina colomi p. 217 pl. vi f. 4 a, b, c; E. catenula p. 219 pl. vi f. 5 a, b, c spp. nov. Cretaceous Algeria, G. DUBOURDIEU & T. SIGAL Bull. Soc. géol Fr. 5 19 1-3 1949.

†Esericeras longoviciense sp. nov. Aalinian Mont-Saint-Martin (M. et M.), P. L. MAUBEUGE Bull. Mus. Hist. nat. Belg. 24 18 1948 p. 5,

†Eulophoceras bererense p. 91 f. 1-2; E. miloni p. 93 f. 3; E. besairici p. 94 f. 5; E. jacobi p. 95 f. 6-7; E. manambolense p. 96 f. 8; spp. nov. Senonian, Portugal, V. Hourco Ann. Paléont. Paris 35 1949; E. list of species, V. Hourco 379.

†Flemingites pseudorusselli Lower Trias, Isle of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948–9) 1948 No. 1 p. 54 pl. 7 f. 3, 3c.

†Flickia rudelli sp. nov. Cenomanian Algeria, Dubourdieu & J. Sigal Bull. Soc. Géol. Fr. 5 19 1–3 1949 p. 214 pl. vi f. 1–3 text-figs. 1–2.

†Gagaticeras gagateum alticostata p. 303 pl. 16 f. 4-4a, pl. 17 f. 6 text-fig. 61; G. g. angusticostata p. 304 pl. 16 f. 5-5a text-fig. 7 vars. nov. Lower Lias N.W. Germany, K. HOFFMANN Jahrb. Reich. Bodenforsch, Berlin 62 1944.

†Gagaticeras intercedens sp. nov. Lower Lias N.W. Germany, K. Hoff-MANN Jahrb. Reichs. Bodenforsch. Berlin 62 1944 p. 307.

†Gauthiericeras mutiscuaensis sp. nov. Cretaceous, Colombia (S. Am.), É. BASSE Bull. Soc. geol. Fr. 5 18 8-9 1948 p. 697 pl. xxv f. 6 a-c.

†Glyphioceras myrtilense sp. nov. Upper Visean, Portugal, M. Feio Comm. Serv. geol. Portugal 27 1946 p. 112 pl. ii f. 6–7 text-fig. 3.

†Gonioptychoceras gen. nov. Psiloceratidae genotype Aegoceras gonioptychum Wahner 1886, W. Lange Palaeontographica, Stuttgart A93 1-6 1941 p. 47.

†Hedenstroemia pityoussae sp. nov. Lower Trias, I. of Chios, G. & O. RENZ Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1 p. 83 pl. 16 f. 8-8b.

†Hemilytoceras lemoinei sp. nov. Oxfordian, Madagascar, M. Collignon Ann. Hébert & Hang Paris 7 1949 p. 92.

†Hellenites gen. nov. genotype? Tropiceltites praematurus Arthaber Trias, C. & O. RENZ Schweiz. Palaeont. Abh. 66 1948-9) 1948 No. 1 p. 44 pl. 27-7a type and f. 3, 3a.

Hellenites p. aegaeica var. nov. p. 45 pl. 2 f. 6, 6b, 8, 8b, 9-9a; H. trikkalinoi sp. nov. p. 46 pl. 2 f. 1, 1a, 2-2a holotype 4, 4b var.; H. t. graeca var. nov. p. 46 pl. 2 f. 5-5b; H. (Pallasites) radiatus sp. nov. p. 47 pl. 2 f. 12-12b holotype f. 13-13b; H. (P.) striatus sp. nov. p. 47 pl. 2 f. 11-11a holotype; H. (P.) s. densicostata var. nov. p. 48 pl. 2 f. 10-10b. Lower Trias, I. of Chios, C. & O. Rexz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1.

Hexagonites gen. nov. pp. 16, 19 chechiangensis sp. nov. pp. 16, 19, 20 pl. 1 f. 2 text-fig. 1. Permian Chêchiang, China, I. HAYASAKI Acta. Geol. Taiwanica 1 1 1947.

†Hinnites primoevus Matheron in collect Lias Provence, J. Alloiteau & R. P. Charles Mém. Soc. d'Etudes Paléont. Palethnogr, Provence 1 2 1948 p. 8.

Holeostiphanus utriculus "Matheron" sp. nom. and 1878 = Anmonites utriculus Matheron Reeh. Paléo, "dans le Midi de la Fr." 2° parties pl. B. 20

fig. 5, R. P. Charles Mém. Soc. d'Etudes Paleont. Pathnogr. 1 1 1948 p. 31.

†Hypacanthoplites leanzae p. 141 pl. 13 f. 7-9; H.? rursiradiatus p. 142 pl. 14 f. 11-12: spp. nov. La Peña formation, Aptian, Mexico, W. E. Humphrey Bull. Geol. Soc. Amer. 60 1 1949. 384.

†Hyphohoplites costosus p. 484 pl. xxix f. 7 a-b; H. pylorus p. 488 pl. xxix f. 2 a-b spp. nov. Dorset; H. falcatus interpolatus p. 485 pl. xxx f. 2, 6, 7 var. nov. type Sedgwick Mus. G.S.M. 43805 Cretaceous, C. W. & E. V. Whitze Quart. J. Geol. Soc. London 104 4 1949.

†Imitoceras eshbaughi sp. nov. Mississippian, Fern Glen, St. Louis, Co. Missouri, MILLER, DOWNS & YOUNG-QUIST J. Paleont. Menasha Wis. 23 6 1949 p. 604 pl. 99 f. 11. 614.

†Immunitoceras gen. nov. pp. 95, 116 Parahoplitidae genotype I. immunitum sp. nov. p. 117 pl. 20 f. 8-15 Lower Cretaceous Quajote Member, Lower formation, Ninety One Hills, S.E. Arizona, A. Stoyanow Mem. Geol. Soc. Amer. 38 1949.

†Inyortes garbinus sp. nov. Lower Trias, I. of Chios, G. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. I p. 53 pl. 12 f. 10-10b.

†Iscultites globulus sp. nov. & var. p. 35 pl. 14 f. 10–10c holotype f. 4–4a, 5–5a (form path) Sowie var. f. 8–8a, 11–11b; I. globulus-originis nom. nov. p. 35 p. 13 f. 6–6a pl. 14 f. 1–1a, 2–2a, 3–3a; I. globulus-antiglobulus nom. nov. p. 35 pl. 13 f. 4–4a pl. 14 f. 7–7a; Lower Trias, Island of Chios, C. & O. RENZ Schweiz. Palaeont. Abh. 66 (1948–9) 1948 No. 1.

†Kammerkaroceras gen. nov. Psiloceratidae, genotype Aegoceras (Psiloceras) emmrichi (Gümbel) Wäkner 1886 W. LANGE Palaeontographica, Stuttgart 433 1-6 1941 p. 43.

†Kazanskyella gen. nov. pp. 95, 99 Parakoplitidae genotype K. arizonica sp. nov. p 100 pl. 17 f. 2-8 Cienda limestone, Packeta member, Lower formation, Ninety One Hills, Lower Cretaceous S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949.

† Knemiceras arambourgi p. 426 pl. 1 f. 2 a-b; K. dubertreti p. 427 pl. 1 f. 3-4, ii f. 1-2 text-fig. 2 a-b; K. flexiloculosum p. 430 pl. ii f. 3 a-b; K. subcomplicatum p. 434 pl. iii f. 2-3 a-b: spp. nov.; K. uhligi douvillei var. nov. p. 431 pl. iii f. 1: Cretaceous, Syria, É. Basse Notes et Mém. Haut-Comm. Républ. Franc. Syrie et Au Liban. 3 1940.

†Knemiceras compressum Hyatt. its occurrence in the Aptian Algeria fig., G. DUBOURDIEU 222.

†Koninckites bernoullii sp. nov. p. 58 pl. 5 f, 5-5a pl. 6 f. 2-2a (holotype); sowie var. p. 7 f. 2-2a Lower Trias, I. of Chios; K. timorensis "nom. nov." p. 60 = Proptychites nov. sp. ind ex aff. undati Waagen in O. weter. Amm. umter. Trias Timor 1922, G. &. O. RENZ Schweiz. Palaeont. Abh. 66 (1948-9) 1949 No. I.

†Kosmoclymenia nom. nov. for Oxyclymenia Gümbel non Hyatt. genotype K. undulata (Münster 1832), O. SCHINDEWOLF N. Jahrb. Mem. Geol. Paläont. Stuttgart B1-3 1949 pp. 69-70.

†Ludwigia decipiens hiltermanni subsp. nov. p. 34 pl. vi f. 4-7 text-figs. D6-10 Bielefeld; L. obtusa planiomphalata p. 16 p. 1 f. 12-13 text-figs. A17-18; L. obtusa falcifera p. 17 pl. ii f. 1-3 text-figs. A 21-24, B 1-2; L. obtusa schonewegi p. 17 pl. ii f. 4 textfig. A 19-20; L. obtusa latecostata p. 18 pl. ii f 5, iii f. 1 text-figs. A25-26, B3-4; L. concava oligopleura p. 28 pl. v f. 14 text-figs C 26-27, formae. nov. Bielefeld, W. Althoff Palaeontographica Stuttgart A92 1-2 1940; L. (Hyperlioceras), L. (Harpoceras), L. (Staufenia), L. (Lioceras), spp. in Wurttemberg-Jurassic, E. LÖRCHER 552.

Manambolites gen. nov. ? Sphenodiscidae genotype M. piveteaui sp. nov. middle and upper Campanian, near Anhilizato, Madagascar, V. Hourco Ann. Paléont. Paris 35 1949 pp. 111-113 figs. 20-23.

†Mantelliceras canitaurinum sp. nov. Cretaceous 6 m. E. and 7 m. N. of Greybull, Wyoming, O. Haas Bull. Amer. Mus. nat. Hist. 33 1 1949 pp. 5.99 pl. 1-3, pl. 4 f. 1, 2, 4 text-figs. 1-4.

†Megatyloceras gen. nov. Cheloniceratidae genotype Douvilleieras coronatum Rouchadze. Aptian, Mexico with M. casei p. 149 M. casei sp. nov. La

Peña formation, Aptian, Mexico, W. E. HUMPHREY Bull. Geol. Soc. Amer. 60 1 1949

†Meropella subgen. nov. of Arianites subgenotype A. (M.) plejanae sp. nov. Lower Trias, I. of Chios, C. &. O. Renz Schweiz. Palaeont. Abh. 66 (1948–9) 1948 No. p. 95 pl. 3 f. 4–1 (subgen. and Holytype) als. f. 11–11b. Lower Trias, Isle of Chios, G. & O. Renz Schweiz. Palaeont. Abh. 66 (1948–49) 1948 No. 1.

†Metoicoceras whitei praecox subsp. nov. Cretaceous 6 m. E. and 7 m. N. of Greybull, Wyoming, O. Haas Bull. Amer. Mus. nat. Hist. 93 1 1949 pp. 5, 15 pl. 5–7 text-figs. 5–9.

†Metasageceras subgen. nov. of Pseudosageceras subgenotype P. (M.) pasquayi sp. nov. Lower Trias, I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1 p. 93 pl. 16 f. 2-2b.

'Monophyllites (Leiophyllites) praepractice for the properties of M. (L.) palaeotriadicus sp. nov. p. 75 p. 4 f. 4-4a: Lower Trias, Isle of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1; M. (Schizophyllites) betilloni sp. nov. p. 76 pl. 4 f. 8-8b and evoluta var. nov. p. 76 pl. 4 f. 6-6a, pl. 5 f. 2-2a, 4-4a, 6-6a; M. (?S.) pseudohara sp. nov. p. 78 pl. 5 f. 3-3b; M. (Palaeophyllites) thalmanni sp. nov. p. 79 pl. 3 f. 10-10b; M. (P.) praekieperti sp. nov. p. 80 pl. 4 f. 5-5b: Lower Trias, Isle of Chios, C. & O. RENZ Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1.

†Mooreoceras depressum sp. nov. White Pine Shale, Snake Range, Nevada, W. Youngquist J. Paleont. Menasha Wis. 23 3 1949 p. 283 pl. 56 f. 10-11.

†Neophyllites gen. nov. Psiloceratidae genotype N. antecedens sp. nov. W. LANGE Palaeontographica Stuttgart A93 1-6 1941 p. 37; N. antecedens glaber subsp. nov. p. 56 pl. 1 f. 1b-4b, holotype and f. 3; N. sulcifer sp. nov. p. 57 pl. 1 f. 5 text-fig. 12 holotype, pl. 1 f. 1c, 4c text-figs. 11-13; N. imitans pl. 58 pl. 1 f. 8 and text-fig. 23 holotype, pl. 6-8 text-figs. 14-22; N. biptychus sp. nov. p. 60 pl. ii f. 1 text-

figs. 24–25 holotype; N. biptychus intermedius subsp. nov. p. 61 pl. ii f. 2 holotype; North Germany, W. Lange Palaeontographica Stuttgart A93 1–6 1941.

†Neptunoceras sakmarense gen. nov. spec. nov. upper Carbon Tchkalovsk. distr. Sakmara river, V. N. Shimanski C.R. Acad. Sci. Moscow N.S. 1949 66 5 p. 931 figs.

†Niceforoceras gen. nov. p. 694 genotype Niceforoceras columbianus sp. nov. p. 694 pl. xxv f. 2; with N. umbulaziforme sp. nov. p. 695 pl. xxv f. 3 a-b to 5 a-b, Cretaceous, Colombia (S. Am.), E. Basse Bull. Soc. géol. Fr. 5 18 8-9 1948.

†Oxynoticeras galeatum sp. nov. Lower Lias N.W. Germany, K. HOFFMANN Jahrb. Reichs. Bodenforsch. Berlin 62 1944 p. 330 pl. 19 f. 3-7 text-figs. 23-24.

†Paraberriasella gen. nov. Perisphinetidae genotype blondeti sp. nov. Lower Tithonian of Saint Concors near Chambéry, France, P. Donze Bull. Soc. géol. Fr. 5 18 4-5 1948 p. 237 pl. ixb text-figs. 1-2.

†Paracanthoplites gen. nov. p. 95, 118
Parahoplitidae, genotype P. meridionalis sp. nov. p. 118 pl. 21 f. 1-7
Lower Cretaceous S.E. Arizona, A.
STOYANOW Men. Geol. Soc. Amer. 38
1949.

†Paracibolites p. 32 costatus p. 33 gen. et sp. nov. Permian Chêckiang, China, I. HAYASAKI Acta Geol. Taiwanica 1 1 1947 pp. 17, 32, 33 pl. ii f. 6-7 text-fig. 5.

†Parahoplites mexicanus sp. nov. La Peña formation, Aptian, Mexico, W. E. Humphrey Bull. Geol. Soc. Amer. 60 1 1949 p. 137 pl. 12 f. 7-8.

†Paranannites mediterraneus media var. nov. p. 70 pl. 1 f. 11, 11b, 14-14b; P. chionensis sp. nov. p. 70 pl. 1 f. 10-10c; P. aspenensis europaea var. nov. p. 71 pl. 1 f. 16-16c; P. compressus sp. nov. p. 71 pl. 1 f. 15-15b. Lower Trias, Is. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-49) 1948 No. 1.

†Paraspidoceras erardae sp. nov. Oxfordian, Madagascar, M. COLLIGNON Ann. Hébert & Haug, Paris 7 1949 p. 93. †Pedioceras apollinaria sp. nov. Cretaceous, Colombia (S. Am.), E. Basse Bull. Soc. géol. Fr. 5 18 8-9 1948 p. 691 pl. xxv f. 1 a-c.

†Pedioceras suture line figured confirming Dr. Roger's observations of its Synonymy with Crioceras (Pseudocrioceras), K. A. Yenne pl. 102 1014.

†Perisphinctes (Arisphinctes) plicatilis Sow, fig. study of the genus, V. Fradin 270: P. broanci fig., K. V. Petkovio 693.

†Phlysiogrammoceras anhense p. 10 pl. i f. 1; P. beneckei p. 10 pl. i f. 2; P. klünfeli p. 11 pl. i f. 3; P. bichelonnei p. 11 pl. i f. 4; P. crinitum p. 12 pl. ii f. 2; P. braconnieri p. 13 pl. ii f. 5; P. bleickeri p. 13 pl. ii f. 5; P. bleickeri p. 13 pl. i f. 5; P. discoideum p. 14 pl. ii f. 3; P. angoti p. 15 pl. ii f. 4: spp. nov. the Aalinian from the mine of Mont St. Martin [? France-Luxemburg border] P. L. MAUBEUGE Bull. Inst. R. Sci. nat. Belgian 1949 25 36.

†Phlysiogrammoceras Buckman genotype, P. metallarium Dumotier sp. 1874, a revision of the genus, P. L. MAUBEUGE 590.

†Pradoceras (Kotoceras) kobayashi sp. nov. Ordovician Ciudad Real, Spain, P. H. Sampelayo Bol, Inst. Geol. Esp. 61 1948 p. 47.

†Praedaraelites aktubensis sp. nov. from Aktubinsk, Russia, V. E. Rushentzev. C.R. Acad. Sci. Moscow N.S. 67 4 1949 pp. 737-740.

†Prenkiles helenae sp. nov. Lower Trias, Island of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 63 (1948-9) 1948 No. 1 p. 30 pl. 12 f. 2-2a holotype and f. 5-5b.

†Proarietites platysternus calliptychus p. 157 pl. xvii f. 6 holotype; P. (Alsatites) loquedus platystoma p. 163 pl. xx f. 4 holotype: subspp. nov. p. (Alsatites) costulatus sp. nov. p. 165 pl. xx f. 6 a-b text-fig. 138 holotype; P. (A.) gallbergensis sp. nov. p. 167 pl. xx f. 7 holotype, Ammonites "Psiloceras Stufe," N. Germany, W. LANGE Palaeontographica Stuttgart A93 1-6 1941.

†Procarnites kokeni evoluta var. nov. p. 82 pl. 9 f. 1-1a; P. k. panteleimonensis var. nov. p. 82 pl. 8 f. 3-3a, pl. 9 f. 3-3a. Lower Trias, I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. II (1948-9) 1948 No. 1.

†Pronorites arbanus mediterranea var. nov. p. 85 pl. 14 f. 12-12b; P. orientalis sp. nov. p. 86 pl. 15 f. 2-2b; P. schaubi sp. nov. p. 87 pl. 15 f. 4-4a; P. s. kephalovanensis var. nov. p. 87 pl. 15 f. 3, 3a; P. reicheli sp. nov. p. 88 pl. 15, f. 1-1c: Lower Trias, Isle of Chios, C. & O. Renz Schweiz. Palaeont. Abh. II (1948-9) 1948 No. 1.

†Prosphingites vonderschmitti sp. nov. p. 39 pl. 15 f. 13-13c & 15-15b; P. (Chiotites subgen. nov.) globularis sp. nov. p. 40 pl. 15 f. 9-9c; P. (C.) superglobosus sp. nov. p. 41 pl. 15 f. 7-7b holotype, & f. 10; P. (Zenoites subgen. nov.) helenae p. 41 pl. 15 f. 8-8a & pl. 16 f. 1-1c subgeno-, and holotype; P. (Z.) helenae maradovemensis var. nov. p. 42 pl. 15 f. 12, 12a, 14-14b: Lower Trias, Island of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1048 No. 1.

†Proptyehites mohamedis applanata var. nov. p. 64 pl. 6 f. 3-3b; P. ktenasi sp. nov. p. 65 pl. 6 f. 1-1b; P. balcanicus sp. nov. p. 66 pl. 5 f. 9-9b; P. mistardisi sp. nov. p. 67 pl. 5 f. 8-8a; P. lawrencianus postindica mut. nov. p. 67 pl. 5 fig.; P. buxtorfi sp. nov. p. 68 pl. 7 f. 1-1b: Lower Trias, I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 1948-9 1948 No. 1.

†Protacanthoceras jacobi sp. nov. Cenomanian, Spain, M. COLLIGNON Ann. Hébert & Haug Paris 7 1949 p. 80 fig.

†Proteites (Proteusites) levis sp. nov. Calcaire, Seljani á Riva, Z. Bešić Bull. Mus. H.N. Serb. 2 1949 pp. 135, 148 pl. x f. 2-4 pl. xi f. 3.

†Pseudohaploceras? hedbergi sp. nov. La Peña formation, Aptian, Mexico, W. E. Humphrey Bull. Geol. Soc. Amer. 60 1 1949 p. 155 pl. 18 f. 11, 12.

†Pseudosageceras drinense incentrolata var. nov. p. 92 pl. 16 f. 11-11a; P. (Metasageceras) pasquayi sp. nov. p. 93 pl. 16 f. 2, 2b, Lower Trias, I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1.

†Psiloceras (Waekneroceras) engonium Lange pl. iii f. 5, 6 typical, e. juengsti pl. iii f. 7 text-figs. 67a, e. polystreptum, e. depressum pl. iii f. 8 text-fig. 67b: subspp. nov. p. 82; P. (W.) helmstad-

teuse westfalicum subsp. nov. p. 84 pl. iii f. 11 text-fig. 69 holotype; P. (Caloceras) torus bielefeldiense subsp. nov. p. 95 pl. vii f. 9a-b text-fig. 76 holotype; P. (C.) torus celerecrescens subsp. nov. p. 95 pl. x f. 3 text-fig. 77 holotype; P. (C.) torus Orb. f. aegrum p. 101 pl. vii f. 12; P. (C.) torus stenogastorbiangulum subspp. nov. p. 102; P. (C.) torus stenogastor-acutum subsp. nov. p. 103 pl. ix f. 14 holotype; P. (C.) torus stenogastor-polyantyx subsp. nov. p. 104 pl. ix f. 2a-b holotype; P. (C.) torus stenogastor-minor subsp. nov. p. 105 pl. ix f. 4 holotype, pl. ix f. 3, 5-7 textfig. 80, W. LANGE Palaeontographica Stuttgart A93 1-6 1941; P. c.f. helmstedtense Jüngst fig., C. Kühn 480.

†Psilophyllites hagenowi incisus subsp. nov. (bradymorphe form) p. 67 pl. ii f. 5 text-fig. 37=holotype pl. ii f. 6, 14 text-figs. 29, 35, 36, 38; P. hagenowi dunkeri subsp. nov. p. 69 pl. ii f. 8 and text-figs. 30, 46=holotype and textfigs. 44 bis 47; P. hagenowi latelobus subsp. nov. p. 70 pl. ii f. 9 text-fig. 48 holotype and f. 49; P. hagenoui undulatus p. 71 pl. ii f. 11 text-fig. 52 holotype; P. hagenowi colubrina subsp. nov. p. 71 pl. ii f 12 text-fig. 53 holotype; P. hagenowi divisus subsp. nov. p. 71 pl. ii f. 13 text-fig. 56 holotype, and text-fig. 55; P. hagenowi vaikingensis subsp. nov. p. 72 pl. ii f. 16 text-fig. 54 holotype; P. ornatus sp. nov. p. 73 pl. ii f. 4 text-fig. 57 holotype; P. psilonotum striatulum subsp. nov. p. 76 pl. ii f. 19 holotype, W. LANGE Palaeontographica A93 1941.

†Ptychites gorjanovic-krambergeri sp. nov. Trias, M. Salopek Prirod. Istraž. mat.-prir. Razred. 4 1914 p. 21 pl. iv pl. v f. 1 a-b, pl. vi f. 2.

†Rhipaeocanites librovitchi gen. et sp. nov. Aktubinsk, Russia, V. E. RUSHEN-TZEV C.R. Acad. Sci. Moscow N.S. 67 4 1949 p. 737-740.

†Saxoceras schroederi insulcatum subsp. nov. p. 125 pl. xi f. 4 text-fig. 103 holotype; S. s. gottingense p. 128 pl. xi f. 5 holotype; S. s. striatum p. 128 pl. xi f. 6 text-fig., 10a holotype subspp. nov.; S. stolleyi sp. nov. p. 128 pl. xii f. 3 text-fig. 105 holotype; S. angersbachense sp. nov. p. 130 pl. xii f. 1 (2 and text-fig. 106 holotype); S. costatum polyrhabdum subsp. nov. p. 132 pl. iv f. 3, pl. xiii 5 holotype, pl. xiii; S. c. quadratum p. 134 pl. xiii

f. 7 text-fig. 110 holotype; S. c. hypositum p. 135 pl. xiii f. 8 holotype, pl. xiii f. 9, xiv f. 1 text-figs. 111, 112; S. c. hypselum p. 135 pl. xiv f. 3, xiv f. 5 holotype; S. c. stiaghorstense p. 135 xiv f. 2 text-fig. 113 holotype: subspp. nov.; S. praecursor polyplectum p. 141 pl. xiv f. 10 holotype text-fig. 119; S. praecursor latum p. 141 pl. xv f. 10 holotype xvi f. 1 text-fig. 120: subspp. nov.; S. tentobergense [olim Schlotheimia] p. 144 pl. xvi f. 2 text-fig. 121 holotype, xvi. f. 3; S. haploptychoides deinoptychum p. 147 pl. xvi f. 8 holotype subsp. nov. Ammonites, N. Germany, W. Lange Palaeontographica Stuttgart A93 1-6 1941.

†Scaphites morrowi nom. nov. fom Scaphites pygmaeus Morrow 1935 non Holzapfel 1888, J. A. JELETZKY J. Paleont. Menasha Wis. 23 3 1949 p. 330. 413

†Schafhautlia carinata sp. nov. Upper Trias, Hoa-Huynh, S. Annam, E. SAURIN Bull. Surv. geol. Indochine 26 3 1941 p. 11 pl. ii f. 21 text-fig. 2.

†Schizophyllites subgen. nov. of Monophyllites subgenotype M. (S.) betilloni sp. nov. p. 76 pl. 4 f. 8-8b holotype, also var. evoluta [var. nov.] pl. 4 f. 6-6a pl. 5 f. 2-2a f. 4-4a 6-6a, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1.

†Sinzowiella gen. nov. pp. 95, 101, Parahoplitidae, genotype S. spathi sp. nov. p. 102 pl. 18 f. 1-17, Lower Cretaceous, S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949.

†Sphenodiscus corroyi sp. nov. Maestrichtian, Senegal, J. Sormay & F. Tessier Bull. Soc. géol. Fr. 5 19 1-3 1949 p. 248 pl. vii f. 10-11 text-figs. f. 1 (3-4).

†Spitidiscus (Holcodiscus) rossfeldensis p. 263 pl. xii f. 1 pl. xiv f. 3 text-fig. 2; S. (H.) pechhaeuslensis p. 267 pl. xii f. 2 text-fig. 3: spp. nov. Rossfeld,

E. Weber N. Jahrb. Min. Geol. Paläont. Stuttgart 86 2 1942.

†Stacheites dionysi sp. nov. Lower Trias, I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. I p. 50 pl. 1 f. 6-6b holotype and var. f. 8-8b.

†Stacheoceras quadridens sp. nov. Permian, Chêchiang, China, I. Hayasaki Acta Geol. Taiwanica 1 1 1947 pp. 16, 23 pl. ii f. 1 text-fig. 3.

†Stoliczkaia patagonica p. 128 pl. 26 f. 3-4; S. scotti p. 129 pl. 26 f. 7-8; spp. nov. Lower Cretaceous, S.E. Arizona, A. STOYANOW Mem. Geol. Soc. Amer. 38 1949.

†Storthoceras gen. nov. Psiloceratidae, genotype Aegoceras extracostatum Wähner, W. LANGE Palaeontographica Stuttgart A93 1-6 1941 p. 41.

†Tetrapleuroceras karpinskyi gen. nov. spec. nov. Upper Carbon, Tehkaloysk district, Ural river, V. N. SHIMANSKI C.R. Acad. Sci. Moscow N.S. 1949 66 5 p. 931 figs.

†Uhligella subornata Middle Albian, Folkestone p. 337 pl. xix f. la-b text-fig. 1; U. derancei, Lower Gault, Foreshore reefs, E. Wear Bay, Folkestone p. 340 pl. xix f. 2 a-d, 3 a-b: spp. nov. Cretaceous, R. Casey Geol. Mag. London 86 6 1949; U. reesidei p. 152 pl. 18 f. 3-4; U. mullerriedi p. 153 pl. 18 f. 10, 13; U. riedeli p. 153 pl. 18 f. 1, 2: spp. nov. La Peña formation, Aptian, Mexico, W. E. Humphrey Bull. Geol. Soc. Amer. 60 1 1949.

Witchellia (Dorsetensia) complanata Buckman, Basel, figs., E. Koechlin 466.

†Zenoites subgen. nov. of Prosphingites, subgenotype P. (Z.) helenae sp. nov. Lower Trias, I. of Chios, C. & O. Renz Schweiz. Palaeont. Abh. 66 (1948-9) 1948 No. 1 p. 41 pl. 16 f. 1-1c.

